

Beexy Consent Cookie Database Appendix

Full cookie database extracted from the Beexy Consent page reference. Includes the Small, Medium and Large database tiers with service, cookie, category, provider, purpose and retention details.

Small: 44 services / 115 cookies | Medium: 150 services / 829 cookies | Large: 372 services / 2,071 cookies | Total rows: 3,015

Appendix A | Cookie database, Small tier (44 services / 115 cookies)

Service	Cookie	Category	Provider	Purpose	Retention
Google Analytics 4 / Google Ads	_ga	analytics	Google	Distinguishes unique website users	2 years
Google Analytics 4 / Google Ads	_gid	analytics	Google	Distinguishes unique users for the session	24 hours
Google Analytics 4 / Google Ads	_gat	analytics	Google	Throttles request rate	1 minute
Google Analytics 4 / Google Ads	_ga_*	analytics	Google	Stores session state for Google Analytics	2 years
Google Analytics 4 / Google Ads	_gcl_au	marketing	Google	Stores conversion data for Google Ads	90 days
Google Analytics 4 / Google Ads	_gcl_aw	marketing	Google	Stores click information for Google Ads	90 days
Facebook / Meta	_fbp	marketing	Meta	Tracks visits across websites for ad targeting	90 days
Facebook / Meta	_fbclid	marketing	Meta	Stores click identifiers from Facebook ads	90 days
LinkedIn	li_fat_id	marketing	LinkedIn	Identifies members for ad targeting	30 days
LinkedIn	UserMatchHistory	marketing	LinkedIn	Tracks ad conversions	30 days
LinkedIn	AnalyticsSyncHistory	marketing	LinkedIn	Stores information for analytics syncing	30 days
LinkedIn	bscookie	marketing	LinkedIn	Identifies browser for security	2 years
LinkedIn	li_gc	marketing	LinkedIn	Stores consent of guests for cookies	6 months
HotJar	_hjSessionUser_*	analytics	Hotjar	Identifies returning users	1 year
HotJar	_hjSession_*	analytics	Hotjar	Stores current session data	30 minutes
HotJar	_hjFirstSeen	analytics	Hotjar	Identifies first pageview of a session	30 minutes
Microsoft Clarity	_clsk	analytics	Microsoft	Stores and combines pageviews for analytics	1 day
Microsoft Clarity	_clck	analytics	Microsoft	Stores a unique user ID for analytics	1 year
Microsoft Clarity	MUID	analytics	Microsoft	Identifies unique web browsers for analytics	1 year
TikTok	_ttp	marketing	TikTok	Tracks visitor activity for ad targeting	13 months
TikTok	_tt_enable_cookie	marketing	TikTok	Checks if cookies can be placed	13 months
HubSpot	hubspotutk	analytics	HubSpot	Tracks visitor identity	6 months
HubSpot	__hstc	analytics	HubSpot	Tracks visitor sessions	6 months
HubSpot	__hssc	analytics	HubSpot	Tracks session page views	30 minutes
HubSpot	__hssrc	analytics	HubSpot	Determines if the visitor has restarted their browser	Session
Stripe	__stripe_mid	necessary	Stripe	Fraud prevention and payment processing	1 year
Stripe	__stripe_sid	necessary	Stripe	Fraud prevention for payment sessions	30 minutes

Service	Cookie	Category	Provider	Purpose	Retention
Intercom	intercom-id-*	necessary	Intercom	Identifies visitor for support chat	9 months
Intercom	intercom-session-*	necessary	Intercom	Tracks active support chat session	1 week
YouTube embed	VISITOR_INFO1_LIVE	marketing	Google	Tracks YouTube video views	6 months
YouTube embed	YSC	marketing	Google	Verifies YouTube requests from the user	Session
YouTube embed	yt-player-*	marketing	Google	Stores video player preferences	Session
Twitter / X	personalization_id	marketing	X/Twitter	Tracks visitor activity for ad targeting	2 years
Twitter / X	guest_id	marketing	X/Twitter	Identifies non-logged-in users	2 years
Zendesk	__zcmid	preferences	Zendesk	Stores live chat session ID	1 year
Zendesk	ZD-buid	preferences	Zendesk	Identifies the browser for support	1 year
Vimeo embed	player	preferences	Vimeo	Stores video player preferences	1 year
Vimeo embed	vuid	preferences	Vimeo	Identifies the user for analytics	2 years
Crisp chat	crisp-client/*	necessary	Crisp	Stores chat session information	6 months
Crisp chat	__cfuid	necessary	Cloudflare	Rate limiting for Crisp CDN	Session
Calendly embed	__cf_bm	necessary	Cloudflare	Bot management for Calendly	30 minutes
Calendly embed	calendly.*	necessary	Calendly	Stores scheduling session state	Session
Google reCAPTCHA	_GRECAPTCHA	necessary	Google	Provides risk analysis to distinguish humans from bots	6 months
Pinterest Tag	_pin_unauth	marketing	Pinterest	Groups actions for unidentified users for ad attribution	1 year
Pinterest Tag	_pinterest_ct_ua	marketing	Pinterest	Groups actions for unidentified users for ad targeting	1 year
Pinterest Tag	_pinterest_ct_rt	marketing	Pinterest	Stores user ID and timestamp when visiting a tagged site	1 year
Pinterest Tag	_epik	marketing	Pinterest	Identifies promoted traffic for conversion attribution	1 year
Pinterest Tag	_derived_epik	marketing	Pinterest	Enhanced match attribution when cookies are not present	1 year
Snapchat Pixel	_scid	marketing	Snapchat	Assigns a unique visitor ID for ad targeting and conversion attribution	1 year
Snapchat Pixel	_scid_r	marketing	Snapchat	Unique visitor ID for third-party ad targeting	13 months
Snapchat Pixel	_schn	marketing	Snapchat	Used by the retargeting pixel to attribute traffic	1 day
Snapchat Pixel	sc_at	marketing	Snapchat	Identifies visitors across domains for cross-site ad targeting	1 year
Criteo	cto_bundle	marketing	Criteo	Tracks user activity and ad engagement for targeted advertising	13 months
Criteo	cto_idcpy	marketing	Criteo	Stores a unique user ID for cross-site visitor identification	13 months
Criteo	cto_idfs	marketing	Criteo	Records the first visit timestamp for tracking management	13 months
Criteo	cto_tld_test	marketing	Criteo	Determines the top-level domain for setting other Criteo cookies	Session
Bing UET	_uetsid	marketing	Microsoft	Stores the current session ID for relevant ad delivery	30 minutes
Bing UET	_uetvid	marketing	Microsoft	Stores a unique visitor ID for ad personalization across sessions	16 days
Bing UET	_uetmsclkid	marketing	Microsoft	Captures the Microsoft Click ID for conversion attribution	90 days
Mixpanel	mp_*_mixpanel	analytics	Mixpanel	Stores unique user ID and properties for behavioral analytics	1 year
Amplitude	AMP_*	analytics	Amplitude	Stores device ID, user ID, and session data for behavioral analytics	1 year
Amplitude	AMP_MKTG_*	analytics	Amplitude	Captures marketing attribution data including UTM parameters	1 year
LiveChat	__lc_cid	necessary	LiveChat	Stores unique customer ID for live chat sessions	400 days

Service	Cookie	Category	Provider	Purpose	Retention
LiveChat	__lc_cst	necessary	LiveChat	Stores secure token to authenticate chat sessions	400 days
Drift	driftt_aid	preferences	Drift	Identifies returning visitors across chat sessions	2 years
Drift	driftt_sid	preferences	Drift	Tracks current browsing session for chat targeting	30 minutes
Reddit Pixel	_rdt_uuid	marketing	Reddit	Identifies visitors for ad attribution and campaign optimization	90 days
Reddit Pixel	_rdt_em	marketing	Reddit	Stores hashed email for conversion matching across devices	90 days
FullStory	fs_uid	analytics	FullStory	Links sessions and page views for session replay analytics	1 year
FullStory	fs_lua	analytics	FullStory	Records timestamp of last user action for session lifecycle	1 hour
Tawk.to	TawkConnectionTime	necessary	tawk.to	Manages widget connections across multiple browser tabs	Session
Tawk.to	tawk_uuid_*	necessary	tawk.to	Identifies returning visitors for chat continuity	6 months
Tawk.to	twk_idm_key	necessary	tawk.to	Prevents duplicate connection requests across pages	Session
Klaviyo	__kla_id	marketing	Klaviyo	Tracks and identifies visitors for email marketing automation	2 years
Optimizely	optimizelyEndUserId	analytics	Optimizely	Stores unique visitor ID for A/B testing experiments	6 months
Optimizely	optimizelyBuckets	analytics	Optimizely	Stores assigned experiment variations for consistent experience	6 months
Optimizely	optimizelySegments	analytics	Optimizely	Records audience segment data for experiment targeting	6 months
Taboola	t_gid	marketing	Taboola	Assigns a unique user ID for attribution and reporting	1 year
Taboola	t_pt_gid	marketing	Taboola	Partitioned user ID for attribution and recommendations	1 year
Taboola	trc_cookie_storage	marketing	Taboola	Stores a unique user ID for attribution and reporting	1 year
Taboola	taboola_session_id	marketing	Taboola	Creates a temporary session ID to avoid duplicate recommendations	Session
Taboola	taboola_fp_td_user_id	analytics	Taboola	Tracks clicks on recommendations for reporting	1 year
Outbrain	obuid	marketing	Outbrain	Stores Outbrain UUID for tracking actions and ad personalization	90 days
Outbrain	dicbo_id	marketing	Outbrain	Stores click identifier for conversion attribution	7 days
Mouseflow	mf_user	analytics	Mouseflow	Determines if the visitor is new or returning	90 days
Mouseflow	mf_*	analytics	Mouseflow	Identifies the current session for analytics and session replay	Session
Crazy Egg	_ceir	analytics	Crazy Egg	Tracks whether a visitor has visited the site before	1 year
Crazy Egg	_CEFT	analytics	Crazy Egg	Stores A/B test variant assignments	1 year
Crazy Egg	_ce.s	analytics	Crazy Egg	Tracks a visitor session unique ID for session replay	1 year
Crazy Egg	_ce.clock_data	analytics	Crazy Egg	Stores server and browser time difference	1 day
AdRoll	__adroll_fpc	marketing	NextRoll	Tracks user interactions with ads on the site	13 months
AdRoll	__adroll	marketing	NextRoll	Identifies and tracks users for targeted advertising	13 months
AdRoll	__adroll_shared	marketing	NextRoll	Enables cross-device tracking for ad targeting	13 months
AdRoll	__ar_v4	marketing	NextRoll	Stores ad attribution and campaign effectiveness data	1 year
Freshchat	_fw_crm_v	necessary	Freshworks	Identifies the visitor for chat widget session continuity	1 year
ActiveCampaign	prism_*	analytics	ActiveCampaign	Tracks website visits and associates them with contact records	1 year
ActiveCampaign	ac_enable_tracking	necessary	ActiveCampaign	Records whether the visitor has opted into site tracking	30 days
Shopify Analytics	_shopify_y	analytics	Shopify	Stores a unique visitor identifier for analytics	1 year
Shopify Analytics	_shopify_s	analytics	Shopify	Identifies a session for analytics	30 minutes

Service	Cookie	Category	Provider	Purpose	Retention
Shopify Analytics	_shopify_sa_t	analytics	Shopify	Tracks referrer source and landing page for analytics	30 minutes
Shopify Analytics	_shopify_sa_p	analytics	Shopify	Stores page-level analytics data for the current session	30 minutes
Quora Pixel	m-b	marketing	Quora	Identifies users across sites for ad targeting and conversion tracking	2 years
Quora Pixel	m-s	marketing	Quora	Stores session-level data for ad tracking	Session
Mailchimp	mailchimp_landing_site	analytics	Mailchimp	Stores the initial landing page visited by the user	12 hours
Mailchimp	mc_landing_site	analytics	Mailchimp	Stores which page was visited first for analytics	12 hours
Salesforce Pardot	visitor_id*	marketing	Salesforce	Stores a unique visitor ID to track website activity	10 years
Salesforce Pardot	visitor_id*-hash	marketing	Salesforce	Security hash to prevent visitor ID tampering	10 years
Salesforce Pardot	lpv*	marketing	Salesforce	Stores the most recent landing page view to avoid duplicate tracking	30 minutes
Marketo Munchkin	_mkto_trk	marketing	Adobe	Tracks visitor website activity and links it to lead records	2 years
Heap Analytics	_hp2_id.*	analytics	Heap	Stores user ID and identity for analytics tracking	13 months
Heap Analytics	_hp2_ses_props.*	analytics	Heap	Stores session properties including timestamp and domain	30 minutes
Heap Analytics	_hp2_props.*	analytics	Heap	Stores event properties set via the analytics API	13 months
PostHog	ph_*_posthog	analytics	PostHog	Stores distinct user ID and session ID for analytics	1 year
Google Maps	NID	preferences	Google	Stores user preferences and information for Google Maps	6 months
Google Maps	CONSENT	necessary	Google	Stores the user's consent state for Google services	2 years

Appendix B | Cookie database, Medium tier (150 services / 829 cookies)

Service	Cookie	Category	Provider	Purpose	Retention
Google Analytics 4 / Google Ads	_ga	analytics	Google	Distinguishes unique website users	2 years
Google Analytics 4 / Google Ads	_gid	analytics	Google	Distinguishes unique users for the session	24 hours
Google Analytics 4 / Google Ads	_gat	analytics	Google	Throttles request rate	1 minute
Google Analytics 4 / Google Ads	_ga_*	analytics	Google	Stores session state for Google Analytics	2 years
Google Analytics 4 / Google Ads	_gcl_aud	marketing	Google	Stores conversion data for Google Ads	90 days
Google Analytics 4 / Google Ads	_gcl_aw	marketing	Google	Stores click information for Google Ads	90 days
Facebook / Meta	_fbp	marketing	Meta	Tracks visits across websites for ad targeting	90 days
Facebook / Meta	_fbclid	marketing	Meta	Stores click identifiers from Facebook ads	90 days
LinkedIn	li_fat_id	marketing	LinkedIn	Identifies members for ad targeting	30 days
LinkedIn	UserMatchHistory	marketing	LinkedIn	Tracks ad conversions	30 days
LinkedIn	AnalyticsSyncHistory	marketing	LinkedIn	Stores information for analytics syncing	30 days
LinkedIn	bscookie	marketing	LinkedIn	Identifies browser for security	2 years
LinkedIn	li_gc	marketing	LinkedIn	Stores consent of guests for cookies	6 months
HotJar	_hjSessionUser_*	analytics	Hotjar	Identifies returning users	1 year
HotJar	_hjSession_*	analytics	Hotjar	Stores current session data	30 minutes
HotJar	_hjFirstSeen	analytics	Hotjar	Identifies first pageview of a session	30 minutes
Microsoft Clarity	_clsk	analytics	Microsoft	Stores and combines pageviews for analytics	1 day
Microsoft Clarity	_clck	analytics	Microsoft	Stores a unique user ID for analytics	1 year
Microsoft Clarity	MUID	analytics	Microsoft	Identifies unique web browsers for analytics	1 year
TikTok	_ttp	marketing	TikTok	Tracks visitor activity for ad targeting	13 months
TikTok	_tt_enable_cookie	marketing	TikTok	Checks if cookies can be placed	13 months
HubSpot	hubspotutk	analytics	HubSpot	Tracks visitor identity	6 months
HubSpot	__hstc	analytics	HubSpot	Tracks visitor sessions	6 months
HubSpot	__hssc	analytics	HubSpot	Tracks session page views	30 minutes
HubSpot	__hssrc	analytics	HubSpot	Determines if the visitor has restarted their browser	Session
Stripe	__stripe_mid	necessary	Stripe	Fraud prevention and payment processing	1 year
Stripe	__stripe_sid	necessary	Stripe	Fraud prevention for payment sessions	30 minutes
Intercom	intercom-id-*	necessary	Intercom	Identifies visitor for support chat	9 months
Intercom	intercom-session-*	necessary	Intercom	Tracks active support chat session	1 week
YouTube embed	VISITOR_INFO1_LIVE	marketing	Google	Tracks YouTube video views	6 months
YouTube embed	YSC	marketing	Google	Verifies YouTube requests from the user	Session
YouTube embed	yt-player-*	marketing	Google	Stores video player preferences	Session
Twitter / X	personalization_id	marketing	X/Twitter	Tracks visitor activity for ad targeting	2 years
Twitter / X	guest_id	marketing	X/Twitter	Identifies non-logged-in users	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Zendesk	__zlcmid	preferences	Zendesk	Stores live chat session ID	1 year
Zendesk	ZD-buid	preferences	Zendesk	Identifies the browser for support	1 year
Vimeo embed	player	preferences	Vimeo	Stores video player preferences	1 year
Vimeo embed	vuid	preferences	Vimeo	Identifies the user for analytics	2 years
Crisp chat	crisp-client/*	necessary	Crisp	Stores chat session information	6 months
Crisp chat	__cfuid	necessary	Cloudflare	Rate limiting for Crisp CDN	Session
Calendly embed	__cf_bm	necessary	Cloudflare	Bot management for Calendly	30 minutes
Calendly embed	calendly.*	necessary	Calendly	Stores scheduling session state	Session
Google reCAPTCHA	_GRECAPTCHA	necessary	Google	Provides risk analysis to distinguish humans from bots	6 months
Pinterest Tag	_pin_unauth	marketing	Pinterest	Groups actions for unidentified users for ad attribution	1 year
Pinterest Tag	_pinterest_ct_ua	marketing	Pinterest	Groups actions for unidentified users for ad targeting	1 year
Pinterest Tag	_pinterest_ct_rt	marketing	Pinterest	Stores user ID and timestamp when visiting a tagged site	1 year
Pinterest Tag	_epik	marketing	Pinterest	Identifies promoted traffic for conversion attribution	1 year
Pinterest Tag	_derived_epik	marketing	Pinterest	Enhanced match attribution when cookies are not present	1 year
Snapchat Pixel	_scid	marketing	Snapchat	Assigns a unique visitor ID for ad targeting and conversion attribution	1 year
Snapchat Pixel	_scid_r	marketing	Snapchat	Unique visitor ID for third-party ad targeting	13 months
Snapchat Pixel	_schn	marketing	Snapchat	Used by the retargeting pixel to attribute traffic	1 day
Snapchat Pixel	sc_at	marketing	Snapchat	Identifies visitors across domains for cross-site ad targeting	1 year
Criteo	cto_bundle	marketing	Criteo	Tracks user activity and ad engagement for targeted advertising	13 months
Criteo	cto_idcpy	marketing	Criteo	Stores a unique user ID for cross-site visitor identification	13 months
Criteo	cto_idfs	marketing	Criteo	Records the first visit timestamp for tracking management	13 months
Criteo	cto_tld_test	marketing	Criteo	Determines the top-level domain for setting other Criteo cookies	Session
Bing UET	_uetsid	marketing	Microsoft	Stores the current session ID for relevant ad delivery	30 minutes
Bing UET	_uetvid	marketing	Microsoft	Stores a unique visitor ID for ad personalization across sessions	16 days
Bing UET	_uetmsckid	marketing	Microsoft	Captures the Microsoft Click ID for conversion attribution	90 days
Mixpanel	mp_*_mixpanel	analytics	Mixpanel	Stores unique user ID and properties for behavioral analytics	1 year
Amplitude	AMP_*	analytics	Amplitude	Stores device ID, user ID, and session data for behavioral analytics	1 year
Amplitude	AMP_MKTG_*	analytics	Amplitude	Captures marketing attribution data including UTM parameters	1 year
LiveChat	__lc_cid	necessary	LiveChat	Stores unique customer ID for live chat sessions	400 days
LiveChat	__lc_cst	necessary	LiveChat	Stores secure token to authenticate chat sessions	400 days
Drift	driftt_aid	preferences	Drift	Identifies returning visitors across chat sessions	2 years
Drift	driftt_sid	preferences	Drift	Tracks current browsing session for chat targeting	30 minutes
Reddit Pixel	_rdt_uuid	marketing	Reddit	Identifies visitors for ad attribution and campaign optimization	90 days
Reddit Pixel	_rdt_em	marketing	Reddit	Stores hashed email for conversion matching across devices	90 days
FullStory	fs_uid	analytics	FullStory	Links sessions and page views for session replay analytics	1 year
FullStory	fs_lua	analytics	FullStory	Records timestamp of last user action for session lifecycle	1 hour

Service	Cookie	Category	Provider	Purpose	Retention
Tawk.to	TawkConnectionTime	necessary	tawk.to	Manages widget connections across multiple browser tabs	Session
Tawk.to	tawk_uuid_*	necessary	tawk.to	Identifies returning visitors for chat continuity	6 months
Tawk.to	twk_idm_key	necessary	tawk.to	Prevents duplicate connection requests across pages	Session
Klaviyo	__kla_id	marketing	Klaviyo	Tracks and identifies visitors for email marketing automation	2 years
Optimizely	optimizelyEndUserId	analytics	Optimizely	Stores unique visitor ID for A/B testing experiments	6 months
Optimizely	optimizelyBuckets	analytics	Optimizely	Stores assigned experiment variations for consistent experience	6 months
Optimizely	optimizelySegments	analytics	Optimizely	Records audience segment data for experiment targeting	6 months
Taboola	t_gid	marketing	Taboola	Assigns a unique user ID for attribution and reporting	1 year
Taboola	t_pt_gid	marketing	Taboola	Partitioned user ID for attribution and recommendations	1 year
Taboola	trc_cookie_storage	marketing	Taboola	Stores a unique user ID for attribution and reporting	1 year
Taboola	taboola_session_id	marketing	Taboola	Creates a temporary session ID to avoid duplicate recommendations	Session
Taboola	taboola_fp_td_user_id	analytics	Taboola	Tracks clicks on recommendations for reporting	1 year
Outbrain	obuid	marketing	Outbrain	Stores Outbrain UUID for tracking actions and ad personalization	90 days
Outbrain	dicbo_id	marketing	Outbrain	Stores click identifier for conversion attribution	7 days
Mouseflow	mf_user	analytics	Mouseflow	Determines if the visitor is new or returning	90 days
Mouseflow	mf_*	analytics	Mouseflow	Identifies the current session for analytics and session replay	Session
Crazy Egg	_ceir	analytics	Crazy Egg	Tracks whether a visitor has visited the site before	1 year
Crazy Egg	_CEFT	analytics	Crazy Egg	Stores A/B test variant assignments	1 year
Crazy Egg	_ce.s	analytics	Crazy Egg	Tracks a visitor session unique ID for session replay	1 year
Crazy Egg	_ce.clock_data	analytics	Crazy Egg	Stores server and browser time difference	1 day
AdRoll	__adroll_fpc	marketing	NextRoll	Tracks user interactions with ads on the site	13 months
AdRoll	__adroll	marketing	NextRoll	Identifies and tracks users for targeted advertising	13 months
AdRoll	__adroll_shared	marketing	NextRoll	Enables cross-device tracking for ad targeting	13 months
AdRoll	__ar_v4	marketing	NextRoll	Stores ad attribution and campaign effectiveness data	1 year
Freshchat	_fw_crm_v	necessary	Freshworks	Identifies the visitor for chat widget session continuity	1 year
ActiveCampaign	prism_*	analytics	ActiveCampaign	Tracks website visits and associates them with contact records	1 year
ActiveCampaign	ac_enable_tracking	necessary	ActiveCampaign	Records whether the visitor has opted into site tracking	30 days
Shopify Analytics	_shopify_y	analytics	Shopify	Stores a unique visitor identifier for analytics	1 year
Shopify Analytics	_shopify_s	analytics	Shopify	Identifies a session for analytics	30 minutes
Shopify Analytics	_shopify_sa_t	analytics	Shopify	Tracks referrer source and landing page for analytics	30 minutes
Shopify Analytics	_shopify_sa_p	analytics	Shopify	Stores page-level analytics data for the current session	30 minutes
Quora Pixel	m-b	marketing	Quora	Identifies users across sites for ad targeting and conversion tracking	2 years
Quora Pixel	m-s	marketing	Quora	Stores session-level data for ad tracking	Session
Mailchimp	mailchimp_landing_site	analytics	Mailchimp	Stores the initial landing page visited by the user	12 hours
Mailchimp	mc_landing_site	analytics	Mailchimp	Stores which page was visited first for analytics	12 hours
Salesforce Pardot	visitor_id*	marketing	Salesforce	Stores a unique visitor ID to track website activity	10 years

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce Pardot	visitor_id*-hash	marketing	Salesforce	Security hash to prevent visitor ID tampering	10 years
Salesforce Pardot	lpv*	marketing	Salesforce	Stores the most recent landing page view to avoid duplicate tracking	30 minutes
Marketo Munchkin	_mkt0_trk	marketing	Adobe	Tracks visitor website activity and links it to lead records	2 years
Heap Analytics	_hp2_id.*	analytics	Heap	Stores user ID and identity for analytics tracking	13 months
Heap Analytics	_hp2_ses_props.*	analytics	Heap	Stores session properties including timestamp and domain	30 minutes
Heap Analytics	_hp2_props.*	analytics	Heap	Stores event properties set via the analytics API	13 months
PostHog	ph_*_posthog	analytics	PostHog	Stores distinct user ID and session ID for analytics	1 year
Google Maps	NID	preferences	Google	Stores user preferences and information for Google Maps	6 months
Google Maps	CONSENT	necessary	Google	Stores the user's consent state for Google services	2 years
DoubleClick/Google Marketing	IDE	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	2 years
DoubleClick/Google Marketing	DSID	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	2 weeks
DoubleClick/Google Marketing	ID	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	2 months
DoubleClick/Google Marketing	RUL	marketing	Google	Used by DoubleClick to determine if the website ad was properly displayed. This is done to make their marketing efforts more efficient.	1 year
DoubleClick/Google Marketing	FLC	marketing	Google	This cookie is used to link your activity across devices if you've previously signed in to your Google Account on another device. We do this to coordinate that the ads you see across devices and measure conversion events.	10 seconds
DoubleClick/Google Marketing	__gads	marketing	Google	This cookie is used by Google for a variety of purposes (e.g., ensuring Frequency Caps work correctly). It includes AdSense if you have AdSense enabled. This cookie is associated with the DoubleClick for Publishers service from Google. Its purpose is to monitor the showing of advertisements on the site, for which the owner may earn some revenue. The main purpose of this cookie is targeting/advertising.	various
DoubleClick/Google Marketing	GoogleAdServingTest	marketing	Google	Used to register what ads have been displayed to the user.	session
DoubleClick/Google Marketing	ar_debug	marketing	Google	Store and track conversions	Persistent
DoubleClick/Google Marketing	test_cookie	preferences	Google	This cookie is set by DoubleClick (which is owned by Google) to determine if the website visitor's browser supports cookies.	1 year
DoubleClick/Google Marketing	APC	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	6 months
Google	FPGSID	preferences	Google	This cookie is an essential session and security cookie from Google. Its main purpose is to manage the session of a logged-in user, ensuring they remain logged in while navigating between Google services (like Gmail, Drive, YouTube) and to protect the account against unauthorized requests.	Session
Google	_Secure-ENID	preferences	Google	Remembers user preferences like language, search results per page, and SafeSearch settings	13 months
Google	Secure-YEC	preferences	Google	Serve a similar purpose for , including detecting and resolving problems	13 months
Google	CGIC	preferences	Google	Improves search results delivery by autocompleting queries based on user input	6 months
Google	_Secure-YEC	preferences	Google	Used to detect spam, fraud, and abuse to protect advertisers and YouTube creators	13 months
Google	__Secure-YNID	preferences	Google	It's a YouTube cookie used to enhance user experience by storing video player preferences and aiding in secure log-ins and spam detectio	180 days
Google	AdID	marketing	Google	Show Google ads on non-Google sites and personalize ads based on user settings	2 weeks
Google	DSID	marketing	Google	Identifies signed-in users on non-Google sites to respect ad personalization settings	2 weeks
Google	gcl	marketing	Google	Helps advertisers determine user actions on their site after clicking an ad	90 days
Google	gac	marketing	Google	Measure user activity and ad campaign performance for advertisers	90 days

Service	Cookie	Category	Provider	Purpose	Retention
Google	1P_JAR	marketing	Google	These cookies are set via embedded youtube-videos. They register anonymous statistical data on for example how many times the video is displayed and what settings are used for playback.	1 month
Google	CONSENT	preferences	Google	Google cookie consent tracker	20 years
Google	SOCS	preferences	Google	Stores a user's state regarding their cookies choices	13 months
Google	ACCOUNT_CHOOSER	preferences	Google	Used to sign in with Google account.	session
Google	SMSV	preferences	Google	Used to sign in with Google account.	session
Google	__Host-1PLSID	preferences	Google	Used to sign in with Google account.	1 year
Google	__Host-3PLSID	preferences	Google	Used to sign in with Google account.	1 year
Google	__Host-GAPS	preferences	Google	Used to sign in with Google account.	1 year
Google	LSOLH	preferences	Google	This cookie is for authentication with your Google account	1 year
Google	g_enabled_idps	preferences	Google	Used for Google Single Sign On	1 year
Google	G_AUTHUSER_H	preferences	Google	Google Authentication	session
Google	__Secure-ENID	preferences	Google	Used by Google to prevent fraudulent login attempts. This also contains a Google user ID which can be used for statistics and marketing purposes following a successful login	11 Months
Google	SEARCH_SAMESITE	preferences	Google	SameSite prevents the browser from sending this cookie along with cross-site requests. The main goal is mitigate the risk of cross-origin information leakage. It also provides some protection against cross-site request forgery attacks.	session
Google	AID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	1 year
Google	SID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	HSID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	APISID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	SAPISID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	SSID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	SIDCC	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	OTZ	marketing	Google	Aggregate analysis of website visitors	17 days
Google	A	marketing	Google	Google uses this cookies to make advertising more engaging to users and more valuable to publishers and advertisers	17 days
Google	DV	marketing	Google	This cookies is used to collect website statistics and track conversion rates and Google ad personalisation	1 year
Google	NID	marketing	Google	This cookies is used to collect website statistics and track conversion rates and Google ad personalisation	1 year
Google	TAID	marketing	Google	This cookie is used to link your activity across devices if you've previously signed in to your Google Account on another device. We do this to coordinate that the ads you see across devices and measure conversion events.	14 days
Google	FPGCLDC	marketing	Google	Used to help advertisers determine how many times users who click on their ads end up taking an action on their site	90 days
Google	_gcl_au	marketing	Google	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.	3 months
Google	_gcl_dc	marketing	Google	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.	3 months

Service	Cookie	Category	Provider	Purpose	Retention
Google	GCLB	preferences	Google	This cookie is used in context with load balancing - This optimizes the response rate between the visitor and the site, by distributing the traffic load on multiple network links or servers.	Session
Google	FCCDCF	analytics	Google	Cookie for Google Funding Choices API which allows for functionality specific to consent gathering for things like GDPR consent and CCPA opt-out.	13 months
Google	FCNEC	analytics	Google	Cookie for Google Funding Choices API which allows for functionality specific to consent gathering for things like GDPR consent and CCPA opt-out.	13 months
Google	receive-cookie-deprecation	preferences	Google	This cookie ensures browsers in an experiment group of the Chrome-facilitated testing period include the Sec-Cookie-Deprecation request header as soon as it becomes available.	180 days
Google	_dcid	marketing	Google	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	400 days
Google	SNID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	cookies_accepted	marketing	Google	This functionality cookie is simply to verify that you have allowed us to set cookies on your machine	1 year
Google	GN_PREF	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	1 year
Google	OSID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	__Secure-OSID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	LSID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	COMPASS	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	2 days
Google	UULE	marketing	Google	sends precise location information from your browser to Googles servers so that Google can show you results that are relevant to your location. The use of this cookie depends on your browser settings and whether you have chosen to have location turned on for your browser.	6 hours
Google AdSense	__eoi	necessary	Google	This cookie is used for security authenticate users, prevent fraud, and protect users as they interact with a service.	3 Months
Google AdSense	pm_sess	preferences	Google	This cookie is used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	30 minutes
Google AdSense	pm_sess_NNN	preferences	Google	This cookie is used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	30 minutes
Google AdSense	aboutads_sessNNN	necessary	Google	This cookie is used for security authenticate users, prevent fraud, and protect users as they interact with a service.	30 minutes
Google AdSense	ANID	preferences	Google	Cookies used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	13 months
Google AdSense	__gsas	marketing	Google	Provides ad delivery or retargeting.	3 months
Google AdSense	__gpi	marketing	Google	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	13 months
Google AdSense	__gpi_optout	marketing	Google	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	13 months
Google AdSense	GED_PLAYLIST_ACTIVITY	marketing	Google	Improves targeting/advertising within the website	session
Google AdSense	ACLK_DATA	marketing	Google	This cookie is used to help improve advertising. This targets advertising based on what's relevant to a user, to improve reporting on campaign performance.	5 minutes
Google Analytics	_ga	analytics	Google	ID used to identify users	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Google Analytics	_gali	analytics	Google	Used by Google Analytics to determine which links on a page are being clicked	30 seconds
Google Analytics	_ga_*	analytics	Google	ID used to identify users	2 years
Google Analytics	_gid	analytics	Google	ID used to identify users for 24 hours after last activity	24 hours
Google Analytics	_gat*	analytics	Google	Used to monitor number of Google Analytics server requests when using Google Tag Manager	1 minute
Google Analytics	_dc_gtm_*	analytics	Google	Used to monitor number of Google Analytics server requests	1 minute
Google Analytics	AMP_TOKEN	analytics	Google	Contains a token code that is used to read out a Client ID from the AMP Client ID Service. By matching this ID with that of Google Analytics, users can be matched when switching between AMP content and non-AMP content. Reference: https://support.google.com/analytics/answer/7486764?hl=en	30 seconds till 1 year
Google Analytics	_gat_gtag_*	analytics	Google	Used to set and get tracking data	1 hour
Google Analytics	_gac_*	marketing	Google	Contains information related to marketing campaigns of the user. These are shared with Google AdWords / Google Ads when the Google Ads and Google Analytics accounts are linked together.	90 days
Google Analytics	__utma	analytics	Google	ID used to identify users and sessions	2 years after last activity
Google Analytics	__utmt	analytics	Google	Used to monitor number of Google Analytics server requests	10 minutes
Google Analytics	__utmb	analytics	Google	Used to distinguish new sessions and visits. This cookie is set when the GA.js javascript library is loaded and there is no existing __utmb cookie. The cookie is updated every time data is sent to the Google Analytics server.	30 minutes after last activity
Google Analytics	__utmc	analytics	Google	Used only with old Urchin versions of Google Analytics and not with GA.js. Was used to distinguish between new sessions and visits at the end of a session.	End of session (browser)
Google Analytics	__utmz	analytics	Google	Contains information about the traffic source or campaign that directed user to the website. The cookie is set when the GA.js javascript is loaded and updated when data is sent to the Google Analytics server	6 months after last activity
Google Analytics	__utmv	analytics	Google	Contains custom information set by the web developer via the _setCustomVar method in Google Analytics. This cookie is updated every time new data is sent to the Google Analytics server.	2 years after last activity
Google Analytics	__utmx	analytics	Google	Used to determine whether a user is included in an A / B or Multivariate test.	18 months
Google Analytics	__utmxx	analytics	Google	Used to determine when the A / B or Multivariate test in which the user participates ends	18 months
Google Analytics	FPAU	marketing	Google	Assigns a specific ID to the visitor. This allows the website to determine the number of specific user-visits for analysis and statistics.	session
Google Analytics	FPID	analytics	Google	Registers statistical data on users' behaviour on the website. Used for internal analytics by the website operator.	session
Google Analytics	FPLC	analytics	Google	This FPLC cookie is the cross-domain linker cookie hashed from the FPID cookie. It's not HttpOnly, which means it can be read with JavaScript. It has a relatively short lifetime, just 20 hours.	session
Google Analytics	GA_OPT_OUT	preferences	Google	Cookies used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	10 Nov 2030
Google Flights	_gcl_gf	marketing	Google	Google uses cookies for advertising, including serving and rendering ads, personalizing ads (depending on your ad settings at g.co/adsettings), limiting the number of times an ad is shown to a user, muting ads you have chosen to stop seeing, and measuring the effectiveness of ads.	90 Days
Google Hotel Ads	_gcl_ha	marketing	Google	Google uses cookies for advertising, including serving and rendering ads, personalizing ads (depending on your ad settings at g.co/adsettings), limiting the number of times an ad is shown to a user, muting ads you have chosen to stop seeing, and measuring the effectiveness of ads.	90 Days
Google Optimize	_opt_awkid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours

Service	Cookie	Category	Provider	Purpose	Retention
Google Optimize	_opt_awgid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_opt_awmid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_gaexp_rc	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_opt_awcid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_opt_expId	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	10 seconds
Google Optimize	_gaexp	preferences	Google	Used to determine a user's inclusion in an experiment and the expiry of experiments a user has been included in.	90 days
Google Surveys	PAIDCONTENT	marketing	Google	Google uses cookies for advertising, including serving and rendering ads, personalizing ads (depending on your ad settings at g.co/adsettings), limiting the number of times an ad is shown to a user, muting ads you have chosen to stop seeing, and measuring the effectiveness of ads.	30 Days
Google Tag Manager	cookiePreferences	preferences	Google	Registers cookie preferences of a user	2 years
Google Tag Manager	td	analytics	Google	Registers statistical data on users' behaviour on the website. Used for internal analytics by the website operator.	session
Youtube	GPS	marketing	Google	Registers a unique ID on mobile devices to enable tracking based on geographical GPS location.	1 day
Youtube	VISITOR_INFO1_LIVE	marketing	Google	Tries to estimate the users' bandwidth on pages with integrated YouTube videos. Also used for marketing	179 days
Youtube	PREF	preferences	Google	This cookie stores your preferences and other information, in particular preferred language, how many search results you wish to be shown on your page, and whether or not you wish to have Google's SafeSearch filter turned on.	10 years from set/ update
Youtube	YSC	preferences	Google	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Session
Youtube	DEVICE_INFO	preferences	Google	Used to detect if the visitor has accepted the marketing category in the cookie banner. This cookie is necessary for GDPR-compliance of the website.	179 days
Youtube	LOGIN_INFO	preferences	Google	This cookie is used to play YouTube videos embedded on the website.	2 years
Youtube	VISITOR_PRIVACY_METADATA	marketing	Google	Youtube visitor privacy metadata cookie	180 days
Youtube	__Secure-ROLLOUT_TOKEN	marketing	Google	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	180 days
Cloudflare	__cfduid	preferences	Cloudflare	The '__cfduid' cookie is set by the CloudFlare service to identify trusted web traffic. It does not correspond to any user id in the web application, nor does the cookie store any personally identifiable	5 years
Cloudflare	__cfruid	preferences	Cloudflare	Used by the content network, Cloudflare, to identify trusted web traffic.	session
Cloudflare	__cf_bm	preferences	Cloudflare	Cloudflare's bot products identify and mitigate automated traffic to protect your site from bad bots. Cloudflare places the __cf_bm cookie on End User devices that access Customer sites that are protected by Bot Management or Bot Fight Mode. The __cf_bm cookie is necessary for the proper functioning of these bot solutions.	session
Cloudflare	cf_chl_2	preferences	Cloudflare	Used by Cloudflare for the execution of Javascript or Captcha challenges. These cookies are not used for tracking or beyond the scope of the challenge.	session

Service	Cookie	Category	Provider	Purpose	Retention
Cloudflare	__cfib	preferences	Cloudflare	When enabling session affinity with Cloudflare Load Balancer, Cloudflare sets a __cfib cookie with a unique value on the first response to the requesting client. Cloudflare routes future requests to the same origin, optimizing network resource usage. In the event of a failover, Cloudflare sets a new __cfib cookie to direct future requests to the failover pool.	session
Cloudflare	_cfuid	preferences	Cloudflare	The _cfuid cookie is only set when a site uses this option in a Rate Limiting Rule, and is only used to allow the Cloudflare WAF to distinguish individual users who share the same IP address.	session
Cloudflare	cf_clearance	preferences	Cloudflare	Whether a CAPTCHA or Javascript challenge has been solved.	session
Cloudflare	__cfseq	preferences	Cloudflare	Sequence rules uses cookies to track the order of requests a user has made and the time between requests and makes them available via Cloudflare Rules. This allows you to write rules that match valid or invalid sequences. The specific cookies used to validate sequences are called sequence cookies.	session
CloudFlare	cf_ob_info	preferences	Cloudflare	The cf_ob_info cookie provides information on: The HTTP Status Code returned by the origin web server. The Ray ID of the original failed request. The data center serving the traffic	session
CloudFlare	cf_use_ob	preferences	Cloudflare	The cf_use_ob cookie informs Cloudflare to fetch the requested resource from the Always Online cache on the designated port. Applicable values are: 0, 80, and 443. The cf_ob_info and cf_use_ob cookies are persistent cookies that expire after 30 seconds.	session
CloudFlare	__cfwaitingroom	preferences	Cloudflare	The __cfwaitingroom cookie is only used to track visitors that access a waiting room enabled host and path combination for a zone. Visitors using a browser that does not accept cookies cannot visit the host and path combination while the waiting room is active.	session
CloudFlare	cf_chl_rc_i	preferences	Cloudflare	These cookies are for internal use which allows Cloudflare to identify production issues on clients.	session
CloudFlare	cf_chl_rc_ni	preferences	Cloudflare	These cookies are for internal use which allows Cloudflare to identify production issues on clients.	session
CloudFlare	cf_chl_rc_m	preferences	Cloudflare	These cookies are for internal use which allows Cloudflare to identify production issues on clients.	session
ASP.net	ASP.NET_SessionId	preferences	Microsoft	ASP.Net_SessionId is a cookie which is used to identify the users session on the server. The session being an area on the server which can be used to store session state in between http requests.	session
Azure / Microsoft	buid	preferences	Microsoft	This cookie is used by Microsoft to securely verify your login information	1 month
Azure / Microsoft	esctx	preferences	Microsoft	This cookie is used by Microsoft to securely verify your login information	session
Azure / Microsoft	fpc	preferences	Microsoft	This cookie is used by Microsoft to securely verify your login information	session
Azure / Microsoft	sts-servicecookie	preferences	Microsoft	Cookie for Azure Active Directory B2C-verification	session
Azure / Microsoft	ARRAffinity	preferences	Microsoft	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's browsing session are always handled by the same server in the cluster.	1 year
Azure / Microsoft	ARRAffinitySameSite	preferences	Microsoft	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's browsing session are always handled by the same server in the cluster.	1 year
Azure / Microsoft	__AntiXsrfToken	necessary	Microsoft	This cookie is used to prevent Cross-site request forgery (often abbreviated as CSRF) attacks of the website. CSRF attacks exploit the trust that a site has in a user's browser.	session
Azure / Microsoft	.ASPXANONYMOUS	preferences	Microsoft	Created by ASP.Net. This cookie configures anonymous identification for application authorization. This is required to identify entities that are not authenticated when authorization is required.	session
Azure / Microsoft	.ASPXAUTH	preferences	Microsoft	Created by ASP.Net. .ASPXAUTH is a cookie to identify if the user is authenticated(As user's identity has been verified)	session
Azure / Microsoft	nSGt*	preferences	Microsoft	This cookie is used by Microsoft to securely verify your Sharepoint login information	session
Azure / Microsoft	RpsContextCookie	preferences	Microsoft	This cookie is used by Microsoft to securely verify your Sharepoint login information	session
Azure / Microsoft	ASLSACORS	preferences	Microsoft	Microsoft App Service and Front Door Affinity Cookies. These cookies are used to direct your browser to use the appropriate backend server.	Session
Azure / Microsoft	ASLBSA	preferences	Microsoft	Microsoft App Service and Front Door Affinity Cookies. These cookies are used to direct your browser to use the appropriate backend server.	Session
Azure / Microsoft	ASPSESSIO*	preferences	Microsoft	Browsing session: the asterisks identify an alphanumeric code that varies from session to session in automatic mode.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Azure / Microsoft	ApplicationGatewayAffinity	preferences	Microsoft	This cookie is used by Azure Apps to keep a user session on the same server.	Session
Azure / Microsoft	ApplicationGatewayAffinityCORS	preferences	Microsoft	This cookie is used by Azure Apps to keep a user session on the same server.	Session
Azure / Microsoft	VisitorStorageGuid	preferences	Microsoft	This cookie is used by Azure Apps to keep a user session on the same server.	Session
Azure / Microsoft	.AspNetCore.Mvc.CookieTempDataProvider	preferences	Microsoft	This cookie is used to keep temporary session data while you are on the site.	Session
Azure / Microsoft	x-ms-cpim-admin	preferences	Microsoft	Holds user membership data across tenants. The tenants a user is a member of and level of membership (Admin or User).	Session
Azure / Microsoft	x-ms-cpim-slice	preferences	Microsoft	Used to route requests to the appropriate production instance.	Session
Azure / Microsoft	x-ms-cpim-trans	preferences	Microsoft	Used for tracking the transactions (number of authentication requests to Azure AD B2C) and the current transaction.	Session
Azure / Microsoft	x-ms-cpim-ssos*	preferences	Microsoft	Used for maintaining the SSO session. This cookie is set as persistent, when Keep Me Signed In is enabled.	Session
Azure / Microsoft	x-ms-cpim-cache*	preferences	Microsoft	Used for maintaining the request state.	Session
Azure / Microsoft	x-ms-cpim-csrf	preferences	Microsoft	Cross-Site Request Forgery token used for CSRF protection. For more information, read the Cross-Site request forgery token section.	Session
Azure / Microsoft	x-ms-cpim-dc	preferences	Microsoft	Used for Azure AD B2C network routing.	Session
Azure / Microsoft	x-ms-cpim-ctx	preferences	Microsoft	Context	Session
Azure / Microsoft	x-ms-cpim-rp	preferences	Microsoft	Used for storing membership data for the resource provider tenant.	Session
Azure / Microsoft	x-ms-cpim-rc	preferences	Microsoft	Used for storing the relay cookie.	Session
Azure / Microsoft	x-ms-cpim-geo	preferences	Microsoft	Used as a hint to determine the resource tenants home geographic location.	1 hour
Azure / Microsoft	Dynamics365PortalAnalytics	preferences	Microsoft	Used to uniquely distinguish one site visitor from another without storing any personal data or user identity. This cookie is essential for delivering reliable, secure, and maintainable service functionality across multiple Power Pages features.	90 days
Bing / Microsoft	MR	marketing	Microsoft	Used to collect information for analytics purposes.	6 months
Bing / Microsoft	MUID	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	MUIDB	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	MC1	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	MSFPC	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	_uetsid	marketing	Microsoft	This cookie is used by Bing to determine what ads should be shown that may be relevant to the end user perusing the site.	30 minutes
Bing / Microsoft	_uetvid	marketing	Microsoft	This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.	16 days
Bing / Microsoft	ANON	marketing	Microsoft	Contains the A, a unique identifier derived from your Microsoft account, which is used for advertising, personalization, and operational purposes. It is also used to preserve your choice to opt out of interest-based advertising from Microsoft if you have chosen to associate the opt-out with your Microsoft account.	1 year
Bing / Microsoft	ANONCHK	marketing	Microsoft	Used to store session ID for a users session to ensure that clicks from adverts on the Bing search engine are verified for reporting purposes and for personalisation	10 minutes
Bing / Microsoft	CC	marketing	Microsoft	Contains a country code as determined from your IP address.	1 year
Bing / Microsoft	PPAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years

Service	Cookie	Category	Provider	Purpose	Retention
Bing / Microsoft	MSPAAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	MSNRPSAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	KievRPSAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	WLSSC	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	MSPPProf	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	MC0	preferences	Microsoft	Detects whether cookies are enabled in the browser.	End of session (browser)
Bing / Microsoft	MS0	preferences	Microsoft	Identifies a specific session.	End of session (browser)
Bing / Microsoft	NAP	marketing	Microsoft	Contains an encrypted version of your country, postal code, age, gender, language and occupation, if known, based on your Microsoft account profile.	1 year
Bing / Microsoft	MH	marketing	Microsoft	Appears on co-branded sites where Microsoft is partnering with an advertiser. This cookie identifies the advertiser, so the right ad is selected.	End of session (browser)
Bing / Microsoft	childinfo	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	kcdob	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	kcrelid	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	kcru	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	pcfm	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	x-ms-gateway-slice	preferences	Microsoft	Identifies a gateway for load balancing.	End of session (browser)
Bing / Microsoft	ToptOut	marketing	Microsoft	Records your decision not to receive interest-based advertising delivered by Microsoft.	1 year
Bing / Microsoft	ACH01	marketing	Microsoft	Maintains information about which ad and where the user clicked on the ad.	End of session (browser)
Bing / Microsoft	AADSSO	preferences	Microsoft	Microsoft Microsoft Online Authentication Cookie	End of session (browser)
Bing / Microsoft	brcap	preferences	Microsoft	Microsoft Microsoft Online Authentication Cookie	1 year
Bing / Microsoft	SRM_B	preferences	Microsoft	Collected user data is specifically adapted to the user or device. The user can also be followed outside of the loaded website, creating a picture of the visitor's behavior.	1 year
Bing / Microsoft	_RwBf	marketing	Microsoft	This cookie helps us to track the effectiveness of advertising campaigns on the Bing advertising network.	1 year
Bing / Microsoft	_HPVN	marketing	Microsoft	Analysis service that connects data from the Bing advertising network with actions performed on the website.	1 year
Bing / Microsoft	_UR	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	1 year
Bing / Microsoft	OID	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 months
Bing / Microsoft	OIDI	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 months
Bing / Microsoft	OIDR	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 months
Bing / Microsoft	BCP	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	BFBUSR	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	BFB	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	ACL	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	3 months
Bing / Microsoft	ACLUSR	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	MSPTC	marketing	Microsoft	This cookie registers data on the visitor. The information is used to optimize advertisement relevance.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Bing / Microsoft	_u	marketing	Microsoft	Tracks interaction on a website after having clicked on a Bing ad	13 months
Microsoft	_clck	analytics	Microsoft	This cookie is installed by Microsoft Clarity to store information of how visitors use a website and help in creating an analytics report of how the website is doing. The data collected including the number visitors, the source where they have come from, and the pages visited in an anonymous form.	1 year
Microsoft	_clsk	analytics	Microsoft	This cookie is installed by Microsoft Clarity to store information of how visitors use a website and help in creating an analytics report of how the website is doing. The data collected including the number visitors, the source where they have come from, and the pages visited in an anonymous form.	session
Microsoft	SM	analytics	Microsoft	This is a Microsoft cookie which we use to measure the use of the website for internal analytics	session
Microsoft	CLID	analytics	Microsoft	The cookie is set by embedded Microsoft Clarity scripts. The purpose of this cookie is for heatmap and session recording.	1 year
Microsoft	MicrosoftApplicationsTelemetryDeviceId	analytics	Microsoft	Used to store a unique device ID for tracking behavior and usage of the website	1 year
Microsoft	esctx-*	preferences	Microsoft	This cookie is set by Microsoft for secure authentication of the users' login details	session
Microsoft	isFirstSession*	preferences	Microsoft	This cookie is used when user opts-in to saving information	Session
Microsoft	MSO*	preferences	Microsoft	This cookie identifies a session	1 Year
Microsoft	X-FD-FEATURES*	analytics	Microsoft	This cookie is used for tracking analytics and evenly spreading load on the website	1 Year
Microsoft	X-FD-Time*	analytics	Microsoft	This cookie is used for tracking analytics and evenly spreading load on website	1 Year
Microsoft	ASP.NET_SessionId	preferences	Microsoft	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server.	Session
Microsoft	ASP.NET_SessionId_Fallback	preferences	Microsoft	Fallback session cookie to support older browsers that haven't implemented the Secure flag, in modern evergreen browsers this cookie is never set as it haven't got the Secure flag.	Session
Microsoft	.AspNetCore.Antiforgery.*	necessary	Microsoft	Anti-forgery cookie is a security mechanism to defend against cross-site request forgery (CSRF) attacks.	Session
Microsoft	__RequestVerificationToken*	preferences	Microsoft	This is an anti-forgery cookie set by web applications built using ASP.NET MVC technologies. It is designed to stop unauthorised posting of content to a website, known as Cross-Site Request Forgery.	session
Microsoft Azure App Insights	ai_session	preferences	Microsoft	This is a unique anonymous session identifier cookie.	Session
Microsoft Azure App Insights	ai_user	preferences	Microsoft	This is a unique user identifier cookie enabling counting of the number of users accessing the application over time.	1 year
Microsoft Dynamics	AADNonce.forms	preferences	Microsoft	Unique identifier of one authentication session to prevent replay.	session
Microsoft Dynamics	DcLcid	preferences	Microsoft	Saves language preference.	90 days
Amazon	ad-id	marketing	Amazon	Clickthroughs to Amazon websites: Noting how the user got to Amazon via this website	190 days
Amazon	ad-privacy	marketing	Amazon	Provided by amazon-adsystem.com for tracking user actions on other websites to provide targeted content to the users.	5 years
Amazon	__trf.src	marketing	Amazon	Registers how the user has reached the website to enable pay-out of referral commission fees to partners.	1 year
Amazon Web Services	AWSALB	preferences	Amazon Web Services	These cookies enable us to allocate server traffic to make the user experience as smooth as possible. A so-called load balancer is used to determine which server currently has the best availability. The information generated cannot identify you as an individual.	Session
Amazon Web Services	AWSALBCORS	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSALBCORS (ALB).	Session
Amazon Web Services	AWSELBCORS	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSELBCORS (ALB).	Session
Amazon Web Services	AWSELB	preferences	Amazon Web Services	AWS Classic Load Balancer Cookie: Load Balancing Cookie: Used to map the session to the instance.	Session
Amazon Web Services	AWSALBTGCORS	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSELBCORS (ALB).	Session

Service	Cookie	Category	Provider	Purpose	Retention
Amazon Web Services	AWSALBTG	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSELBCORS (ALB).	Session
Amazon Web Services	aws-csds-token	preferences	Amazon Web Services	Anonymous metrics validation token	1 hour
Amazon Web Services	aws_lang	preferences	Amazon Web Services	Stores the language used with AWS.	Session
Amazon Web Services	aws-target-visitor-id	analytics	Amazon Web Services	Used to collect anonymised information about how which web pages are visited, how long users spend on pages and what users search for.	1 Year
Amazon Web Services	aws-priv	preferences	Amazon Web Services	Anonymous cookie for privacy regulations	1 Year
Instagram	ig_did	marketing	Meta	This is a targeting cookie used to track Instagram user visits.	9 years
Instagram	ig_cb	marketing	Meta	This cookie enables the correct functionality of the Instagram plugins, such as embedded Instagram posts	9 years
Instagram	ds_user_id	marketing	Meta	This is a targeting cookie used to optimize advertising on Instagram.	3 months
Instagram	mid	preferences	Meta	This is a functionality cookie used to optimize the use of Instagram on the website	9 years
Instagram	fbm_*	marketing	Meta	This is a targeting cookie used to track Instagram user visits.	1 year
Instagram	shbid	marketing	Meta	This is a targeting cookie used to optimize advertising on Instagram.	1 year
Instagram	shbts	marketing	Meta	This is a targeting cookie used to optimize advertising on Instagram.	1 year
Instagram	sessionid	marketing	Meta	This is a performance cookie used to collect data about people logging in and out of the website.	1 year
Adobe Advertising	everest_g_v2	marketing	Adobe	This cookie stores the browser and surfer ID. Created after a user initially clicks a client's ad, and used to map the current and subsequent clicks with other events on the client's website	2 years
Adobe Advertising	everest_session_v2	marketing	Adobe	This cookie stores the session ID	session
Adobe Advertising	ev_tm	marketing	Adobe	This cookie stores the Adobe Advertising DSP (Demand Side Platform) ID. A third-party cookie that stores the DSP ID that corresponds to the surfer ID in the everest_g_v2 cookie	2 years
Adobe Advertising	_tmae	marketing	Adobe	This cookie stores Encoded IDs and time stamps for ad engagements using Adobe Advertising DSP tracking. A third-party cookie that stores user engagements with ads, such as 'last seen ad xyz123 on June 30, 2016'	1 year
Adobe Advertising	_lcc	marketing	Adobe	This cookie stores IDs and time stamps (in the format yyyyymmdd) of display clicks. It is a third-party cookie used to determine if a click event on a display ad applies to an Adobe Analytics hit	15 minutes
Adobe Advertising	ev_sync_ax	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_bk	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_dd	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_fs	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_ix	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_nx	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_ox	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Adobe Advertising	ev_sync_pm	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_rc	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_tm	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_yh	marketing	Adobe	This cookie stores the date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	adcloud	marketing	Adobe	This cookie stores The timestamps of the surfer's last visit to the advertiser's website and the surfer's last search click, and the ef_id that was created when the user clicked an ad	1 year
Adobe Advertising	id_adcloud	marketing	Adobe	This cookie stores the surfer ID	91 days
Adobe Analytics	s_cc	analytics	Adobe	Used to determine if browser of user accepts cookies or not	End of session (browser)
Adobe Analytics	s_sq	analytics	Adobe	Used to register the previous link clicked by the user	End of session (browser)
Adobe Analytics	s_vi*	analytics	Adobe	Contains a unique ID to identify a user	2 years
Adobe Analytics	s_fid	analytics	Adobe	Alternative cookie with unique user ID / timestamp when the s_vi cookie can not be set for technical reasons	5 years
Adobe Analytics	fid	analytics	Adobe	If other visitor ID methods fail, Adobe sets a fallback cookie or uses a combination of IP address and user agent to identify the visitor.	2 years
Adobe Analytics	s_ecid	marketing	Advertiser's website	This cookie is set by the customer's domain after the AMCV cookie is set by the client. The purpose of this cookie is to allow persistent ID tracking in the 1st-party state and is used as a reference ID if the AMCV cookie has expired.	2 years
Adobe Analytics	s_ppv	analytics	Adobe	Stores information on the percentage of the page displayed	session
Adobe Analytics	s_tp	analytics	Adobe	This lets us know how much of the page you viewed.	session
Adobe Analytics	sat_track	preferences	Adobe	The sat_track cookie is a part of Adobe Analytics. It controls the enabling and disabling of cookies and whether they are loaded onto the site.	90 days
Adobe Audience Manager	demdex	marketing	Adobe	Unique value with which Audience Manager can identify a user. Used, among others, for identification, segmentation, modeling and reporting purposes.	180 days after last activity or 10 years when opting out
Adobe Audience Manager	dextp	marketing	Adobe	Registers the date plus time (timestamp) on which a data synchronization was last performed by the Audience Manager.	180 days after last activity
Adobe Audience Manager	dst	marketing	Adobe	Used to register a possible error message when sending data to a linked system.	180 days after last activity or 10 years when opting out
Adobe Audience Manager	_dp	marketing	Adobe	Used to determine if browser of user accepts cookies or not	30 seconds
Adobe Audience Manager	aam_uuid	marketing	Adobe	Adobe Audience Manager - data management platform uses these cookies to assign a unique ID when users visit a website.	1 month
Adobe Audience Manager	AMCV_*	marketing	Adobe	Adobe Experience Cloud uses a cookie to store a unique visitor ID that is used across Experience Cloud Solutions.	2 years
Adobe Audience Manager	AMCVS_*	marketing	Adobe	The AMCVS cookie serves as a flag indicating that the session has been initialized. Its value is always 1 and discontinues when the session has ended.	Session
Adobe Audience Manager	mbox	marketing	Adobe	Adobe Target uses cookies to give website operators the ability to test which online content and offers are more relevant to visitors.	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Adobe Audience Manager	at_check	preferences	Adobe	A simple test value used to determine if a visitor supports cookies. Set each time a visitor requests a page.	session
Adobe Audience Manager	renderid	preferences	Adobe	This cookie is needed by the dispatcher (webserver) to distinguish between the different publisher server.	session
Adobe Audience Manager	dpm	marketing	Adobe	DPM is an abbreviation for Data Provider Match. It tells internal, Adobe systems that a call from Audience Manager or the Adobe Experience Cloud ID Service is passing in customer data for synchronization or requesting an ID.	180 days
Magento	form_key	necessary	Adobe	A security measure that appends a random string to all form submissions to protect the data from Cross-Site Request Forgery (CSRF).	session
Magento	product_data_storage*	preferences	Adobe	Stores configuration for product data related to Recently Viewed / Compared Products.	session
Magento	mage-cache-sessid	preferences	Adobe	The value of this cookie triggers the cleanup of local cache storage. When the cookie is removed by the backend application, the Admin cleans up local storage, and sets the cookie value to true.	session
Magento	mage-cache-storage*	preferences	Adobe	Local storage of visitor-specific content that enables ecommerce functions.	session
Magento	mage-cache-storage-section-invalidation*	preferences	Adobe	Forces local storage of specific content sections that should be invalidated.	session
Magento	mage-cache-timeout*	preferences	Adobe	This cookie is necessary for the cache function. A cache is used by the website to optimize the response time between the visitor and the website. The cache is usually stored on the visitor's browser.	session
Magento	mage-messages	preferences	Adobe	Tracks error messages and other notifications that are shown to the user, such as the cookie consent message, and various error messages. The message is deleted from the cookie after it is shown to the shopper.	1 year
Magento	mage-translation-file-version	preferences	Adobe	Tracks the version of translations in local storage. Used when Translation Strategy is configured as Dictionary (Translation on Storefront side).	session
Magento	mage-translation-storage	preferences	Adobe	Stores translated content when requested by the shopper. Used when Translation Strategy is configured as Dictionary (Translation on Storefront side).	session
Magento	recently_compared_product*	preferences	Adobe	Stores product IDs of recently compared products.	session
Magento	recently_compared_product_previous*	preferences	Adobe	Stores product IDs of previously compared products for easy navigation.	session
Magento	recently_viewed_product*	preferences	Adobe	Stores product IDs of recently viewed products for easy navigation.	session
Magento	recently_viewed_product_previous*	preferences	Adobe	Stores product IDs of recently previously viewed products for easy navigation.	session
Magento	user_allowed_save_cookie	preferences	Adobe	Indicates if a customer is allowed to use cookies.	session
Magento	external_no_cache	preferences	Adobe	A flag that indicates if caching is disabled.	session
Magento	persistent_shopping_cart	preferences	Adobe	Stores the key (ID) of persistent cart to make it possible to restore the cart for an anonymous shopper.	session
Magento	stf	preferences	Adobe	Records the time messages are sent by the SendFriend (Email a Friend) module.	session
Magento	pollN	preferences	Adobe	A poll ID that indicates if a vote has occurred.	session
Magento	frontend	preferences	Adobe	Session ID	session
Magento	guest-view	preferences	Adobe	Allows guests to edit their orders.	session
Magento	mage-banners-cache-storage	preferences	Adobe	Stores banner content locally to improve performance.	1 hour
Magento	searchReport-log	preferences	Adobe	Magento, used to log information about searching	1 year
Magento	private_content_version	preferences	Adobe	Appends a random, unique number and time to pages with customer content to prevent them from being cached on the server.	1 year
Magento	X-Magento-Vary	preferences	Adobe	X-Magento-Vary cookie is used by Magento 2 system to highlight that version of a page requested by a user has been changed. It allows having different versions of the same page stored in cache e.g. Varnish.	session

Service	Cookie	Category	Provider	Purpose	Retention
Magento	section_data_ids	preferences	Adobe	Stores customer-specific information related to shopper-initiated actions such as display wish list, checkout information, etc.	session
Magento	section_data_clean	preferences	Adobe	Determines which products the user has viewed, allowing the website to promote related products.	1 day
Magento	last_visited_store	preferences	Adobe	This cookie keeps track of the last website you visited. This is necessary to enable the correct language on the website.	1 day
Magento	store	preferences	Adobe	This cookie keeps track of the last website you visited. This is necessary to enable the correct language on the website.	1 day
Magento	login_redirect	preferences	Adobe	Preserves the destination page that was loading before the customer was directed to log in.	session
Marketo	_biz_uid	analytics	Adobe	Uniquely identify a user on the current domain.	1 year
Marketo	_biz_nA	analytics	Adobe	A sequence number that Marketo Measure includes for all requests for internal diagnostics purposes.	1 year
Marketo	_biz_flagsA	analytics	Adobe	A cookie that stores various user information, such as form submission, cross-domain migration, view-through pixel, tracking opt-out status, etc.	1 year
Marketo	_biz_pendingA	analytics	Adobe	Temporarily stores analytics data until successfully sent to Marketo Measure server.	1 year
Marketo	_biz_ABTestA	analytics	Adobe	List of checksums from Optimizely and Visual Web Optimizer ABTests data that have already been reported, preventing bizible.js from resending collected data.	1 year
Marketo	_biz_su	analytics	Adobe	Universal user ID to identify a user across multiple domains, only applicable to tenants with integration bypassing ITP limitations.	1 year
Marketo	_biz_EventA	analytics	Adobe	Universal user ID to identify a user across multiple domains, only applicable to tenants with integration bypassing ITP limitations.	1 year
LiveRamp	euconsent	marketing	LiveRamp	Cookie compliance check	1 year
Magnite	khaos	marketing	Magnite	Rubicon Project cookie used for tracking advertising campaigns and collect anonymized user behavior statistics	1 year
Magnite	audit	marketing	Magnite	Set by Rubicon Project to record cookie consent data.	1 year
Magnite	put_*	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	rpb	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	rpx	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	c	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	khaos_p	marketing	Magnite	Used to store the user's consent status for the current domain.	1 year
Magnite	audit_p	marketing	Magnite	Used to store the user's user interest	1 year
Magnite	tv_U*	marketing	Magnite	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	30 days
Magnite	tvid	marketing	Magnite	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	1 year
Springserve	ssid	marketing	Magnite	This cookie is associated with SpringServe. It is used for serving video ads.	365 days
Springserve	sst	marketing	Magnite	This cookie is associated with SpringServe. It is used for serving video ads.	365 days

Service	Cookie	Category	Provider	Purpose	Retention
PubMatic	PUBMDCID	marketing	PubMatic	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.	3 months
PubMatic	pp	marketing	PubMatic	This cookie tracks the last publisher website that you visited that contained an advertisement served by PubMatic.	3 months
PubMatic	SPugT	marketing	PubMatic	This cookie is used to track when the server-side cookie store was last updated for the browser, and it is used in conjunction with the PugT cookie, described below.	30 days
PubMatic	KADUSERCOOKIE	marketing	PubMatic	PubMatic UserId. this identifier to identify each user uniquely. Some of the uses of this anonymous identifier are to support frequency capping, perform UID sync ups with DSP's, DMP's. DMP's / DP's push audience data against this ID. API publishers sends this ID while making API requests to PubMatic AdServer. UAS Ad Engine also uses this cookie for FCAP purposes.	90 days
PubMatic	PUBRETARGET	marketing	PubMatic	Pixel expiry. Used to indicate if user must be considered for various re-targeting ad campaigns running in PubMatic system.	90 days
PubMatic	KCCH	marketing	PubMatic	To avoid race condition in PubMatic userId generation, showad.js / universalpixel.js set this cookie first. if and only if not set already. Existence of this cookie means that current flow of the execution should not generate PubMatic userId cookie, as its already being set by other flow which has set KCCH.	30 secs
PubMatic	SyncRTB*	marketing	PubMatic	Keeps list of DSP pixel Id's PubMatic synced with so far. PubMatic does userId sync up with DSP's. This cookie holds next sync up time for every pixel. Helps to maintain sync up frequency at DSP level.	90 days
PubMatic	DPSync*	marketing	PubMatic	Keeps list of DMP pixel Id's PubMatic synced with so far PubMatic does userId sync up with DMP's. This cookie holds next sync up time for every pixel. Helps to maintain sync up frequency at DMP level.	90 days
PubMatic	ADUSERCOOKIE	marketing	PubMatic	PubMatic UserId. this identifier to identify each user uniquely. Some of the uses of this anonymous identifier are to support frequency capping, perform UID sync ups with DSP's, DMP's. DMP's / DP's push audience data against this ID. API publishers sends this ID while making API requests to PubMatic AdServer. UAS Ad Engine also uses this cookie for FCAP purposes.	90 days
PubMatic	PugT	marketing	PubMatic	It is used to track when the cookies were updated on the browser. It is used to limit the number of calls to server side cookie store	30 days
PubMatic	KRTBCOOKIE_*	marketing	Pubmatic	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.	29 days
PubMatic	f5_cspm	analytics	Pubmatic	This cookie name is associated with the BIG-IP product suite from company F5. It is used to monitor page load speed, as part of site performance monitoring.	Session
PubMatic	KTPCACOOKIE	preferences	Pubmatic	We use this cookie to check if third-party cookies are enabled on the user's browser.	90 days
PubMatic	COKENBLD	preferences	Pubmatic	This cookie sets a flag to "true" if cookies are enabled on the user's browser.	1 day
PubMatic	USCC	marketing	Pubmatic	This cookie enables PubMatic to sync user IDs properly in situations where multiple advertisements might appear on the same webpage.	1 day
PubMatic	DPPIX_ON	marketing	Pubmatic	These cookies enable PubMatic to properly sync cookie IDs with our partners by ensuring that our partners do not override each other during the sync process.	20 seconds
PubMatic	SYNCUPPIX_ON	marketing	Pubmatic	These cookies enable PubMatic to properly sync cookie IDs with our partners by ensuring that our partners do not override each other during the sync process.	20 seconds
PubMatic	PUBUIDSYNCUPFQ	preferences	Pubmatic	This cookie indicates the last time that we synced IDs with our partner.	3 months
PubMatic	camfreq_*	marketing	Pubmatic	This cookie is set for each campaign and indicates the number of times (e.g., frequency) that a particular advertisement may have been shown on the applicable publisher site.	30 days
PubMatic	pubfreq_*	marketing	Pubmatic	This cookie is set for each advertising network and indicates the number of times (e.g., frequency) that a particular advertisement may have been shown on the applicable publisher site.	30 days
PubMatic	pubtime_*	preferences	Pubmatic	This cookie stores the period of time after which ad frequency counters reset.	1 day
PubMatic	PMFREQ_ON	preferences	Pubmatic	This cookie ensures the proper functioning of the camfreq and pubfreq cookies, described above, in situations where one cookie may override the other.	1 day

Service	Cookie	Category	Provider	Purpose	Retention
PubMatic	DPFQ	marketing	Pubmatic	This cookie stores information regarding the number of times that a partner's pixel is loaded by a user's browser. This enables us to cap the number of times that a pixel is used to record a user's visit to a website within a specific period of time.	90 days
PubMatic	pi	marketing	Pubmatic	This cookie enables us to determine which set of pixels needs to be executed on the browser.	1 day
PubMatic	FPtrust	preferences	Pubmatic	This cookie is a session cookie used to support the opt-out process via the Network Advertising Initiative.	1 day
PubMatic	_curtime	preferences	Pubmatic	This cookie stores the current timestamp.	1 day
PubMatic	PMDTSHR	preferences	Pubmatic	This cookie is set for Komli ad server and is used for default impression when other data is not available.	1 day
PubMatic	chk	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version less 67 or non-Chrome browsers, and is used for testing purposes.	3 months
PubMatic	chkSecSet	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version less 67 or non-Chrome browsers, and is used for testing purposes.	3 months
PubMatic	chkChromeAb67	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version above 67 and is used for testing purposes.	3 months
PubMatic	chkChromeAb67Sec	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version above 67 and is used for testing purposes.	3 months
PubMatic	pubsyncexp	preferences	Pubmatic	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 day
PubMatic	ipc	preferences	Pubmatic	This cookie is a short-lived cookie that stores information needed to coordinate cookie syncing.	1 year
Lotame	_cc_aud	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	269 days
Lotame	_cc_cc	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	session
Lotame	_cc_id	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	269 days
Lotame	panoramald	marketing	Lotame	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	session
Lotame	panoramald_expiry	marketing	Lotame	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	session
Lotame	panoramald_expiry_exp	marketing	Lotame	Contains the expiry-date for the cookie with corresponding name.	session
Lotame	_cc_domain	marketing	Lotame	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	session
Lotame	_cc_dc	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	session
openx.net	i	marketing	OpenX	Registers user data, such as IP address, geographical location, websites visited and on which advertisements the user has clicked, with the aim of optimizing the display of advertisements based on user relocation on websites that use the same advertising network.	1 year
openx.net	univ_id	marketing	OpenX	This cookie collects information about the visitor for the purpose of serving advertisements.	3 days
openx.net	pd	marketing	OpenX	This cookie stores information about which other third parties the user cookie ('i' cookie) has been synced with to reduce the amount of user matching done on your device.	15 days

Service	Cookie	Category	Provider	Purpose	Retention
openx.net	OAID	marketing	OpenX	This cookie is used by the ad server software to manage which ads are placed on our website, and to capture clicks on those ads. Information is collected in anonymous form, and we do not use this data to deliver specific content, advertising or otherwise, to your browser.	1 year
openx.net	OAGEO*	marketing	OpenX	Used to avoid the repeated display of the same ad. Contains information about the users location.	Session
ID5	id5	marketing	ID5	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 day
ID5	cip	marketing	ID5	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 day
ID5	car	marketing	ID5	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 day
ID5	callback	marketing	ID5	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that the visitor is shown the same advertisement.	1 day
ID5	cnac	marketing	ID5	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 day
ID5	cf	marketing	ID5	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 day
ID5	gdpr	preferences	ID5	Determines whether the visitor has accepted the cookie consent box. This ensures that the cookie consent box will not be presented again upon re-en try.	1 day
ID5	gpp	preferences	ID5	A valid IAB Global Privacy Platform consent string. If the string is missing, misconstructed, or otherwise invalid, we will treat the request as if it has no consent string and process accordingly.	Session
ID5	3pi	marketing	ID5	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	3 months
Yahoo	A3	marketing	Yahoo	Ads targeting cookie for Yahoo	1 year
Yahoo	APID	marketing	Yahoo	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	1 month
Yahoo	APIDTS	marketing	Yahoo	This is a Yahoo! Cookie used in the targeting of relevant adverts and content on the Yahoo! platform.	1 day
Yahoo	IDSYNC	marketing	Yahoo	Identifies if the cookie-data needs to be updated in the visitor's browser - This is determined through third-party ad-serving-companies.	1 year
Yahoo	A1	marketing	Yahoo	Ads targeting cookie for Yahoo	1 year
Yahoo	A1S	marketing	Yahoo	Ads targeting cookie for Yahoo	1 year
Yahoo	adaptv_unique_user_cookie	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	cmp	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	adsrcvw1	marketing	Yahoo	These cookies are only used with your consent. You can give or withdraw your consent on the third party's site or app.	1 year
Yahoo	migrated2y	marketing	Yahoo	These cookies are only used as migration indication for old cookies	1 year
Yahoo	OTH	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	optout	marketing	Yahoo	This cookie collect and store data of ads from user opted out	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Yahoo	rtbData0	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	2 years
Yahoo	rx	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	tearsheet	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	30 minutes
Yahoo	unique_ad_source_impression	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	30 days
Yahoo	axids	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	GUC	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	trc_cookie_storage	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	tbla_id	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Tapad	TapAd_DID	marketing	Tapad	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.	2 months
Tapad	TapAd_TS	marketing	Tapad	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.	2 months
Tapad	TapAd_3WAY_SYNC	marketing	Tapad	Used for data-synchronization with advertisement networks	2 months
TripleLift	tluid	marketing	TripleLift	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.	3 months
TripleLift	tluidp	marketing	TripleLift	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites with - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.	3 months
TripleLift	optout	marketing	TripleLift	This cookie is used to determine whether the visitor has accepted the cookie consent box.	5 years
TripleLift	sync	marketing	TripleLift	This cookie is used in order to transact in digital advertising, TripleLift exchanges (or syncs) identifiers with other companies. This cookie keeps track of which companies have recently been synced in order to avoid syncing with the same companies repetitively.	3 months
33Across	33x_ps	marketing	33Across	This cookie is used targeted and behavioural advertising services.	1 year
LiveIntent	lidid	marketing	LiveIntent	Collects data on visitors' behaviour and interaction - This is used to make advertisement on the website more relevant. The cookie also allows the website to detect any referrals from other websites.	2 years
LiveIntent	_li_ss	marketing	LiveIntent	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 month
OneTrust	OptanonConsent	preferences	OneTrust	This cookie is set by the cookie compliance solution from OneTrust. It stores information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category. This enables site owners to prevent cookies in each category from being set in the user's browser, when consent is not given. The cookie has a normal lifespan of one year, so that returning visitors to the site will have their preferences remembered. It contains no information that can identify the site visitor.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
OneTrust	OptanonAlertBoxClosed	preferences	OneTrust	This cookie is set by the cookie compliance solution from OneTrust. It stores information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category. This enables site owners to prevent cookies in each category from being set in the users browser, when consent is not given. The cookie has a normal lifespan of one year, so that returning visitors to the site will have their preferences remembered. It contains no information that can identify the site visitor.	1 year
OneTrust	OptanonControl	preferences	OneTrust	This cookie is set by the cookie compliance solution from OneTrust. It stores information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category. This enables site owners to prevent cookies in each category from being set in the user's browser, when consent is not given. The cookie has a normal lifespan of one year, so that returning visitors to the site will have their preferences remembered. It contains no information that can identify the site visitor.	1 year
OneTrust	OneTrustWPCCPAGoogleOptOut	preferences	OneTrust	This cookie is set by OneTrust. It is used to honor IAB CCPA laws for consent.	365 days
OneTrust	FunctionalCookie	preferences	OneTrust	This cookie works with the OneTrust Cookie Management Platform to activate scripts and cookies associated with the Functional Cookies category, when the user gives appropriate consent.	0 days
OneTrust	_mkto_trk	marketing	OneTrust	This cookie is associated with an email marketing service provided by Marketo. This tracking cookie allows a website to link visitor behaviour to the recipient of an email marketing campaign, to measure campaign effectiveness.	729 days
OneTrust	utm_key	preferences	OneTrust	This cookie is set to save personalized marketing campaign parameters. It displays customized data depending on the type of website visitor.	Session
OneTrust	__Secure-fgpt	preferences	OneTrust	This cookie is set due an HTTP response header to send information between client and cloud server domains, like location and payload data. Its attribute has a "secure" flag in its name indicating that the cookie is sent only in HTTPS schemas to enhance security and prevent unauthorized access of information.	Session
CreativeCDN	c	marketing	RTB House	Regulates the synchronization of user identification and the exchange of your data between various advertising services.	364 days
CreativeCDN	g	marketing	RTB House	This domain is associated with the delivery of advertising material or scripts for advertising content. It is a service used by advertising agencies to optimize their online ad campaigns.	364 days
CreativeCDN	ts	preferences	RTB House	This cookie is associated with creativecdn.com. It is provided by PayPal and supports payment services in the website.	365 days
CreativeCDN	u	marketing	RTB House	This cookie is associated with creativecdn.com. It collects unidentifiable data that is sent to an unidentifiable source. The source's identity is kept secret by the company, Perfect Privacy LLC.	365 days
Sharethrough	stx_user_id	marketing	Sharethrough	Delivering targeted and relevant content	1 year
Pinterest	_pinterest_cm	preferences	Pinterest	Pinterest cookie ensures that you can share our website pages via Pinterest by means of the 'share' button	347 days
Pinterest	_pinterest_sess	preferences	Pinterest	session cookie (expires after your session) which collects anonymous data about a user's visit to the website, such as the number of visits, average time spent on the site and which pages have been loaded in order to personalise and improve the Pinterest service.	session
Pinterest	_pin_unauth	marketing	Pinterest	Registers a unique ID that identifies and recognizes the user. Is used for targeted advertising.	1 day
Pinterest	_pinterest_ct_ua	marketing	Pinterest	This cookie is a third party cookie which groups actions for users who cannot be identified by Pinterest.	session
Pinterest	sessionFunnelEventLogged	marketing	Pinterest	A generic technical cookie used for storing user session identifier in web applications	1 day
Pinterest	_routing_id	marketing	Pinterest	Allows users to share pictures via Pinterest / the Pin It button. Pinterest can collect statistical information about usage of their service.	1 day
Pinterest	_derived_epik	marketing	Pinterest	Cookie is placed by the Pinterest tag when a match is identified when no cookies are present, such as enhanced match.	1 year
Pinterest	_pinterest_ct	marketing	Pinterest	They contain a user ID and the timestamp at which the cookie was created.	1 year
Pinterest	_pinterest_ct_rt	marketing	Pinterest	They contain a user ID and the timestamp at which the cookie was created.	1 year
Pinterest	_epik	marketing	Pinterest	Cookie is placed by the JavaScript tag based on information sent from Pinterest with promoted traffic to help identify the user.	1 year
Reddit	edgebucket	marketing	Reddit	Used by Reddit to deliver advertising	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Reddit	initref	marketing	Reddit	Used by Reddit to deliver advertising	session
Reddit	_rdt_uuid	marketing	Reddit	This cookie is set by Reddit and is used for remarketing on reddit.com.	90 days
Salesforce	_KMPage*	preferences	Salesforce	In Salesforce Classic, used to read the last user selection for Find in View, Article Language, {DataCategory}, and Validation Status in Article Management.	1 day
Salesforce	_KnowledgePageDispatcher*	preferences	Salesforce	In Salesforce Classic, used to remember the user selection to determine whether to show Articles or My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageFilter*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the data category filter in Knowledge.	session
Salesforce	_KnowledgePageFilterArticleArticleType*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the article type filter for Articles view in Knowledge.	session
Salesforce	_KnowledgePageFilterArticlePublishStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the publish status filter for Articles view in Knowledge.	session
Salesforce	_KnowledgePageFilterArticleValidationStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the validation status filter for Articles view in Knowledge.	session
Salesforce	_KnowledgePageFilterLanguage*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the language filter in Knowledge.	session
Salesforce	_KnowledgePageFilterMyDraftArticleType*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the article type filter for My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageFilterMyDraftPublishStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the publish status filter for My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageFilterMyDraftValidationStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the validation status filter for My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageSortFieldArticle*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for Sort by for the Articles view in Knowledge.	session
Salesforce	_KnowledgePageSortFieldMyDraft*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for Sort by for the My Drafts view in Knowledge.	session
Salesforce	_spring_KmMIAnyoneDraftArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for the Draft Articles view in Article Management.	1 day
Salesforce	_spring_KmMIArchivedArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Archived Articles in Article Management.	1 day
Salesforce	_spring_KmMIMyDraftArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Draft Articles assigned to Me in Article Management.	1 day
Salesforce	_spring_KmMIMyDraftTranslationsList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Draft Translations in Article Management.	1 day
Salesforce	_spring_KmMIPublishedArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Published Articles in Article Management.	1 day
Salesforce	_spring_KmMIPublishedTranslationsList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Published Translations in Article Management.	1 day
Salesforce	_sid*	preferences	Salesforce	Identifies a Live Agent session. Stores a unique pseudonymous ID for a specific browser session over chat service.	session
Salesforce	activeView	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for Articles or Translations tab in Article Management.	session
Salesforce	apex__EmailAddress	marketing	Salesforce	Caches contact IDs associated with email addresses.	1 year
Salesforce	auraBrokenDefGraph	analytics	Salesforce	Used to track when a Lightning page has malformed HTML.	1 week
Salesforce	autocomplete	preferences	Salesforce	Determines if the login page remembers the user's username.	60 days

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce	BAYEAX_BROWSER	preferences	Salesforce	Identify a unique browser subscribed to CometD streaming channels.	session
Salesforce	calViewState	analytics	Salesforce	Sets the inline calendar date state in Salesforce Classic (current week selected).	session
Salesforce	caPanelState	preferences	Salesforce	Saves the open, closed, and height percent states of the calendar panel.	session
Salesforce	renderCtx	preferences	Salesforce	Used to deliver requested pages and content based on a user's navigation.	session
Salesforce	pctrk	analytics	Salesforce	Used to count page views by unauthenticated users against license usage.	session
Salesforce	force-stream	preferences	Salesforce	Used to properly route server requests within Salesforce infrastructure for sticky sessions.	3 hours
Salesforce	sfdc-stream	preferences	Salesforce	Used to properly route server requests within Salesforce infrastructure for sticky sessions.	3 hours
Salesforce	BrowserId_sec	preferences	Salesforce	Used to log secure browser sessions/visits for internal-only product analytics.	1 year
Salesforce	force-proxy-stream	preferences	Salesforce	Used to ensure client requests hit the same proxy hosts and are more likely to retrieve content from cache.	3 hours
Salesforce	BrowserId	preferences	Salesforce	Used to log browser sessions/visits for internal-only product analytics.	1 year
Salesforce	QCQQ	preferences	Salesforce	Used to detect the official login page for Forced Login POST detection.	session
Salesforce	sid_Client	preferences	Salesforce	Used to validate orgid and userid on the client side.	session
Salesforce	idccsrft	necessary	Salesforce	Used for SSO authentication as CSRF protection.	3 months
Salesforce	rsid	preferences	Salesforce	Used for an admin user to 'log in as' one of their org user.	session
Salesforce	rsid2	preferences	Salesforce	Used for an admin user to 'log in as' one of their org portal user.	session
Salesforce	RRetURL	preferences	Salesforce	Used for 'log in as' to return to original page.	session
Salesforce	RRetURL2	preferences	Salesforce	Used for portal 'log in as' to return to original page.	session
Salesforce	alohaEpt	preferences	Salesforce	Used to log page load EPT (Experience Page Time) for Visualforce (Classic UI) pages.	90 sec
Salesforce	clientSrc	preferences	Salesforce	Used to validate the IP from where a user logs in.	session
Salesforce	oinfo	marketing	Salesforce	Used to track the State, Edition and orgID of a customer's org.	3 months
Salesforce	expid_*	marketing	Salesforce	Used to render pages based on specified brand.	session
Salesforce	oid	preferences	Salesforce	Used to redirect a user to the correct Salesforce org and assist the user for the next login.	2 years
Salesforce	CookieConsentPolicy*	preferences	Salesforce	Used to apply end-user cookie consent preferences set by our client-side utility.	1 year
Salesforce	_kuid_	marketing	Salesforce	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.	6 months
Salesforce	visitor_id*	marketing	Salesforce	The visitor cookie includes a unique visitor ID and the unique identifier for your account.	1 year
Salesforce	cookieSettingVerified	preferences	Salesforce	Used to create a popup message telling users that cookies are required.	session
Salesforce	cordovaVersion	preferences	Salesforce	Used for internal diagnostics with mobile applications.	session
Salesforce	cqcid	preferences	Salesforce	Used to track a guest shopper's browsing activity.	1 year
Salesforce	csssid	preferences	Salesforce	Used to establish a request context in the correct tenant org.	session
Salesforce	csssid_Client	preferences	Salesforce	Enables user switching.	session
Salesforce	devOverrideCsrfToken	necessary	Salesforce	CSRF Token.	session
Salesforce	disco	preferences	Salesforce	Tracks the last user login and active session for bypassing login. For example, OAuth immediate flow.	session
Salesforce	FedAuth	preferences	Salesforce	For the SharePoint connector, used to authenticate to the top-level site in SharePoint.	session
Salesforce	gTalkCollapsed	preferences	Salesforce	Controls whether the sidebar in Salesforce Classic is open for a user.	1 year
Salesforce	guest_uuid_essential_*	preferences	Salesforce	Provides a unique ID for guest users in Salesforce Sites. Expires 1 year after the user's last visit to the site.	1 year
Salesforce	hideDevelopmentTools	preferences	Salesforce	Used to determine whether to show the developer tools.	session

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce	hideFilesWarningModal	preferences	Salesforce	Stores the user acknowledgment that a public link to a Salesforce file is on email send. The warning window isn't continually shown after the user acknowledges this action.	50 years
Salesforce	hideIdentityDialog	preferences	Salesforce	Hides the dialog box that informs that the current user is logged out when switching to another user.	1 year
Salesforce	Host-ERIC_PROD-	necessary	Salesforce	Enterprise Request Infrastructure Cookie (ERIC) carries the cross-site request forgery (CSRF) security token between the server and the client. The cookie name indicates the server mode (PROD or PRODDEBUG) and a random number. A different token is generated for each Lightning app.	1 minute
Salesforce	ideaToggle	preferences	Salesforce	Show the Ideas list view or the Feed list view.	session
Salesforce	inst	preferences	Salesforce	Used to redirect requests to an instance when bookmarks and hardcoded URLs send requests to a different instance. This type of redirect can happen after an org migration, a split, or after any URL update.	session
Salesforce	iotcontextsplashdisable	preferences	Salesforce	For the IoT product, stores user preference of whether to show Context Splash popup.	10 years
Salesforce	lastlist	preferences	Salesforce	Used to store the cookie name for the last list URL.	session
Salesforce	liveagent_invite_rejected_	preferences	Salesforce	Instructs Live Agent not to reissue an invitation on the same domain. Deletion of this cookie degrades the customer's experience because they can get repeated invitations.	session
Salesforce	liveagent_sid	preferences	Salesforce	Identifies a Live Agent session. Stores a unique pseudonymous ID for a specific browser session over chat service.	session
Salesforce	lloopch_loid	preferences	Salesforce	Determines whether to send the user to a specific portal login or an app login.	1 year
Salesforce	login	preferences	Salesforce	If the user's session has expired, used to fetch the username and populate it on the main login page when using the process builder app.	60 Days
Salesforce	pc-unit	preferences	Salesforce	Sets a preference for displaying platform cache units to either MB or KB.	1 year
Salesforce	PreferredLanguage	preferences	Salesforce	Stores the user language preference for language detection and localized user experience.	1 year
Salesforce	promptTestMod	preferences	Salesforce	Stores whether test mode is in effect. This cookie is read-only.	30 days
Salesforce	redirectionWarning	preferences	Salesforce	Enables the customer to store URLs that are exempt from setting a redirect warning interstitial page on an allowlist.	1 year
Salesforce	schgtclose	preferences	Salesforce	Deprecated feature, not used.	session
Salesforce	sfdc_lv2	preferences	Salesforce	Stores identity confirmation details for users. If the cookie isn't set or it expires, users must repeat the identity confirmation process the next time that they log in. Identity confirmation requires a verification method such as SMS, an authenticator app, or a security key.	1 year
Salesforce	showNewBuilderWarningMessage	preferences	Salesforce	Used to show or hide a warning message for the new dashboard builder.	100 years
Salesforce	sidebarPinned	preferences	Salesforce	Controls the state of the Salesforce Classic sidebar.	10 years
Salesforce	ssostartpage	preferences	Salesforce	Identifies the Identity Provider (IdP) location for single sign-on (SSO). Certain service provider initiated SSO requests can fail without this cookie.	1 year
Salesforce	SUCSP	preferences	Salesforce	Used when the user identity that an administrator is assuming, via Log In as Another User, is a Customer Success Portal (CSP) user.	session
Salesforce	SUPRM	preferences	Salesforce	Used when the user identity that an administrator is assuming, via Log In as Another User, is a Partner Relationship Management (PRM) portal user.	session
Salesforce	t	preferences	Salesforce	Used to avoid duplicate access checks.	session
Salesforce	useStandbyUrl	preferences	Salesforce	Controls how quickly to set the standby URL when loading the softphone.	session
Salesforce	waveUserPrefFinderLeftNav	preferences	Salesforce	Preference for left navigation UI in CRM Analytics.	100 years
Salesforce	waveUserPrefFinderListView	preferences	Salesforce	Preference for displaying list views in CRM Analytics.	100 years
Salesforce	webact	preferences	Salesforce	Used to collect metrics per page view for personalization.	1 year
Salesforce	WelcomePanel	preferences	Salesforce	Stores Salesforce preferences.	1 day

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce	__Host-ERIC_PROD-*	preferences	Salesforce	Enterprise Request Infrastructure Cookie (ERIC) carries the cross-site request forgery (CSRF) security token between the server and the client. The cookie name indicates the server mode (PROD or PRODDEBUG) and a random number. A different token is generated for each Lightning app.	Session
Salesforce	SetupDomainProbePassed	preferences	Salesforce	Indicates whether the web client successfully accessed the new *.salesforce-setup.com domain. If the cookie value is true, then Setup pages are served from *.salesforce-setup.com. If false, Setup pages are served from *.force.com. In this case, users are sometimes required to view Setup pages in Salesforce Classic instead of in Lightning Experience.	Session
Salesforce	igodigitalstdomain	marketing	Salesforce	This cookie is used to capture customer behavior to improve the quality of the experience of our online customers, including enhanced browsing experiences. It expires after one hour or upon the withdrawal of your consent.	1 hour
Salesforce	igodigitalst_*	marketing	Salesforce	This cookie is used to capture customer behavior to improve the quality of the experience of our online customers, including enhanced browsing experiences. It expires after one hour or upon the withdrawal of your consent.	1 hour
Salesforce	igodigitaltc2	marketing	Salesforce	This cookie is used to capture customer behavior to improve the quality of the experience of our online customers, including enhanced browsing experiences. It expires after 10 years or upon the withdrawal of your consent.	10 years
Salesforce	pi_opt_in	analytics	Salesforce	If tracking opt-in preferences is enabled, the cookie is set with a true or false value when the visitor opts in or out of tracking	1 year
Snapchat	sc_at	marketing	Snapchat	Used to identify a visitor across multiple domains.	1 year
Snapchat	sc-a-nonce	marketing	Snapchat	Nonce control. Used to encrypt session data.	1 year
Snapchat	_scid	marketing	Snapchat	Used to help identify a visitor.	1 year
Snapchat	_schn	marketing	Snapchat	This cookies come from the Snapchat retargeting pixel. This pixel is used to retarget and attribute traffic coming from the social network.	1 day
Snapchat	X-AB	preferences	Snapchat	This cookie is used by the website's operator in context with multi-variate testing. This is a tool used to combine or change content on the website. This allows the website to find the best variation/edition of the site.	1 day
Snapchat	_scid_r	marketing	Snapchat	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	13 months
Vimeo	vuid	analytics	Vimeo	This first party cookie created by Vimeo is used to assign a Vimeo Analytics unique id.	1 minute
Vimeo	Player	preferences	Vimeo	This first party cookie created by Vimeo is used to remember user's player mode preferences.	1 minute
Vimeo	continuous_play_v3	preferences	Vimeo	Used to keep track of whether continuous play is on or not for a user	2 years
Vimeo	sd_identity	analytics	Vimeo	Collects analytical tracking information about videos and enables the player to function properly.	2 years
Vimeo	sd_client_id	analytics	Vimeo	Collects analytical tracking information about videos and enables the player to function properly.	2 years
Active Campaign	ac_enable_tracking	marketing	Active Campaign	This cookie is associated with Active Campaign and is set to confirm that tracking has been enabled for the website. Tracking is used to create reports of our web traffic and improve the user experience of the website.	29 days
Active Campaign	prism_*	marketing	Active Campaign	This cookie is used by Active Campaign for site tracking purposes.	30 days
	XSRF-TOKEN	necessary	Unknown	This cookie is written to help with site security in preventing Cross-Site Request Forgery attacks.	Session
1rx.io	_rxuuid	marketing	1rx.io	Sets a unique ID for the visitor, with which external advertisers can target the visitor with relevant advertisements. This linking service is provided by third-party advertising hubs, facilitating real-time bidding for advertisers.	1 year
ABlyft	ablyft_exps	analytics	ABlyft	Is set and updated when a visitor is bucketed into an experiment/variation.	1 year
ABlyft	ablyft_queue	analytics	ABlyft	Is set when a visitor triggers an event/goal. After sending the event to ABlyft it is cleared.	1 year
ABlyft	ablyft_uvs	analytics	ABlyft	Is set on the first pageview and update with every further pageview of a visitor.	1 year
ABlyft	ablyft_tracking_consent	analytics	ABlyft	Is set when enableTrackingConsent or disableTrackingConsent is triggered via API.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Abovo Media	tv_spot_tracker	analytics	Abovo Media	Contains information about the timeslot of a running TV ad	End of session (browser)
ABTasty	ABTasty	analytics	ABTasty	This cookie sends all test data (visitorID, test and variant IDs, timestamps).	13 months
ABTasty	ABTastySession	analytics	ABTasty	This cookie allows us to identify a unique session. It allows us to determine that a new session has begun for a given user.	session
Acuity	auid	marketing	Acuity	This cookie is used to identify the visitor and cookie-tracking solutions and marketing and advertising services..	1 year
Acuity	aum	marketing	Acuity	This cookie is used to identify the visitor and the company provides a range of cookie-tracking solutions and marketing and advertising services.	1 year
Adalyser.com	__adal_ca	marketing	Adalyser.com	Stores which advertising campaign drove a user to visit, stores traffic source and campaign data.	6 months
Adalyser.com	__adal_cw	marketing	Adalyser.com	Ties back conversion events to earlier visits, stores a visit timestamp.	7 days
Adalyser.com	__adal_id	marketing	Adalyser.com	Uniquely identify a device, stores a generated Device ID.	2 years
Adalyser.com	__adal_ses	marketing	Adalyser.com	Determines whether there is an active session and which conversions have taken place in this session to prevent duplicates, stores a list of events in this session.	session
Adcalls	acalltracker	marketing	Adcalls	Adcalls call tracking: ID, phone number	30 days
Adcalls	acalltrackersession	preferences	Adcalls	This cookie stores a unique identifier, so that it can be tracked which session the visitor is in.	session
Adcalls	acalltrackerreferrer	analytics	Adcalls	This cookie is set as soon as the AdCalls JavaScript is loaded. The cookie is used to store the referrer of the visitor as quickly as possible, so that it cannot be lost. As soon as the JavaScript has been executed, this cookie is immediately deleted.	60 minutes
Adcalls	excludecalltracking	preferences	Adcalls	This cookie is set as soon as the visitor - for whatever reason - is not measured, so that we do not take any further actions.	session
Adcalls	acalltrackernumber	marketing	Adcalls	This cookie stores the phone number for the session that is active.	30 minutes
Adform	TPC	marketing	Adform	Used to determine if browser of user accepts third party cookies or not	14 days
Adform	C	marketing	Adform	Used to determine if browser of user accepts cookies or not	60 days till 3650 days
Adform	uid	marketing	Adform	Contains a unique ID to identify a user	60 days
Adform	cid	marketing	Adform	Unique value to be able to identify cookies from users (same as uid)	60 days
Adform	GCM	marketing	Adform	Checks if a new partner cookie synchronization is required	1 day
Adform	CM	marketing	Adform	Checks if a new partner cookie synchronization is required (cookie set by ad server)	1 day
Adform	CM14	marketing	Adform	Checks if a new partner cookie synchronization is required (cookie set during cookie synchronization)	1 day
Adform	token	marketing	Adform	Security token for opt out functionality	End of session (browser)
Adform	otsid	marketing	Adform	Opt out cookie for specific advertiser	365 days
Adform	adtrc	marketing	Adform	Used to determine if browser related information has been collected	7 days
Adform	SR*	marketing	Adform	Unique value that records info about consecutive ads - includes: total impressions, daily impressions, total clicks, daily clicks, and last impression date	1 day
Adform	CT*	marketing	Adform	Identifies the last click membership for third-party pixels on advertiser's pages	1 hour
Adform	EBFCD*	marketing	Adform	Registers daily max. number of impressions (frequency cap) for expanding advertisements (expandables)	7 days
Adform	EBFC*	marketing	Adform	Registers max. total number of impressions (frequency cap) for expanding advertisements (expandables)	7 days
Adform	CFFC*	marketing	Adform	Registers max. number of impressions (frequency cap) for compound banners	7 days
Adform	DigiTrust.v1.identity	marketing	Adform	Unique value with which the user is identified by DigiTrust, an independent industrial body	7 days
Adform	adformfpid	marketing	Adform	Collects data on the user across websites - This data is used to make advertisement more relevant.	30 days

Service	Cookie	Category	Provider	Purpose	Retention
Adhese	adhese2	analytics	Adhese	Unique Reach reporting	30 days
Adhese	cap*	marketing	Adhese	Frequency Capping	30 days
Adhese	pubmatic_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	improvedigital_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	rubicon_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	adform_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	appnexus_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	triplelift_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	adheseCustomer	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adition	UserID1	marketing	Adition	Cookie sets a unique anonymous ID for a website visitor. This ID is used to recognize the user on different sessions and to track their activities on the website. The data collected is used for analysis purposes.	180 days
Adkernel	SSPR_*	marketing	AdKernel	This cookie is used to store the user's unique identifier	Session
Adkernel	SSPZ	marketing	AdKernel	This cookie is used to store the user's unique identifier	Session
Adkernel	DSP2F_*	marketing	AdKernel	This cookie is used to store the user's unique identifier	Session
Adkernel	ADKUID	marketing	AdKernel	This cookie is used to store the user's unique identifier	30 Days
Admatic	__adm_ui	marketing	Admatic	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	1 year
Admatic	__adm_uiex	marketing	Admatic	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	1 year
Admatic	__adm_usyncc	marketing	Admatic	Used to identify the visitor across visits and devices. This allows the website to present the visitor with relevant advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	5 days
Admatic	uids	marketing	Admatic	Registers user behaviour and navigation on the website, and any interaction with active campaigns. This is used for optimizing advertisement and for efficient retargeting.	3 months
Admixer	am-uid	marketing	Admixer	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.	2 years
Adobe ColdFusion	cfid	preferences	Adobe ColdFusion	This cookie is used to determine which type of device the visitor is using, so the website can be properly formatted	1 day
Adobe ColdFusion	cftoken	preferences	Adobe ColdFusion	This cookie is used to determine which type of device the visitor is using, so the website can be properly formatted	1 day
adscale.de	uu	marketing	adscale.de	Used to target ads by registering the user's movements across websites.	1 year
adscale.de	cct	marketing	adscale.de	Necessary for the shopping cart functionality on the website	session

Service	Cookie	Category	Provider	Purpose	Retention
adscale.de	tu	marketing	adscale.de	Used to target ads by registering the user's movements across websites.	29 days
Adxcore	advst_uid_11	marketing	Adxcore	Pending	6 months
Adxcore	DISPATCHER	marketing	Adxcore	Pending	6 months
Adyen	_rp_uid	preferences	Adyen	This cookie is used to track users, and helps identify suspicious browsing and/or purchasing activity.	30 days
AFAS	.secureclient	preferences	AFAS	Pending	Session
AFAS	.seuresession	preferences	AFAS	Pending	Session
AFAS	.stateflags	preferences	AFAS	Pending	Session
AFAS	.auth	preferences	AFAS	Pending	Session
Ahoy	ahoy_visit	analytics	Ahoy	Registers statistical data on visitors behaviour on the website. Used for internal analytics by the website operator.	239 days
Ahoy	ahoy_visitor	analytics	Ahoy	Registers statistical data on visitors behaviour on the website. Used for internal analytics by the website operator.	239 days
Akamai	AKA_A2	preferences	Akamai	Used for Akamai's Advanced Acceleration feature, intended to improve web performance	1 hour or longer
Akamai	ak_bmsc	preferences	Akamai	Cookie used to optimize performance, and to improve the user experience, on Akamai websites	1 hour or longer
Akamai	bm_sv	preferences	Akamai	Used by Akamai Botman Manager to help differentiate between web requests generated by humans and web requests generated by bots or other automated processes	1 hour or longer
Akamai Botmanager	_abck	preferences	Akamai	This cookie is used to analyse traffic to determine if it is automated traffic generated by IT systems or a human user	session
Algolia	_ALGOLIA	analytics	Algolia	Identifies users for your Search Analytics and Personalization.	365 days
Alteon	AlteonP	preferences	Radware	This cookie is set by the load balancers and allows us to evenly balance the number of users across the web servers that we use.	session
Aniview	aniC	marketing	Aniview	This cookie is used in context with video-advertisement. The cookie limits the number of times a user is shown the same advertisement. The cookie is also used to ensure relevance of the video-advertisement to the specific user.	20 Days
Aniview	version	marketing	Aniview	This cookie is used by the website's operator in context with multi-variate testing. This is a tool used to combine or change content on the website. This allows the website to find the best variation/edition of the site.	Session
AT Internet	atidvisitor	analytics	AT Internet	List of numsites encountered by the visitor and storage of identified visitor information	6 months by default, modifiable
AT Internet	atuserid	analytics	AT Internet	Visitor ID for client-side cookie sites	13 months by default, modifiable
Atlas	AA003	marketing	Atlas	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	3 months
Atlas	ATN	marketing	Atlas	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	3 months
Audrte	arcki2*	marketing	Audrte	Collects data on user behaviour and interaction in order to optimize the website and make advertisement on the website more relevant.	14 days
Audrte	arcki2_adform	marketing	Audrte	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	14 days
Audrte	arcki2_ddp	marketing	Audrte	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	14 days
Auth0	auth0	preferences	Auth0	Used to implement the Auth0 session layer.	session
Auth0	auth0_compat	preferences	Auth0	Fallback cookie for single sign-on on browsers that don't support the sameSite=None attribute.	session
Auth0	auth0-mf	preferences	Auth0	Used to establish the trust level for a given device.	session

Service	Cookie	Category	Provider	Purpose	Retention
Auth0	auth0-mf_compat	preferences	Auth0	Fallback cookie for multi-factor authentication on browsers that don't support the sameSite=None attribute.	session
Auth0	a0_users:sess	necessary	Auth0	Used for CSRF protection in Classic Universal Login flows.	session
Auth0	a0_users:sess.sig	necessary	Auth0	Used for CSRF protection in Classic Universal Login flows.	session
Auth0	did	preferences	Auth0	Device identification for attack protection.	session
Auth0	did_compat	preferences	Auth0	Fallback cookie for anomaly detection on browsers that don't support the sameSite=None attribute.	session
Auth0	__txn_*	preferences	Auth0	The __txn_ cookie is an Auth0 transaction cookie used during the login process to securely manage the authentication flow between your application and Auth0	session
Awin	lantern	marketing	29 days	This cookie is used by the affiliate marketing platform AWIN to store a reference to a visit to attribute a sale to marketing channels.	Awin
Awin	AwinChannelCookie	marketing	29 days	Tracks sales for bookings made via links provided by Awin.	Awin
AWS Cookies Popup	aw_popup_viewed_page	preferences	AddWeb Solution	Used in context with the website's pop-up questionnaires and messengering.	session
Axceptio	axceptio_authorized_vendors	preferences	Axceptio	Lists all cookies validated by the user	1 year
Axceptio	axceptio_cookies	preferences	Axceptio	Cookie is set by a script that displays a banner allowing the user to accept Cookies on a case-by-case basis and is kept for 12 months, in order to determine for which Cookies the user has given his consent.	1 year
Axceptio	axceptio_all_vendors	preferences	Axceptio	Lists all available vendors subject to the user's consent	1 year
Baidu	Hm_lpv_t_	analytics	Baidu	Record the most recent access timestamp	session
Baidu	Hm_lvt_	analytics	Baidu	Record the first access timestamp	1 year
Baidu	HMACCOUNT	analytics	Baidu	Used to send data to Baidu about the visitors device and behaviour. Tracks the visitor across devices and marketing channels.	1 year
Bazaar Voice	BVBRANDID	analytics	Bazaar Voice	BVBRANDID is a persistent cookie that allows Bazaarvoice to track website analytics data such as how often you visit the site and allocate it to the same website visitor.	20 years
Bazaar Voice	BVBRANDSID	analytics	Bazaar Voice	This cookie allows internal Bazaarvoice web analytics to be correlated to the same user browsing session for interactions within a particular client domain.	20 years
Bazaar Voice	BVID	marketing	Bazaar Voice	Allows internal Bazaarvoice web analytics to be correlated to the same user for interactions across the Bazaarvoice network.	365 days
Bazaar Voice	BVSID	marketing	Bazaar Voice	Allows internal Bazaarvoice web analytics to be correlated to the same user browsing session for interactions across the Bazaarvoice network.	session
Beamer	_BEAMER_FIRST_VISIT_*	marketing	Hotjar	Set by Beamer (hotjar.com) to store the date of the user's first interaction with insights.	3000 days
Beamer	_BEAMER_USER_ID_*	marketing	Hotjar	Set by Beamer (hotjar.com) to store an internal ID for a user.	300 days
Beamer	_BEAMER_DATE_*	marketing	Hotjar	Set by Beamer (hotjar.com). Stores the latest date in which the feed or page was opened.	300 days
Beamer	_BEAMER_LAST_POST_SHOWN_*	marketing	Hotjar	Set by Beamer (hotjar.com). Stores the timestamp for the last time the number of unread posts was updated for the user.	300 days
Beamer	_BEAMER_FILTER_BY_URL_*	marketing	Hotjar	This cookie is set by Beamer to store whether to apply URL filtering on the feed	20 minutes
Beeswax	bitolsSecure	marketing	Beeswax	This cookie is associated with bidr.io. It allows third party advertisers to target the visitor with relevant advertising. This pairing service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 year
Beeswax	bito	marketing	Beeswax	This cookie is generally provided by bidr.io and is used for advertising purposes.	1 year
Belco	belco-anonymous-id	preferences	Belco	This cookie enables you to make use of the chat-function of our customer service-tool, so we can help you anytime.	1 year
Belco	belco-cookies	preferences	Belco	This cookie enables you to make use of the chat-function of our customer service-tool, so we can help you anytime.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Beslist.nl	client_bslista	analytics	Beslist.nl	Registers statistical data about the behavior of visitors to the website. Used for internal analysis by the website administrator.	540 days
Beslist.nl	client_bslistmatch	analytics	Beslist.nl	Registers statistical data about the behavior of visitors to the website. Used for internal analysis by the website administrator.	1 day
Beslist.nl	client_bslistsid	analytics	Beslist.nl	Unique identifier of the user session.	1 day
Beslist.nl	client_bslistuid	analytics	Beslist.nl	Registers statistical data about the behavior of visitors to the website. Used for internal analysis by the website administrator.	540 days
BetweenDigital	dc	marketing	BetweenDigital	This cookie is used for advertising purposes	10 years
betweendigital.com	betweendigital.com	marketing	betweendigital.com	Collects data on visitors' behaviour and interaction - This is used to optimize the website and make advertisement on the website more relevant.	10 years
betweendigital.com	ss	preferences	betweendigital.com	Necessary for the functionality of the website's chat-box function.	10 years
Bidence	duid_update_time	marketing	Bidence	Registers a unique ID that identifies the user's device during return visits. Used for conversion tracking and to measure the efficacy of online ads.	2 years
Bidence	_ssp_update_time*	marketing	Bidence	This cookie is used to store unique identifiers timestamp	2 years
Bidence	_dsp_uid*	marketing	Bidence	This cookie is used to store unique identifiers	2 years
bidswitch.net	tuuid_lu	marketing	bidswitch.net	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.	3 months
Bit.ly	_bit	analytics	Bit.ly	This cookie is a unique identifier assigned to the user to track your use of bit.ly. Information collected includes your IP address.	6 months
Blue	ckid	marketing	Blue	■ This cookie is an identifier (ID) provided by the user's internet browser and is used to match the user with relevant products in marketing campaigns.	1 Year
Blue	hash	marketing	Blue	■ Is a randomly generated identifier (ID) that ensures the impossibility of identifying a user, precisely to maintain their anonymity. The ID is generated from the ckid.	1 Year
Blue	BLUEID	marketing	Blue	■ Identifier (ID) generated by Blue to ensure that a user is not identified more than once and generates duplication in the system, even if he/she leaves the internet browser and generates another browsing session.	1 Year
Blueconic.com	BCSessionID	marketing	Blueconic.com	Unique identifier for the BlueConic profile.	1 year
Blueconic.com	BCTemplID	marketing	Blueconic.com	Temporary unique identifier for the BlueConic profile, removed after BCSessionID is created.	10 minutes
Blueconic.com	BCPermissionLevel	preferences	Blueconic.com	Opt-in level (PERSONAL ANONYMOUS DO_NOT_TRACK)	1 year
Blueconic.com	BCReferrerOverride	marketing	Blueconic.com	Stores a custom bcChannelIdentifier as referrer. For these channels the actual referrer points to the website and not the override. The override would be lost if not stored in this cookie.	1 year
Blueconic.com	BCRefusedObjectives	marketing	Blueconic.com	Used to store the identifiers of BlueConic Objectives that were explicitly refused.	1 year
Blueconic.com	BCRevision	marketing	Blueconic.com	Used to store requests that are sent to BlueConic, but haven't returned yet. On the next page view, if BCRevision still contains values, those requests are sent again, to prevent data loss. This information is now stored in localStorage; when this fails, the cookie solution is used as fallback.	1 year
Blueconic.com	BCTracking	marketing	Blueconic.com	Used for tracking the channel of an external tracker.	10 seconds
Blueconic.com	bc_tstgrp	marketing	Blueconic.com	Gathers information on the user's behavior, preferences and other personal data, which is sent to a third-party marketing and analysis service, for optimization of the website's advertisement, analysis and general traffic.	1 year
BlueKai	bkdc	marketing	Oracle	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.	179 days
BlueKai	bku	marketing	Oracle	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.	179 days

Service	Cookie	Category	Provider	Purpose	Retention
BlueKai	bkpa	marketing	Oracle	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	179 days
Bombora	tp	marketing	Bombora	This cookie is used to target the audience	14 days
Borlabs	borlabs-cookie	preferences	Borlabs	Stores the user's cookie consent state for embedded content on the current domain	1 year
Bouncex	dgzsdI08v4	marketing	Wunderkind	This cookie provides enhanced functionality and ads personalisation	0 days
Bouncex	bounceClientVisit	marketing	Wunderkind	This cookie is used to remember user web browsing activity and may be used to understand about your demographics, such as age and gender	Session
Braze	ab.storage.userId.*	preferences	Braze	Used to determine whether the currently logged-in user has changed and to associate events with the current user.	Unknown
Braze	ab.storage.sessionId.*	analytics	Braze	Randomly-generated string used to determine whether the user is starting a new or existing session to sync messages and calculate session analytics.	Session
Braze	ab.storage.deviceId.*	analytics	Braze	Randomly-generated string used to identify anonymous users, and to differentiate users' devices and enables device-based messaging.	Unknown
Braze	ab.optOut	preferences	Braze	Used to store a user's opt-out preference.	Unknown
Braze	ab._gd	preferences	Braze	Temporarily created (and then deleted) to determine the root-level cookie domain, which allows the SDK to work properly across sub-domains.	Unknown
Browser-Update.org	browserupdateorg	preferences	Browser-Update.org	Stores information if user dismissed notification about outdated browser	30 days
CakePHP	CAKEPHP	preferences	CakePHP	A cookie controller used to manage other Cookies	1 hour
Casale Media	CMID	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 day
Casale Media	CMPRO	marketing	Casale Media	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that the visitor is shown the same advertisement.	1 day
Casale Media	CMPS	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads	1 day
Casale Media	CMRUM3	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 day
Casale Media	CMST	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 day
Channel.me	wwwchannelme_z_sid	preferences	Channel.me	The cookie is used when using the co-browsing feature.	session
Chartbeat	_chartbeat*	analytics	Chartbeat	Cookie is used to register if a person has visited the domain before (to calculate new vs returning users).	30 days
Chartbeat	_SUPERFLY_nosample	analytics	Chartbeat	Cookie is used only if you go over your plan's traffic limit. At that point the cookie is set and will disable the beacon from that visitor for one hour.	1 hour
CHEQ AI Technologies	_cq_duid	preferences	CHEQ AI Technologies	Used by the website to protect against fraud in relation to its referral system.	3 months
CHEQ AI Technologies	_cq_suid	preferences	CHEQ AI Technologies	This cookie is used to distinguish between humans and bots.	3 months
Citrix	NSC_*	preferences	Citrix	This cookie name is associated with the Netscaler load balancing service from Citrix. This is a pattern type cookie with the root being NSC_ and the rest of the name being a unique encrypted alpha numeric identifier for the virtual server it originated from. The cookie is used to ensure traffic and user data is routed to the correct locations where a site is hosted on multiple servers, so that the end user has a consistent experience.	12 hours
Civic	CookieControl	preferences	Civic UK	This cookie is used to remember the user's cookie consent preferences.	3 months
Civic	HACIVICLB	preferences	Civic UK	This cookie is used by CIVIC's load balancer to identify the server that is active for your request on our cluster. Its purpose is to improve the performance of the website. The cookie is essential to the operation of the site and is always set by the load balancer, but does not store any personal information. This cookie might be set from the civicuk.com domain or from stats.civiccomputing.com	Session

Service	Cookie	Category	Provider	Purpose	Retention
Civic	HACIVIC	preferences	Civic UK	This cookie is used by CIVIC's load balancer to identify the server that is active for your request on our cluster. Its purpose is to improve the performance of the website. The cookie is essential to the operation of the site and is always set by the load balancer, but does not store any personal information. This cookie might be set from the civicuk.com domain or from stats.civiccomputing.com	Session
Civic	HAAPPLB	preferences	Civic UK	This cookie is used by CIVIC's load balancer to identify the server that is active for your request on our cluster. Its purpose is to improve the performance of the website. The cookie is essential to the operation of the site and is always set by the load balancer, but does not store any personal information. This cookie might be set from the civicuk.com domain or from stats.civiccomputing.com	Session
Claritas	barometric[cuid]	marketing	Claritas	This cookie is used to identify users for Veritone/Barometric Podcast Conversion.	1 year
Claritas	barometric[idfa]	marketing	Claritas	This cookie is used to collect visitor statistics. This data is used to categorize users and improve the effectiveness of website advertising.	10 seconds

Appendix C | Cookie database, Large tier (372 services / 2071 cookies)

Service	Cookie	Category	Provider	Purpose	Retention
Google Analytics 4 / Google Ads	_ga	analytics	Google	Distinguishes unique website users	2 years
Google Analytics 4 / Google Ads	_gid	analytics	Google	Distinguishes unique users for the session	24 hours
Google Analytics 4 / Google Ads	_gat	analytics	Google	Throttles request rate	1 minute
Google Analytics 4 / Google Ads	_ga_*	analytics	Google	Stores session state for Google Analytics	2 years
Google Analytics 4 / Google Ads	_gcl_aud	marketing	Google	Stores conversion data for Google Ads	90 days
Google Analytics 4 / Google Ads	_gcl_aw	marketing	Google	Stores click information for Google Ads	90 days
Facebook / Meta	_fbp	marketing	Meta	Tracks visits across websites for ad targeting	90 days
Facebook / Meta	_fbclid	marketing	Meta	Stores click identifiers from Facebook ads	90 days
LinkedIn	li_fat_id	marketing	LinkedIn	Identifies members for ad targeting	30 days
LinkedIn	UserMatchHistory	marketing	LinkedIn	Tracks ad conversions	30 days
LinkedIn	AnalyticsSyncHistory	marketing	LinkedIn	Stores information for analytics syncing	30 days
LinkedIn	bscookie	marketing	LinkedIn	Identifies browser for security	2 years
LinkedIn	li_gc	marketing	LinkedIn	Stores consent of guests for cookies	6 months
HotJar	_hjSessionUser_*	analytics	Hotjar	Identifies returning users	1 year
HotJar	_hjSession_*	analytics	Hotjar	Stores current session data	30 minutes
HotJar	_hjFirstSeen	analytics	Hotjar	Identifies first pageview of a session	30 minutes
Microsoft Clarity	_clsk	analytics	Microsoft	Stores and combines pageviews for analytics	1 day
Microsoft Clarity	_clck	analytics	Microsoft	Stores a unique user ID for analytics	1 year
Microsoft Clarity	MUID	analytics	Microsoft	Identifies unique web browsers for analytics	1 year
TikTok	_ttp	marketing	TikTok	Tracks visitor activity for ad targeting	13 months
TikTok	_tt_enable_cookie	marketing	TikTok	Checks if cookies can be placed	13 months
HubSpot	hubspotutk	analytics	HubSpot	Tracks visitor identity	6 months
HubSpot	__hstc	analytics	HubSpot	Tracks visitor sessions	6 months
HubSpot	__hssc	analytics	HubSpot	Tracks session page views	30 minutes
HubSpot	__hssrc	analytics	HubSpot	Determines if the visitor has restarted their browser	Session
Stripe	__stripe_mid	necessary	Stripe	Fraud prevention and payment processing	1 year
Stripe	__stripe_sid	necessary	Stripe	Fraud prevention for payment sessions	30 minutes
Intercom	intercom-id-*	necessary	Intercom	Identifies visitor for support chat	9 months
Intercom	intercom-session-*	necessary	Intercom	Tracks active support chat session	1 week
YouTube embed	VISITOR_INFO1_LIVE	marketing	Google	Tracks YouTube video views	6 months
YouTube embed	YSC	marketing	Google	Verifies YouTube requests from the user	Session
YouTube embed	yt-player-*	marketing	Google	Stores video player preferences	Session
Twitter / X	personalization_id	marketing	X/Twitter	Tracks visitor activity for ad targeting	2 years
Twitter / X	guest_id	marketing	X/Twitter	Identifies non-logged-in users	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Zendesk	__zlcmid	preferences	Zendesk	Stores live chat session ID	1 year
Zendesk	ZD-buid	preferences	Zendesk	Identifies the browser for support	1 year
Vimeo embed	player	preferences	Vimeo	Stores video player preferences	1 year
Vimeo embed	vuid	preferences	Vimeo	Identifies the user for analytics	2 years
Crisp chat	crisp-client/*	necessary	Crisp	Stores chat session information	6 months
Crisp chat	__cfuid	necessary	Cloudflare	Rate limiting for Crisp CDN	Session
Calendly embed	__cf_bm	necessary	Cloudflare	Bot management for Calendly	30 minutes
Calendly embed	calendly.*	necessary	Calendly	Stores scheduling session state	Session
Google reCAPTCHA	_GRECAPTCHA	necessary	Google	Provides risk analysis to distinguish humans from bots	6 months
Pinterest Tag	_pin_unauth	marketing	Pinterest	Groups actions for unidentified users for ad attribution	1 year
Pinterest Tag	_pinterest_ct_ua	marketing	Pinterest	Groups actions for unidentified users for ad targeting	1 year
Pinterest Tag	_pinterest_ct_rt	marketing	Pinterest	Stores user ID and timestamp when visiting a tagged site	1 year
Pinterest Tag	_epik	marketing	Pinterest	Identifies promoted traffic for conversion attribution	1 year
Pinterest Tag	_derived_epik	marketing	Pinterest	Enhanced match attribution when cookies are not present	1 year
Snapchat Pixel	_scid	marketing	Snapchat	Assigns a unique visitor ID for ad targeting and conversion attribution	1 year
Snapchat Pixel	_scid_r	marketing	Snapchat	Unique visitor ID for third-party ad targeting	13 months
Snapchat Pixel	_schn	marketing	Snapchat	Used by the retargeting pixel to attribute traffic	1 day
Snapchat Pixel	sc_at	marketing	Snapchat	Identifies visitors across domains for cross-site ad targeting	1 year
Criteo	cto_bundle	marketing	Criteo	Tracks user activity and ad engagement for targeted advertising	13 months
Criteo	cto_idcpy	marketing	Criteo	Stores a unique user ID for cross-site visitor identification	13 months
Criteo	cto_idfs	marketing	Criteo	Records the first visit timestamp for tracking management	13 months
Criteo	cto_tld_test	marketing	Criteo	Determines the top-level domain for setting other Criteo cookies	Session
Bing UET	_uetsid	marketing	Microsoft	Stores the current session ID for relevant ad delivery	30 minutes
Bing UET	_uetvid	marketing	Microsoft	Stores a unique visitor ID for ad personalization across sessions	16 days
Bing UET	_uetmsckid	marketing	Microsoft	Captures the Microsoft Click ID for conversion attribution	90 days
Mixpanel	mp_*_mixpanel	analytics	Mixpanel	Stores unique user ID and properties for behavioral analytics	1 year
Amplitude	AMP_*	analytics	Amplitude	Stores device ID, user ID, and session data for behavioral analytics	1 year
Amplitude	AMP_MKTG_*	analytics	Amplitude	Captures marketing attribution data including UTM parameters	1 year
LiveChat	__lc_cid	necessary	LiveChat	Stores unique customer ID for live chat sessions	400 days
LiveChat	__lc_cst	necessary	LiveChat	Stores secure token to authenticate chat sessions	400 days
Drift	driftt_aid	preferences	Drift	Identifies returning visitors across chat sessions	2 years
Drift	driftt_sid	preferences	Drift	Tracks current browsing session for chat targeting	30 minutes
Reddit Pixel	_rdt_uuid	marketing	Reddit	Identifies visitors for ad attribution and campaign optimization	90 days
Reddit Pixel	_rdt_em	marketing	Reddit	Stores hashed email for conversion matching across devices	90 days
FullStory	fs_uid	analytics	FullStory	Links sessions and page views for session replay analytics	1 year
FullStory	fs_lua	analytics	FullStory	Records timestamp of last user action for session lifecycle	1 hour

Service	Cookie	Category	Provider	Purpose	Retention
Tawk.to	TawkConnectionTime	necessary	tawk.to	Manages widget connections across multiple browser tabs	Session
Tawk.to	tawk_uuid_*	necessary	tawk.to	Identifies returning visitors for chat continuity	6 months
Tawk.to	twk_idm_key	necessary	tawk.to	Prevents duplicate connection requests across pages	Session
Klaviyo	__kla_id	marketing	Klaviyo	Tracks and identifies visitors for email marketing automation	2 years
Optimizely	optimizelyEndUserId	analytics	Optimizely	Stores unique visitor ID for A/B testing experiments	6 months
Optimizely	optimizelyBuckets	analytics	Optimizely	Stores assigned experiment variations for consistent experience	6 months
Optimizely	optimizelySegments	analytics	Optimizely	Records audience segment data for experiment targeting	6 months
Taboola	t_gid	marketing	Taboola	Assigns a unique user ID for attribution and reporting	1 year
Taboola	t_pt_gid	marketing	Taboola	Partitioned user ID for attribution and recommendations	1 year
Taboola	trc_cookie_storage	marketing	Taboola	Stores a unique user ID for attribution and reporting	1 year
Taboola	taboola_session_id	marketing	Taboola	Creates a temporary session ID to avoid duplicate recommendations	Session
Taboola	taboola_fp_td_user_id	analytics	Taboola	Tracks clicks on recommendations for reporting	1 year
Outbrain	obuid	marketing	Outbrain	Stores Outbrain UUID for tracking actions and ad personalization	90 days
Outbrain	dicbo_id	marketing	Outbrain	Stores click identifier for conversion attribution	7 days
Mouseflow	mf_user	analytics	Mouseflow	Determines if the visitor is new or returning	90 days
Mouseflow	mf_*	analytics	Mouseflow	Identifies the current session for analytics and session replay	Session
Crazy Egg	_ceir	analytics	Crazy Egg	Tracks whether a visitor has visited the site before	1 year
Crazy Egg	_CEFT	analytics	Crazy Egg	Stores A/B test variant assignments	1 year
Crazy Egg	_ce.s	analytics	Crazy Egg	Tracks a visitor session unique ID for session replay	1 year
Crazy Egg	_ce.clock_data	analytics	Crazy Egg	Stores server and browser time difference	1 day
AdRoll	__adroll_fpc	marketing	NextRoll	Tracks user interactions with ads on the site	13 months
AdRoll	__adroll	marketing	NextRoll	Identifies and tracks users for targeted advertising	13 months
AdRoll	__adroll_shared	marketing	NextRoll	Enables cross-device tracking for ad targeting	13 months
AdRoll	__ar_v4	marketing	NextRoll	Stores ad attribution and campaign effectiveness data	1 year
Freshchat	_fw_crm_v	necessary	Freshworks	Identifies the visitor for chat widget session continuity	1 year
ActiveCampaign	prism_*	analytics	ActiveCampaign	Tracks website visits and associates them with contact records	1 year
ActiveCampaign	ac_enable_tracking	necessary	ActiveCampaign	Records whether the visitor has opted into site tracking	30 days
Shopify Analytics	_shopify_y	analytics	Shopify	Stores a unique visitor identifier for analytics	1 year
Shopify Analytics	_shopify_s	analytics	Shopify	Identifies a session for analytics	30 minutes
Shopify Analytics	_shopify_sa_t	analytics	Shopify	Tracks referrer source and landing page for analytics	30 minutes
Shopify Analytics	_shopify_sa_p	analytics	Shopify	Stores page-level analytics data for the current session	30 minutes
Quora Pixel	m-b	marketing	Quora	Identifies users across sites for ad targeting and conversion tracking	2 years
Quora Pixel	m-s	marketing	Quora	Stores session-level data for ad tracking	Session
Mailchimp	mailchimp_landing_site	analytics	Mailchimp	Stores the initial landing page visited by the user	12 hours
Mailchimp	mc_landing_site	analytics	Mailchimp	Stores which page was visited first for analytics	12 hours
Salesforce Pardot	visitor_id*	marketing	Salesforce	Stores a unique visitor ID to track website activity	10 years

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce Pardot	visitor_id*-hash	marketing	Salesforce	Security hash to prevent visitor ID tampering	10 years
Salesforce Pardot	lpv*	marketing	Salesforce	Stores the most recent landing page view to avoid duplicate tracking	30 minutes
Marketo Munchkin	_mktc_trk	marketing	Adobe	Tracks visitor website activity and links it to lead records	2 years
Heap Analytics	_hp2_id.*	analytics	Heap	Stores user ID and identity for analytics tracking	13 months
Heap Analytics	_hp2_ses_props.*	analytics	Heap	Stores session properties including timestamp and domain	30 minutes
Heap Analytics	_hp2_props.*	analytics	Heap	Stores event properties set via the analytics API	13 months
PostHog	ph_*_posthog	analytics	PostHog	Stores distinct user ID and session ID for analytics	1 year
Google Maps	NID	preferences	Google	Stores user preferences and information for Google Maps	6 months
Google Maps	CONSENT	necessary	Google	Stores the user's consent state for Google services	2 years
DoubleClick/Google Marketing	IDE	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	2 years
DoubleClick/Google Marketing	DSID	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	2 weeks
DoubleClick/Google Marketing	ID	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	2 months
DoubleClick/Google Marketing	RUL	marketing	Google	Used by DoubleClick to determine if the website ad was properly displayed. This is done to make their marketing efforts more efficient.	1 year
DoubleClick/Google Marketing	FLC	marketing	Google	This cookie is used to link your activity across devices if you've previously signed in to your Google Account on another device. We do this to coordinate that the ads you see across devices and measure conversion events.	10 seconds
DoubleClick/Google Marketing	__gads	marketing	Google	This cookie is used by Google for a variety of purposes (e.g., ensuring Frequency Caps work correctly). It includes AdSense if you have AdSense enabled. This cookie is associated with the DoubleClick for Publishers service from Google. Its purpose is to monitor the showing of advertisements on the site, for which the owner may earn some revenue. The main purpose of this cookie is targeting/advertising.	various
DoubleClick/Google Marketing	GoogleAdServingTest	marketing	Google	Used to register what ads have been displayed to the user.	session
DoubleClick/Google Marketing	ar_debug	marketing	Google	Store and track conversions	Persistent
DoubleClick/Google Marketing	test_cookie	preferences	Google	This cookie is set by DoubleClick (which is owned by Google) to determine if the website visitor's browser supports cookies.	1 year
DoubleClick/Google Marketing	APC	marketing	Google	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	6 months
Google	FPGSID	preferences	Google	This cookie is an essential session and security cookie from Google. Its main purpose is to manage the session of a logged-in user, ensuring they remain logged in while navigating between Google services (like Gmail, Drive, YouTube) and to protect the account against unauthorized requests.	Session
Google	_Secure-ENID	preferences	Google	Remembers user preferences like language, search results per page, and SafeSearch settings	13 months
Google	Secure-YEC	preferences	Google	Serve a similar purpose for , including detecting and resolving problems	13 months
Google	CGIC	preferences	Google	Improves search results delivery by autocompleting queries based on user input	6 months
Google	_Secure-YEC	preferences	Google	Used to detect spam, fraud, and abuse to protect advertisers and YouTube creators	13 months
Google	__Secure-YNID	preferences	Google	It's a YouTube cookie used to enhance user experience by storing video player preferences and aiding in secure log-ins and spam detectio	180 days
Google	AdID	marketing	Google	Show Google ads on non-Google sites and personalize ads based on user settings	2 weeks
Google	DSID	marketing	Google	Identifies signed-in users on non-Google sites to respect ad personalization settings	2 weeks
Google	gcl	marketing	Google	Helps advertisers determine user actions on their site after clicking an ad	90 days
Google	gac	marketing	Google	Measure user activity and ad campaign performance for advertisers	90 days

Service	Cookie	Category	Provider	Purpose	Retention
Google	1P_JAR	marketing	Google	These cookies are set via embedded youtube-videos. They register anonymous statistical data on for example how many times the video is displayed and what settings are used for playback.	1 month
Google	CONSENT	preferences	Google	Google cookie consent tracker	20 years
Google	SOCS	preferences	Google	Stores a user's state regarding their cookies choices	13 months
Google	ACCOUNT_CHOOSER	preferences	Google	Used to sign in with Google account.	session
Google	SMSV	preferences	Google	Used to sign in with Google account.	session
Google	__Host-1PLSID	preferences	Google	Used to sign in with Google account.	1 year
Google	__Host-3PLSID	preferences	Google	Used to sign in with Google account.	1 year
Google	__Host-GAPS	preferences	Google	Used to sign in with Google account.	1 year
Google	LSOLH	preferences	Google	This cookie is for authentication with your Google account	1 year
Google	g_enabled_idps	preferences	Google	Used for Google Single Sign On	1 year
Google	G_AUTHUSER_H	preferences	Google	Google Authentication	session
Google	__Secure-ENID	preferences	Google	Used by Google to prevent fraudulent login attempts. This also contains a Google user ID which can be used for statistics and marketing purposes following a successful login	11 Months
Google	SEARCH_SAMESITE	preferences	Google	SameSite prevents the browser from sending this cookie along with cross-site requests. The main goal is mitigate the risk of cross-origin information leakage. It also provides some protection against cross-site request forgery attacks.	session
Google	AID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	1 year
Google	SID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	HSID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	APISID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	SAPISID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	SSID	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	SIDCC	marketing	Google	Download certain Google Tools and save certain preferences, for example the number of search results per page or activation of the SafeSearch Filter. Adjusts the ads that appear in Google Search.	2 years
Google	OTZ	marketing	Google	Aggregate analysis of website visitors	17 days
Google	A	marketing	Google	Google uses this cookies to make advertising more engaging to users and more valuable to publishers and advertisers	17 days
Google	DV	marketing	Google	This cookies is used to collect website statistics and track conversion rates and Google ad personalisation	1 year
Google	NID	marketing	Google	This cookies is used to collect website statistics and track conversion rates and Google ad personalisation	1 year
Google	TAID	marketing	Google	This cookie is used to link your activity across devices if you've previously signed in to your Google Account on another device. We do this to coordinate that the ads you see across devices and measure conversion events.	14 days
Google	FPGCLDC	marketing	Google	Used to help advertisers determine how many times users who click on their ads end up taking an action on their site	90 days
Google	_gcl_au	marketing	Google	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.	3 months
Google	_gcl_dc	marketing	Google	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.	3 months

Service	Cookie	Category	Provider	Purpose	Retention
Google	GCLB	preferences	Google	This cookie is used in context with load balancing - This optimizes the response rate between the visitor and the site, by distributing the traffic load on multiple network links or servers.	Session
Google	FCCDCF	analytics	Google	Cookie for Google Funding Choices API which allows for functionality specific to consent gathering for things like GDPR consent and CCPA opt-out.	13 months
Google	FCNEC	analytics	Google	Cookie for Google Funding Choices API which allows for functionality specific to consent gathering for things like GDPR consent and CCPA opt-out.	13 months
Google	receive-cookie-deprecation	preferences	Google	This cookie ensures browsers in an experiment group of the Chrome-facilitated testing period include the Sec-Cookie-Deprecation request header as soon as it becomes available.	180 days
Google	_dcid	marketing	Google	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	400 days
Google	SNID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	cookies_accepted	marketing	Google	This functionality cookie is simply to verify that you have allowed us to set cookies on your machine	1 year
Google	GN_PREF	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	1 year
Google	OSID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	__Secure-OSID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	LSID	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	6 months
Google	COMPASS	marketing	Google	This cookie is used to collect website statistics and track conversion rates and Google ad personalisation	2 days
Google	UULE	marketing	Google	sends precise location information from your browser to Googles servers so that Google can show you results that are relevant to your location. The use of this cookie depends on your browser settings and whether you have chosen to have location turned on for your browser.	6 hours
Google AdSense	__eoi	necessary	Google	This cookie is used for security authenticate users, prevent fraud, and protect users as they interact with a service.	3 Months
Google AdSense	pm_sess	preferences	Google	This cookie is used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	30 minutes
Google AdSense	pm_sess_NNN	preferences	Google	This cookie is used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	30 minutes
Google AdSense	aboutads_sessNNN	necessary	Google	This cookie is used for security authenticate users, prevent fraud, and protect users as they interact with a service.	30 minutes
Google AdSense	ANID	preferences	Google	Cookies used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	13 months
Google AdSense	__gsas	marketing	Google	Provides ad delivery or retargeting.	3 months
Google AdSense	__gpi	marketing	Google	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	13 months
Google AdSense	__gpi_optout	marketing	Google	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	13 months
Google AdSense	GED_PLAYLIST_ACTIVITY	marketing	Google	Improves targeting/advertising within the website	session
Google AdSense	ACLK_DATA	marketing	Google	This cookie is used to help improve advertising. This targets advertising based on what's relevant to a user, to improve reporting on campaign performance.	5 minutes
Google Analytics	_ga	analytics	Google	ID used to identify users	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Google Analytics	_gali	analytics	Google	Used by Google Analytics to determine which links on a page are being clicked	30 seconds
Google Analytics	_ga_*	analytics	Google	ID used to identify users	2 years
Google Analytics	_gid	analytics	Google	ID used to identify users for 24 hours after last activity	24 hours
Google Analytics	_gat*	analytics	Google	Used to monitor number of Google Analytics server requests when using Google Tag Manager	1 minute
Google Analytics	_dc_gtm_*	analytics	Google	Used to monitor number of Google Analytics server requests	1 minute
Google Analytics	AMP_TOKEN	analytics	Google	Contains a token code that is used to read out a Client ID from the AMP Client ID Service. By matching this ID with that of Google Analytics, users can be matched when switching between AMP content and non-AMP content. Reference: https://support.google.com/analytics/answer/7486764?hl=en	30 seconds till 1 year
Google Analytics	_gat_gtag_*	analytics	Google	Used to set and get tracking data	1 hour
Google Analytics	_gac_*	marketing	Google	Contains information related to marketing campaigns of the user. These are shared with Google AdWords / Google Ads when the Google Ads and Google Analytics accounts are linked together.	90 days
Google Analytics	__utma	analytics	Google	ID used to identify users and sessions	2 years after last activity
Google Analytics	__utmt	analytics	Google	Used to monitor number of Google Analytics server requests	10 minutes
Google Analytics	__utmb	analytics	Google	Used to distinguish new sessions and visits. This cookie is set when the GA.js javascript library is loaded and there is no existing __utmb cookie. The cookie is updated every time data is sent to the Google Analytics server.	30 minutes after last activity
Google Analytics	__utmc	analytics	Google	Used only with old Urchin versions of Google Analytics and not with GA.js. Was used to distinguish between new sessions and visits at the end of a session.	End of session (browser)
Google Analytics	__utmz	analytics	Google	Contains information about the traffic source or campaign that directed user to the website. The cookie is set when the GA.js javascript is loaded and updated when data is sent to the Google Analytics server	6 months after last activity
Google Analytics	__utmv	analytics	Google	Contains custom information set by the web developer via the _setCustomVar method in Google Analytics. This cookie is updated every time new data is sent to the Google Analytics server.	2 years after last activity
Google Analytics	__utmx	analytics	Google	Used to determine whether a user is included in an A / B or Multivariate test.	18 months
Google Analytics	__utmxx	analytics	Google	Used to determine when the A / B or Multivariate test in which the user participates ends	18 months
Google Analytics	FPAU	marketing	Google	Assigns a specific ID to the visitor. This allows the website to determine the number of specific user-visits for analysis and statistics.	session
Google Analytics	FPID	analytics	Google	Registers statistical data on users' behaviour on the website. Used for internal analytics by the website operator.	session
Google Analytics	FPLC	analytics	Google	This FPLC cookie is the cross-domain linker cookie hashed from the FPID cookie. It's not HttpOnly, which means it can be read with JavaScript. It has a relatively short lifetime, just 20 hours.	session
Google Analytics	GA_OPT_OUT	preferences	Google	Cookies used for functionality allow users to interact with a service or site to access features that are fundamental to that service. Things considered fundamental to the service include preferences like the user's choice of language, product optimizations that help maintain and improve a service, and maintaining information relating to a user's session, such as the content of a shopping cart.	10 Nov 2030
Google Flights	_gcl_gf	marketing	Google	Google uses cookies for advertising, including serving and rendering ads, personalizing ads (depending on your ad settings at g.co/adsettings), limiting the number of times an ad is shown to a user, muting ads you have chosen to stop seeing, and measuring the effectiveness of ads.	90 Days
Google Hotel Ads	_gcl_ha	marketing	Google	Google uses cookies for advertising, including serving and rendering ads, personalizing ads (depending on your ad settings at g.co/adsettings), limiting the number of times an ad is shown to a user, muting ads you have chosen to stop seeing, and measuring the effectiveness of ads.	90 Days
Google Optimize	_opt_awkid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours

Service	Cookie	Category	Provider	Purpose	Retention
Google Optimize	_opt_awgid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_opt_awmid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_gaexp_rc	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_opt_awcid	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	24 hours
Google Optimize	_opt_expidx	analytics	Google	Cookies used for analytics help collect data that allows services to understand how users interact with a particular service. These insights allow services both to improve content and to build better features that improve the user's experience.	10 seconds
Google Optimize	_gaexp	preferences	Google	Used to determine a user's inclusion in an experiment and the expiry of experiments a user has been included in.	90 days
Google Surveys	PAIDCONTENT	marketing	Google	Google uses cookies for advertising, including serving and rendering ads, personalizing ads (depending on your ad settings at g.co/adsettings), limiting the number of times an ad is shown to a user, muting ads you have chosen to stop seeing, and measuring the effectiveness of ads.	30 Days
Google Tag Manager	cookiePreferences	preferences	Google	Registers cookie preferences of a user	2 years
Google Tag Manager	td	analytics	Google	Registers statistical data on users' behaviour on the website. Used for internal analytics by the website operator.	session
Youtube	GPS	marketing	Google	Registers a unique ID on mobile devices to enable tracking based on geographical GPS location.	1 day
Youtube	VISITOR_INFO1_LIVE	marketing	Google	Tries to estimate the users' bandwidth on pages with integrated YouTube videos. Also used for marketing	179 days
Youtube	PREF	preferences	Google	This cookie stores your preferences and other information, in particular preferred language, how many search results you wish to be shown on your page, and whether or not you wish to have Google's SafeSearch filter turned on.	10 years from set/ update
Youtube	YSC	preferences	Google	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Session
Youtube	DEVICE_INFO	preferences	Google	Used to detect if the visitor has accepted the marketing category in the cookie banner. This cookie is necessary for GDPR-compliance of the website.	179 days
Youtube	LOGIN_INFO	preferences	Google	This cookie is used to play YouTube videos embedded on the website.	2 years
Youtube	VISITOR_PRIVACY_METADATA	marketing	Google	Youtube visitor privacy metadata cookie	180 days
Youtube	__Secure-ROLLOUT_TOKEN	marketing	Google	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	180 days
Cloudflare	__cfduid	preferences	Cloudflare	The '__cfduid' cookie is set by the CloudFlare service to identify trusted web traffic. It does not correspond to any user id in the web application, nor does the cookie store any personally identifiable	5 years
Cloudflare	__cfruid	preferences	Cloudflare	Used by the content network, Cloudflare, to identify trusted web traffic.	session
Cloudflare	__cf_bm	preferences	Cloudflare	Cloudflare's bot products identify and mitigate automated traffic to protect your site from bad bots. Cloudflare places the __cf_bm cookie on End User devices that access Customer sites that are protected by Bot Management or Bot Fight Mode. The __cf_bm cookie is necessary for the proper functioning of these bot solutions.	session
Cloudflare	cf_chl_2	preferences	Cloudflare	Used by Cloudflare for the execution of Javascript or Captcha challenges. These cookies are not used for tracking or beyond the scope of the challenge.	session

Service	Cookie	Category	Provider	Purpose	Retention
Cloudflare	__cfib	preferences	Cloudflare	When enabling session affinity with Cloudflare Load Balancer, Cloudflare sets a __cfib cookie with a unique value on the first response to the requesting client. Cloudflare routes future requests to the same origin, optimizing network resource usage. In the event of a failover, Cloudflare sets a new __cfib cookie to direct future requests to the failover pool.	session
Cloudflare	_cfuid	preferences	Cloudflare	The _cfuid cookie is only set when a site uses this option in a Rate Limiting Rule, and is only used to allow the Cloudflare WAF to distinguish individual users who share the same IP address.	session
Cloudflare	cf_clearance	preferences	Cloudflare	Whether a CAPTCHA or Javascript challenge has been solved.	session
Cloudflare	__cfseq	preferences	Cloudflare	Sequence rules uses cookies to track the order of requests a user has made and the time between requests and makes them available via Cloudflare Rules. This allows you to write rules that match valid or invalid sequences. The specific cookies used to validate sequences are called sequence cookies.	session
CloudFlare	cf_ob_info	preferences	Cloudflare	The cf_ob_info cookie provides information on: The HTTP Status Code returned by the origin web server. The Ray ID of the original failed request. The data center serving the traffic	session
CloudFlare	cf_use_ob	preferences	Cloudflare	The cf_use_ob cookie informs Cloudflare to fetch the requested resource from the Always Online cache on the designated port. Applicable values are: 0, 80, and 443. The cf_ob_info and cf_use_ob cookies are persistent cookies that expire after 30 seconds.	session
CloudFlare	__cfwaitingroom	preferences	Cloudflare	The __cfwaitingroom cookie is only used to track visitors that access a waiting room enabled host and path combination for a zone. Visitors using a browser that does not accept cookies cannot visit the host and path combination while the waiting room is active.	session
CloudFlare	cf_chl_rc_i	preferences	Cloudflare	These cookies are for internal use which allows Cloudflare to identify production issues on clients.	session
CloudFlare	cf_chl_rc_ni	preferences	Cloudflare	These cookies are for internal use which allows Cloudflare to identify production issues on clients.	session
CloudFlare	cf_chl_rc_m	preferences	Cloudflare	These cookies are for internal use which allows Cloudflare to identify production issues on clients.	session
ASP.net	ASP.NET_SessionId	preferences	Microsoft	ASP.Net_SessionId is a cookie which is used to identify the users session on the server. The session being an area on the server which can be used to store session state in between http requests.	session
Azure / Microsoft	buid	preferences	Microsoft	This cookie is used by Microsoft to securely verify your login information	1 month
Azure / Microsoft	esctx	preferences	Microsoft	This cookie is used by Microsoft to securely verify your login information	session
Azure / Microsoft	fpc	preferences	Microsoft	This cookie is used by Microsoft to securely verify your login information	session
Azure / Microsoft	sts-servicecookie	preferences	Microsoft	Cookie for Azure Active Directory B2C-verification	session
Azure / Microsoft	ARRAffinity	preferences	Microsoft	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's browsing session are always handled by the same server in the cluster.	1 year
Azure / Microsoft	ARRAffinitySameSite	preferences	Microsoft	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's browsing session are always handled by the same server in the cluster.	1 year
Azure / Microsoft	__AntiXsrfToken	necessary	Microsoft	This cookie is used to prevent Cross-site request forgery (often abbreviated as CSRF) attacks of the website. CSRF attacks exploit the trust that a site has in a user's browser.	session
Azure / Microsoft	.ASPXANONYMOUS	preferences	Microsoft	Created by ASP.Net. This cookie configures anonymous identification for application authorization. This is required to identify entities that are not authenticated when authorization is required.	session
Azure / Microsoft	.ASPXAUTH	preferences	Microsoft	Created by ASP.Net. .ASPXAUTH is a cookie to identify if the user is authenticated(As user's identity has been verified)	session
Azure / Microsoft	nSGt*	preferences	Microsoft	This cookie is used by Microsoft to securely verify your Sharepoint login information	session
Azure / Microsoft	RpsContextCookie	preferences	Microsoft	This cookie is used by Microsoft to securely verify your Sharepoint login information	session
Azure / Microsoft	ASLSACORS	preferences	Microsoft	Microsoft App Service and Front Door Affinity Cookies. These cookies are used to direct your browser to use the appropriate backend server.	Session
Azure / Microsoft	ASLBSA	preferences	Microsoft	Microsoft App Service and Front Door Affinity Cookies. These cookies are used to direct your browser to use the appropriate backend server.	Session
Azure / Microsoft	ASPSESSIO*	preferences	Microsoft	Browsing session: the asterisks identify an alphanumeric code that varies from session to session in automatic mode.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Azure / Microsoft	ApplicationGatewayAffinity	preferences	Microsoft	This cookie is used by Azure Apps to keep a user session on the same server.	Session
Azure / Microsoft	ApplicationGatewayAffinityCORS	preferences	Microsoft	This cookie is used by Azure Apps to keep a user session on the same server.	Session
Azure / Microsoft	VisitorStorageGuid	preferences	Microsoft	This cookie is used by Azure Apps to keep a user session on the same server.	Session
Azure / Microsoft	.AspNetCore.Mvc.CookieTempDataProvider	preferences	Microsoft	This cookie is used to keep temporary session data while you are on the site.	Session
Azure / Microsoft	x-ms-cpim-admin	preferences	Microsoft	Holds user membership data across tenants. The tenants a user is a member of and level of membership (Admin or User).	Session
Azure / Microsoft	x-ms-cpim-slice	preferences	Microsoft	Used to route requests to the appropriate production instance.	Session
Azure / Microsoft	x-ms-cpim-trans	preferences	Microsoft	Used for tracking the transactions (number of authentication requests to Azure AD B2C) and the current transaction.	Session
Azure / Microsoft	x-ms-cpim-sso*	preferences	Microsoft	Used for maintaining the SSO session. This cookie is set as persistent, when Keep Me Signed In is enabled.	Session
Azure / Microsoft	x-ms-cpim-cache*	preferences	Microsoft	Used for maintaining the request state.	Session
Azure / Microsoft	x-ms-cpim-csrf	preferences	Microsoft	Cross-Site Request Forgery token used for CSRF protection. For more information, read the Cross-Site request forgery token section.	Session
Azure / Microsoft	x-ms-cpim-dc	preferences	Microsoft	Used for Azure AD B2C network routing.	Session
Azure / Microsoft	x-ms-cpim-ctx	preferences	Microsoft	Context	Session
Azure / Microsoft	x-ms-cpim-rp	preferences	Microsoft	Used for storing membership data for the resource provider tenant.	Session
Azure / Microsoft	x-ms-cpim-rc	preferences	Microsoft	Used for storing the relay cookie.	Session
Azure / Microsoft	x-ms-cpim-geo	preferences	Microsoft	Used as a hint to determine the resource tenants home geographic location.	1 hour
Azure / Microsoft	Dynamics365PortalAnalytics	preferences	Microsoft	Used to uniquely distinguish one site visitor from another without storing any personal data or user identity. This cookie is essential for delivering reliable, secure, and maintainable service functionality across multiple Power Pages features.	90 days
Bing / Microsoft	MR	marketing	Microsoft	Used to collect information for analytics purposes.	6 months
Bing / Microsoft	MUID	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	MUIDB	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	MC1	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	MSFPC	marketing	Microsoft	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	1 year
Bing / Microsoft	_uetsid	marketing	Microsoft	This cookie is used by Bing to determine what ads should be shown that may be relevant to the end user perusing the site.	30 minutes
Bing / Microsoft	_uetvid	marketing	Microsoft	This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.	16 days
Bing / Microsoft	ANON	marketing	Microsoft	Contains the A, a unique identifier derived from your Microsoft account, which is used for advertising, personalization, and operational purposes. It is also used to preserve your choice to opt out of interest-based advertising from Microsoft if you have chosen to associate the opt-out with your Microsoft account.	1 year
Bing / Microsoft	ANONCHK	marketing	Microsoft	Used to store session ID for a users session to ensure that clicks from adverts on the Bing search engine are verified for reporting purposes and for personalisation	10 minutes
Bing / Microsoft	CC	marketing	Microsoft	Contains a country code as determined from your IP address.	1 year
Bing / Microsoft	PPAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years

Service	Cookie	Category	Provider	Purpose	Retention
Bing / Microsoft	MSPAAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	MSNRPSAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	KievRPSAuth	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	WLSSC	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	MSPPProf	preferences	Microsoft	Helps to authenticate you when you sign in with your Microsoft account.	5 years
Bing / Microsoft	MC0	preferences	Microsoft	Detects whether cookies are enabled in the browser.	End of session (browser)
Bing / Microsoft	MS0	preferences	Microsoft	Identifies a specific session.	End of session (browser)
Bing / Microsoft	NAP	marketing	Microsoft	Contains an encrypted version of your country, postal code, age, gender, language and occupation, if known, based on your Microsoft account profile.	1 year
Bing / Microsoft	MH	marketing	Microsoft	Appears on co-branded sites where Microsoft is partnering with an advertiser. This cookie identifies the advertiser, so the right ad is selected.	End of session (browser)
Bing / Microsoft	childinfo	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	kcdob	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	kcrelid	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	kcru	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	pcfm	marketing	Microsoft	Contains information that Microsoft account uses within its pages in relation to child accounts.	5 years
Bing / Microsoft	x-ms-gateway-slice	preferences	Microsoft	Identifies a gateway for load balancing.	End of session (browser)
Bing / Microsoft	ToptOut	marketing	Microsoft	Records your decision not to receive interest-based advertising delivered by Microsoft.	1 year
Bing / Microsoft	ACH01	marketing	Microsoft	Maintains information about which ad and where the user clicked on the ad.	End of session (browser)
Bing / Microsoft	AADSSO	preferences	Microsoft	Microsoft Microsoft Online Authentication Cookie	End of session (browser)
Bing / Microsoft	brcap	preferences	Microsoft	Microsoft Microsoft Online Authentication Cookie	1 year
Bing / Microsoft	SRM_B	preferences	Microsoft	Collected user data is specifically adapted to the user or device. The user can also be followed outside of the loaded website, creating a picture of the visitor's behavior.	1 year
Bing / Microsoft	_RwBf	marketing	Microsoft	This cookie helps us to track the effectiveness of advertising campaigns on the Bing advertising network.	1 year
Bing / Microsoft	_HPVN	marketing	Microsoft	Analysis service that connects data from the Bing advertising network with actions performed on the website.	1 year
Bing / Microsoft	_UR	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	1 year
Bing / Microsoft	OID	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 months
Bing / Microsoft	OIDI	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 months
Bing / Microsoft	OIDR	marketing	Microsoft	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 months
Bing / Microsoft	BCP	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	BFBUSR	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	BFB	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	ACL	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	3 months
Bing / Microsoft	ACLUSR	marketing	Microsoft	This cookie is used for advertisement tracking purposes.	1 year
Bing / Microsoft	MSPTC	marketing	Microsoft	This cookie registers data on the visitor. The information is used to optimize advertisement relevance.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Bing / Microsoft	_u	marketing	Microsoft	Tracks interaction on a website after having clicked on a Bing ad	13 months
Microsoft	_clk	analytics	Microsoft	This cookie is installed by Microsoft Clarity to store information of how visitors use a website and help in creating an analytics report of how the website is doing. The data collected including the number visitors, the source where they have come from, and the pages visited in an anonymous form.	1 year
Microsoft	_clsk	analytics	Microsoft	This cookie is installed by Microsoft Clarity to store information of how visitors use a website and help in creating an analytics report of how the website is doing. The data collected including the number visitors, the source where they have come from, and the pages visited in an anonymous form.	session
Microsoft	SM	analytics	Microsoft	This is a Microsoft cookie which we use to measure the use of the website for internal analytics	session
Microsoft	CLID	analytics	Microsoft	The cookie is set by embedded Microsoft Clarity scripts. The purpose of this cookie is for heatmap and session recording.	1 year
Microsoft	MicrosoftApplicationsTelemetryDeviceId	analytics	Microsoft	Used to store a unique device ID for tracking behavior and usage of the website	1 year
Microsoft	esctx-*	preferences	Microsoft	This cookie is set by Microsoft for secure authentication of the users' login details	session
Microsoft	isFirstSession*	preferences	Microsoft	This cookie is used when user opts-in to saving information	Session
Microsoft	MSO*	preferences	Microsoft	This cookie identifies a session	1 Year
Microsoft	X-FD-FEATURES*	analytics	Microsoft	This cookie is used for tracking analytics and evenly spreading load on the website	1 Year
Microsoft	X-FD-Time*	analytics	Microsoft	This cookie is used for tracking analytics and evenly spreading load on website	1 Year
Microsoft	ASP.NET_Session	preferences	Microsoft	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server.	Session
Microsoft	ASP.NET_Session_Fallback	preferences	Microsoft	Fallback session cookie to support older browsers that haven't implemented the Secure flag, in modern evergreen browsers this cookie is never set as it haven't got the Secure flag.	Session
Microsoft	.AspNetCore.Antiforgery.*	necessary	Microsoft	Anti-forgery cookie is a security mechanism to defend against cross-site request forgery (CSRF) attacks.	Session
Microsoft	__RequestVerificationToken*	preferences	Microsoft	This is an anti-forgery cookie set by web applications built using ASP.NET MVC technologies. It is designed to stop unauthorised posting of content to a website, known as Cross-Site Request Forgery.	session
Microsoft Azure App Insights	ai_session	preferences	Microsoft	This is a unique anonymous session identifier cookie.	Session
Microsoft Azure App Insights	ai_user	preferences	Microsoft	This is a unique user identifier cookie enabling counting of the number of users accessing the application over time.	1 year
Microsoft Dynamics	AADNonce.forms	preferences	Microsoft	Unique identifier of one authentication session to prevent replay.	session
Microsoft Dynamics	DcLcid	preferences	Microsoft	Saves language preference.	90 days
Amazon	ad-id	marketing	Amazon	Clickthroughs to Amazon websites: Noting how the user got to Amazon via this website	190 days
Amazon	ad-privacy	marketing	Amazon	Provided by amazon-adsystem.com for tracking user actions on other websites to provide targeted content to the users.	5 years
Amazon	__trf.src	marketing	Amazon	Registers how the user has reached the website to enable pay-out of referral commission fees to partners.	1 year
Amazon Web Services	AWSALB	preferences	Amazon Web Services	These cookies enable us to allocate server traffic to make the user experience as smooth as possible. A so-called load balancer is used to determine which server currently has the best availability. The information generated cannot identify you as an individual.	Session
Amazon Web Services	AWSALBCORS	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSALBCORS (ALB).	Session
Amazon Web Services	AWSELBCORS	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSELBCORS (ALB).	Session
Amazon Web Services	AWSELB	preferences	Amazon Web Services	AWS Classic Load Balancer Cookie: Load Balancing Cookie: Used to map the session to the instance.	Session
Amazon Web Services	AWSALBTGCORS	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSELBCORS (ALB).	Session

Service	Cookie	Category	Provider	Purpose	Retention
Amazon Web Services	AWSALBTG	preferences	Amazon Web Services	For continued stickiness support with CORS use cases after the Chromium update, we are creating additional stickiness cookies for each of these duration-based stickiness features named AWSELBCORS (ALB).	Session
Amazon Web Services	aws-csds-token	preferences	Amazon Web Services	Anonymous metrics validation token	1 hour
Amazon Web Services	aws_lang	preferences	Amazon Web Services	Stores the language used with AWS.	Session
Amazon Web Services	aws-target-visitor-id	analytics	Amazon Web Services	Used to collect anonymised information about how which web pages are visited, how long users spend on pages and what users search for.	1 Year
Amazon Web Services	aws-priv	preferences	Amazon Web Services	Anonymous cookie for privacy regulations	1 Year
Instagram	ig_did	marketing	Meta	This is a targeting cookie used to track Instagram user visits.	9 years
Instagram	ig_cb	marketing	Meta	This cookie enables the correct functionality of the Instagram plugins, such as embedded Instagram posts	9 years
Instagram	ds_user_id	marketing	Meta	This is a targeting cookie used to optimize advertising on Instagram.	3 months
Instagram	mid	preferences	Meta	This is a functionality cookie used to optimize the use of Instagram on the website	9 years
Instagram	fbm_*	marketing	Meta	This is a targeting cookie used to track Instagram user visits.	1 year
Instagram	shbid	marketing	Meta	This is a targeting cookie used to optimize advertising on Instagram.	1 year
Instagram	shbts	marketing	Meta	This is a targeting cookie used to optimize advertising on Instagram.	1 year
Instagram	sessionid	marketing	Meta	This is a performance cookie used to collect data about people logging in and out of the website.	1 year
Adobe Advertising	everest_g_v2	marketing	Adobe	This cookie stores the browser and surfer ID. Created after a user initially clicks a client's ad, and used to map the current and subsequent clicks with other events on the client's website	2 years
Adobe Advertising	everest_session_v2	marketing	Adobe	This cookie stores the session ID	session
Adobe Advertising	ev_tm	marketing	Adobe	This cookie stores the Adobe Advertising DSP (Demand Side Platform) ID. A third-party cookie that stores the DSP ID that corresponds to the surfer ID in the everest_g_v2 cookie	2 years
Adobe Advertising	_tmae	marketing	Adobe	This cookie stores Encoded IDs and time stamps for ad engagements using Adobe Advertising DSP tracking. A third-party cookie that stores user engagements with ads, such as 'last seen ad xyz123 on June 30, 2016'	1 year
Adobe Advertising	_lcc	marketing	Adobe	This cookie stores IDs and time stamps (in the format yyyyymmdd) of display clicks. It is a third-party cookie used to determine if a click event on a display ad applies to an Adobe Analytics hit	15 minutes
Adobe Advertising	ev_sync_ax	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_bk	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_dd	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_fs	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_ix	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_nx	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_ox	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Adobe Advertising	ev_sync_pm	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_rc	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_tm	marketing	Adobe	This cookie stores The date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	ev_sync_yh	marketing	Adobe	This cookie stores the date when synchronization is performed, in the format yyyyymmdd. A third-party, ad exchange-specific cookie that syncs the Adobe Advertising surfer ID with the partner ad exchange. It's created for new surfers and sends a synchronization request when it's expired.	1 year
Adobe Advertising	adcloud	marketing	Adobe	This cookie stores The timestamps of the surfer's last visit to the advertiser's website and the surfer's last search click, and the ef_id that was created when the user clicked an ad	1 year
Adobe Advertising	id_adcloud	marketing	Adobe	This cookie stores the surfer ID	91 days
Adobe Analytics	s_cc	analytics	Adobe	Used to determine if browser of user accepts cookies or not	End of session (browser)
Adobe Analytics	s_sq	analytics	Adobe	Used to register the previous link clicked by the user	End of session (browser)
Adobe Analytics	s_vi*	analytics	Adobe	Contains a unique ID to identify a user	2 years
Adobe Analytics	s_fid	analytics	Adobe	Alternative cookie with unique user ID / timestamp when the s_vi cookie can not be set for technical reasons	5 years
Adobe Analytics	fid	analytics	Adobe	If other visitor ID methods fail, Adobe sets a fallback cookie or uses a combination of IP address and user agent to identify the visitor.	2 years
Adobe Analytics	s_ecid	marketing	Advertiser's website	This cookie is set by the customer's domain after the AMCV cookie is set by the client. The purpose of this cookie is to allow persistent ID tracking in the 1st-party state and is used as a reference ID if the AMCV cookie has expired.	2 years
Adobe Analytics	s_ppv	analytics	Adobe	Stores information on the percentage of the page displayed	session
Adobe Analytics	s_tp	analytics	Adobe	This lets us know how much of the page you viewed.	session
Adobe Analytics	sat_track	preferences	Adobe	The sat_track cookie is a part of Adobe Analytics. It controls the enabling and disabling of cookies and whether they are loaded onto the site.	90 days
Adobe Audience Manager	demdex	marketing	Adobe	Unique value with which Audience Manager can identify a user. Used, among others, for identification, segmentation, modeling and reporting purposes.	180 days after last activity or 10 years when opting out
Adobe Audience Manager	dextp	marketing	Adobe	Registers the date plus time (timestamp) on which a data synchronization was last performed by the Audience Manager.	180 days after last activity
Adobe Audience Manager	dst	marketing	Adobe	Used to register a possible error message when sending data to a linked system.	180 days after last activity or 10 years when opting out
Adobe Audience Manager	_dp	marketing	Adobe	Used to determine if browser of user accepts cookies or not	30 seconds
Adobe Audience Manager	aam_uuid	marketing	Adobe	Adobe Audience Manager - data management platform uses these cookies to assign a unique ID when users visit a website.	1 month
Adobe Audience Manager	AMCV_*	marketing	Adobe	Adobe Experience Cloud uses a cookie to store a unique visitor ID that is used across Experience Cloud Solutions.	2 years
Adobe Audience Manager	AMCVS_*	marketing	Adobe	The AMCVS cookie serves as a flag indicating that the session has been initialized. Its value is always 1 and discontinues when the session has ended.	Session
Adobe Audience Manager	mbox	marketing	Adobe	Adobe Target uses cookies to give website operators the ability to test which online content and offers are more relevant to visitors.	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Adobe Audience Manager	at_check	preferences	Adobe	A simple test value used to determine if a visitor supports cookies. Set each time a visitor requests a page.	session
Adobe Audience Manager	renderid	preferences	Adobe	This cookie is needed by the dispatcher (webserver) to distinguish between the different publisher server.	session
Adobe Audience Manager	dpm	marketing	Adobe	DPM is an abbreviation for Data Provider Match. It tells internal, Adobe systems that a call from Audience Manager or the Adobe Experience Cloud ID Service is passing in customer data for synchronization or requesting an ID.	180 days
Magento	form_key	necessary	Adobe	A security measure that appends a random string to all form submissions to protect the data from Cross-Site Request Forgery (CSRF).	session
Magento	product_data_storage*	preferences	Adobe	Stores configuration for product data related to Recently Viewed / Compared Products.	session
Magento	mage-cache-sessid	preferences	Adobe	The value of this cookie triggers the cleanup of local cache storage. When the cookie is removed by the backend application, the Admin cleans up local storage, and sets the cookie value to true.	session
Magento	mage-cache-storage*	preferences	Adobe	Local storage of visitor-specific content that enables ecommerce functions.	session
Magento	mage-cache-storage-section-invalidation*	preferences	Adobe	Forces local storage of specific content sections that should be invalidated.	session
Magento	mage-cache-timeout*	preferences	Adobe	This cookie is necessary for the cache function. A cache is used by the website to optimize the response time between the visitor and the website. The cache is usually stored on the visitor's browser.	session
Magento	mage-messages	preferences	Adobe	Tracks error messages and other notifications that are shown to the user, such as the cookie consent message, and various error messages. The message is deleted from the cookie after it is shown to the shopper.	1 year
Magento	mage-translation-file-version	preferences	Adobe	Tracks the version of translations in local storage. Used when Translation Strategy is configured as Dictionary (Translation on Storefront side).	session
Magento	mage-translation-storage	preferences	Adobe	Stores translated content when requested by the shopper. Used when Translation Strategy is configured as Dictionary (Translation on Storefront side).	session
Magento	recently_compared_product*	preferences	Adobe	Stores product IDs of recently compared products.	session
Magento	recently_compared_product_previous*	preferences	Adobe	Stores product IDs of previously compared products for easy navigation.	session
Magento	recently_viewed_product*	preferences	Adobe	Stores product IDs of recently viewed products for easy navigation.	session
Magento	recently_viewed_product_previous*	preferences	Adobe	Stores product IDs of recently previously viewed products for easy navigation.	session
Magento	user_allowed_save_cookie	preferences	Adobe	Indicates if a customer is allowed to use cookies.	session
Magento	external_no_cache	preferences	Adobe	A flag that indicates if caching is disabled.	session
Magento	persistent_shopping_cart	preferences	Adobe	Stores the key (ID) of persistent cart to make it possible to restore the cart for an anonymous shopper.	session
Magento	stf	preferences	Adobe	Records the time messages are sent by the SendFriend (Email a Friend) module.	session
Magento	pollN	preferences	Adobe	A poll ID that indicates if a vote has occurred.	session
Magento	frontend	preferences	Adobe	Session ID	session
Magento	guest-view	preferences	Adobe	Allows guests to edit their orders.	session
Magento	mage-banners-cache-storage	preferences	Adobe	Stores banner content locally to improve performance.	1 hour
Magento	searchReport-log	preferences	Adobe	Magento, used to log information about searching	1 year
Magento	private_content_version	preferences	Adobe	Appends a random, unique number and time to pages with customer content to prevent them from being cached on the server.	1 year
Magento	X-Magento-Vary	preferences	Adobe	X-Magento-Vary cookie is used by Magento 2 system to highlight that version of a page requested by a user has been changed. It allows having different versions of the same page stored in cache e.g. Varnish.	session

Service	Cookie	Category	Provider	Purpose	Retention
Magento	section_data_ids	preferences	Adobe	Stores customer-specific information related to shopper-initiated actions such as display wish list, checkout information, etc.	session
Magento	section_data_clean	preferences	Adobe	Determines which products the user has viewed, allowing the website to promote related products.	1 day
Magento	last_visited_store	preferences	Adobe	This cookie keeps track of the last website you visited. This is necessary to enable the correct language on the website.	1 day
Magento	store	preferences	Adobe	This cookie keeps track of the last website you visited. This is necessary to enable the correct language on the website.	1 day
Magento	login_redirect	preferences	Adobe	Preserves the destination page that was loading before the customer was directed to log in.	session
Marketo	_biz_uid	analytics	Adobe	Uniquely identify a user on the current domain.	1 year
Marketo	_biz_nA	analytics	Adobe	A sequence number that Marketo Measure includes for all requests for internal diagnostics purposes.	1 year
Marketo	_biz_flagsA	analytics	Adobe	A cookie that stores various user information, such as form submission, cross-domain migration, view-through pixel, tracking opt-out status, etc.	1 year
Marketo	_biz_pendingA	analytics	Adobe	Temporarily stores analytics data until successfully sent to Marketo Measure server.	1 year
Marketo	_biz_ABTestA	analytics	Adobe	List of checksums from Optimizely and Visual Web Optimizer ABTests data that have already been reported, preventing bizible.js from resending collected data.	1 year
Marketo	_biz_su	analytics	Adobe	Universal user ID to identify a user across multiple domains, only applicable to tenants with integration bypassing ITP limitations.	1 year
Marketo	_biz_EventA	analytics	Adobe	Universal user ID to identify a user across multiple domains, only applicable to tenants with integration bypassing ITP limitations.	1 year
LiveRamp	euconsent	marketing	LiveRamp	Cookie compliance check	1 year
Magnite	khaos	marketing	Magnite	Rubicon Project cookie used for tracking advertising campaigns and collect anonymized user behavior statistics	1 year
Magnite	audit	marketing	Magnite	Set by Rubicon Project to record cookie consent data.	1 year
Magnite	put_*	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	rpb	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	rpx	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	c	marketing	Magnite	Records anonymous user data, such as IP, geographical location, websites visited and ads clicked on, in order to optimise visualisation of ads according to user movement around websites using the same advertising network.	1 month
Magnite	khaos_p	marketing	Magnite	Used to store the user's consent status for the current domain.	1 year
Magnite	audit_p	marketing	Magnite	Used to store the user's user interest	1 year
Magnite	tv_U*	marketing	Magnite	Collects information on user behaviour on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	30 days
Magnite	tvid	marketing	Magnite	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	1 year
Springserve	ssid	marketing	Magnite	This cookie is associated with SpringServe. It is used for serving video ads.	365 days
Springserve	sst	marketing	Magnite	This cookie is associated with SpringServe. It is used for serving video ads.	365 days

Service	Cookie	Category	Provider	Purpose	Retention
PubMatic	PUBMDCID	marketing	PubMatic	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.	3 months
PubMatic	pp	marketing	PubMatic	This cookie tracks the last publisher website that you visited that contained an advertisement served by PubMatic.	3 months
PubMatic	SPugT	marketing	PubMatic	This cookie is used to track when the server-side cookie store was last updated for the browser, and it is used in conjunction with the PugT cookie, described below.	30 days
PubMatic	KADUSERCOOKIE	marketing	PubMatic	PubMatic UserId. this identifier to identify each user uniquely. Some of the uses of this anonymous identifier are to support frequency capping, perform UID sync ups with DSP's, DMP's. DMP's / DP's push audience data against this ID. API publishers sends this ID while making API requests to PubMatic AdServer. UAS Ad Engine also uses this cookie for FCAP purposes.	90 days
PubMatic	PUBRETARGET	marketing	PubMatic	Pixel expiry. Used to indicate if user must be considered for various re-targeting ad campaigns running in PubMatic system.	90 days
PubMatic	KCCH	marketing	PubMatic	To avoid race condition in PubMatic userId generation, showad.js / universalpixel.js set this cookie first. if and only if not set already. Existence of this cookie means that current flow of the execution should not generate PubMatic userId cookie, as its already being set by other flow which has set KCCH.	30 secs
PubMatic	SyncRTB*	marketing	PubMatic	Keeps list of DSP pixel Id's PubMatic synced with so far. PubMatic does userId sync up with DSP's. This cookie holds next sync up time for every pixel. Helps to maintain sync up frequency at DSP level.	90 days
PubMatic	DPSync*	marketing	PubMatic	Keeps list of DMP pixel Id's PubMatic synced with so far PubMatic does userId sync up with DMP's. This cookie holds next sync up time for every pixel. Helps to maintain sync up frequency at DMP level.	90 days
PubMatic	ADUSERCOOKIE	marketing	PubMatic	PubMatic UserId. this identifier to identify each user uniquely. Some of the uses of this anonymous identifier are to support frequency capping, perform UID sync ups with DSP's, DMP's. DMP's / DP's push audience data against this ID. API publishers sends this ID while making API requests to PubMatic AdServer. UAS Ad Engine also uses this cookie for FCAP purposes.	90 days
PubMatic	PugT	marketing	PubMatic	It is used to track when the cookies were updated on the browser. It is used to limit the number of calls to server side cookie store	30 days
PubMatic	KRTBCOOKIE_*	marketing	Pubmatic	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.	29 days
PubMatic	f5_cspm	analytics	Pubmatic	This cookie name is associated with the BIG-IP product suite from company F5. It is used to monitor page load speed, as part of site performance monitoring.	Session
PubMatic	KTPCACCOOKIE	preferences	Pubmatic	We use this cookie to check if third-party cookies are enabled on the user's browser.	90 days
PubMatic	COKENBLD	preferences	Pubmatic	This cookie sets a flag to "true" if cookies are enabled on the user's browser.	1 day
PubMatic	USCC	marketing	Pubmatic	This cookie enables PubMatic to sync user IDs properly in situations where multiple advertisements might appear on the same webpage.	1 day
PubMatic	DPPIX_ON	marketing	Pubmatic	These cookies enable PubMatic to properly sync cookie IDs with our partners by ensuring that our partners do not override each other during the sync process.	20 seconds
PubMatic	SYNCUPPIX_ON	marketing	Pubmatic	These cookies enable PubMatic to properly sync cookie IDs with our partners by ensuring that our partners do not override each other during the sync process.	20 seconds
PubMatic	PUBUIDSYNCUPFQ	preferences	Pubmatic	This cookie indicates the last time that we synced IDs with our partner.	3 months
PubMatic	camfreq_*	marketing	Pubmatic	This cookie is set for each campaign and indicates the number of times (e.g., frequency) that a particular advertisement may have been shown on the applicable publisher site.	30 days
PubMatic	pubfreq_*	marketing	Pubmatic	This cookie is set for each advertising network and indicates the number of times (e.g., frequency) that a particular advertisement may have been shown on the applicable publisher site.	30 days
PubMatic	pubtime_*	preferences	Pubmatic	This cookie stores the period of time after which ad frequency counters reset.	1 day
PubMatic	PMFREQ_ON	preferences	Pubmatic	This cookie ensures the proper functioning of the camfreq and pubfreq cookies, described above, in situations where one cookie may override the other.	1 day

Service	Cookie	Category	Provider	Purpose	Retention
PubMatic	DPFQ	marketing	Pubmatic	This cookie stores information regarding the number of times that a partner's pixel is loaded by a user's browser. This enables us to cap the number of times that a pixel is used to record a user's visit to a website within a specific period of time.	90 days
PubMatic	pi	marketing	Pubmatic	This cookie enables us to determine which set of pixels needs to be executed on the browser.	1 day
PubMatic	FPtrust	preferences	Pubmatic	This cookie is a session cookie used to support the opt-out process via the Network Advertising Initiative.	1 day
PubMatic	_curtime	preferences	Pubmatic	This cookie stores the current timestamp.	1 day
PubMatic	PMDTSHR	preferences	Pubmatic	This cookie is set for Komli ad server and is used for default impression when other data is not available.	1 day
PubMatic	chk	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version less 67 or non-Chrome browsers, and is used for testing purposes.	3 months
PubMatic	chkSecSet	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version less 67 or non-Chrome browsers, and is used for testing purposes.	3 months
PubMatic	chkChromeAb67	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version above 67 and is used for testing purposes.	3 months
PubMatic	chkChromeAb67Sec	preferences	Pubmatic	This cookie is set on Google Chrome browsers that have a version above 67 and is used for testing purposes.	3 months
PubMatic	pubsyncexp	preferences	Pubmatic	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 day
PubMatic	ipc	preferences	Pubmatic	This cookie is a short-lived cookie that stores information needed to coordinate cookie syncing.	1 year
Lotame	_cc_aud	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	269 days
Lotame	_cc_cc	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	session
Lotame	_cc_id	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	269 days
Lotame	panoramald	marketing	Lotame	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	session
Lotame	panoramald_expiry	marketing	Lotame	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	session
Lotame	panoramald_expiry_exp	marketing	Lotame	Contains the expiry-date for the cookie with corresponding name.	session
Lotame	_cc_domain	marketing	Lotame	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	session
Lotame	_cc_dc	marketing	Lotame	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.	session
openx.net	i	marketing	OpenX	Registers user data, such as IP address, geographical location, websites visited and on which advertisements the user has clicked, with the aim of optimizing the display of advertisements based on user relocation on websites that use the same advertising network.	1 year
openx.net	univ_id	marketing	OpenX	This cookie collects information about the visitor for the purpose of serving advertisements.	3 days
openx.net	pd	marketing	OpenX	This cookie stores information about which other third parties the user cookie ('i' cookie) has been synced with to reduce the amount of user matching done on your device.	15 days

Service	Cookie	Category	Provider	Purpose	Retention
openx.net	OAID	marketing	OpenX	This cookie is used by the ad server software to manage which ads are placed on our website, and to capture clicks on those ads. Information is collected in anonymous form, and we do not use this data to deliver specific content, advertising or otherwise, to your browser.	1 year
openx.net	OAGEO*	marketing	OpenX	Used to avoid the repeated display of the same ad. Contains information about the users location.	Session
ID5	id5	marketing	ID5	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 day
ID5	cip	marketing	ID5	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 day
ID5	car	marketing	ID5	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 day
ID5	callback	marketing	ID5	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that the visitor is shown the same advertisement.	1 day
ID5	cnac	marketing	ID5	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 day
ID5	cf	marketing	ID5	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 day
ID5	gdpr	preferences	ID5	Determines whether the visitor has accepted the cookie consent box. This ensures that the cookie consent box will not be presented again upon re-en try.	1 day
ID5	gpp	preferences	ID5	A valid IAB Global Privacy Platform consent string. If the string is missing, misconstructed, or otherwise invalid, we will treat the request as if it has no consent string and process accordingly.	Session
ID5	3pi	marketing	ID5	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	3 months
Yahoo	A3	marketing	Yahoo	Ads targeting cookie for Yahoo	1 year
Yahoo	APID	marketing	Yahoo	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	1 month
Yahoo	APIDTS	marketing	Yahoo	This is a Yahoo! Cookie used in the targeting of relevant adverts and content on the Yahoo! platform.	1 day
Yahoo	IDSYNC	marketing	Yahoo	Identifies if the cookie-data needs to be updated in the visitor's browser - This is determined through third-party ad-serving-companies.	1 year
Yahoo	A1	marketing	Yahoo	Ads targeting cookie for Yahoo	1 year
Yahoo	A1S	marketing	Yahoo	Ads targeting cookie for Yahoo	1 year
Yahoo	adaptv_unique_user_cookie	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	cmp	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	adsrcvw1	marketing	Yahoo	These cookies are only used with your consent. You can give or withdraw your consent on the third party's site or app.	1 year
Yahoo	migrated2y	marketing	Yahoo	These cookies are only used as migration indication for old cookies	1 year
Yahoo	OTH	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	optout	marketing	Yahoo	This cookie collect and store data of ads from user opted out	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Yahoo	rtbData0	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	2 years
Yahoo	rx	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	tearsheet	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	30 minutes
Yahoo	unique_ad_source_impression	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	30 days
Yahoo	axids	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	GUC	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	trc_cookie_storage	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Yahoo	tbla_id	marketing	Yahoo	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor - ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.	1 year
Tapad	TapAd_DID	marketing	Tapad	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.	2 months
Tapad	TapAd_TS	marketing	Tapad	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.	2 months
Tapad	TapAd_3WAY_SYNC	marketing	Tapad	Used for data-synchronization with advertisement networks	2 months
TripleLift	tluid	marketing	TripleLift	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.	3 months
TripleLift	tluidp	marketing	TripleLift	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites with - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.	3 months
TripleLift	optout	marketing	TripleLift	This cookie is used to determine whether the visitor has accepted the cookie consent box.	5 years
TripleLift	sync	marketing	TripleLift	This cookie is used in order to transact in digital advertising, TripleLift exchanges (or syncs) identifiers with other companies. This cookie keeps track of which companies have recently been synced in order to avoid syncing with the same companies repetitively.	3 months
33Across	33x_ps	marketing	33Across	This cookie is used targeted and behavioural advertising services.	1 year
LiveIntent	lidid	marketing	LiveIntent	Collects data on visitors' behaviour and interaction - This is used to make advertisement on the website more relevant. The cookie also allows the website to detect any referrals from other websites.	2 years
LiveIntent	_li_ss	marketing	LiveIntent	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	1 month
OneTrust	OptanonConsent	preferences	OneTrust	This cookie is set by the cookie compliance solution from OneTrust. It stores information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category. This enables site owners to prevent cookies in each category from being set in the user's browser, when consent is not given. The cookie has a normal lifespan of one year, so that returning visitors to the site will have their preferences remembered. It contains no information that can identify the site visitor.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
OneTrust	OptanonAlertBoxClosed	preferences	OneTrust	This cookie is set by the cookie compliance solution from OneTrust. It stores information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category. This enables site owners to prevent cookies in each category from being set in the users browser, when consent is not given. The cookie has a normal lifespan of one year, so that returning visitors to the site will have their preferences remembered. It contains no information that can identify the site visitor.	1 year
OneTrust	OptanonControl	preferences	OneTrust	This cookie is set by the cookie compliance solution from OneTrust. It stores information about the categories of cookies the site uses and whether visitors have given or withdrawn consent for the use of each category. This enables site owners to prevent cookies in each category from being set in the user's browser, when consent is not given. The cookie has a normal lifespan of one year, so that returning visitors to the site will have their preferences remembered. It contains no information that can identify the site visitor.	1 year
OneTrust	OneTrustWPCCPAGoogleOptOut	preferences	OneTrust	This cookie is set by OneTrust. It is used to honor IAB CCPA laws for consent.	365 days
OneTrust	FunctionalCookie	preferences	OneTrust	This cookie works with the OneTrust Cookie Management Platform to activate scripts and cookies associated with the Functional Cookies category, when the user gives appropriate consent.	0 days
OneTrust	_mkto_trk	marketing	OneTrust	This cookie is associated with an email marketing service provided by Marketo. This tracking cookie allows a website to link visitor behaviour to the recipient of an email marketing campaign, to measure campaign effectiveness.	729 days
OneTrust	utm_key	preferences	OneTrust	This cookie is set to save personalized marketing campaign parameters. It displays customized data depending on the type of website visitor.	Session
OneTrust	__Secure-fgpt	preferences	OneTrust	This cookie is set due an HTTP response header to send information between client and cloud server domains, like location and payload data. Its attribute has a "secure" flag in its name indicating that the cookie is sent only in HTTPS schemas to enhance security and prevent unauthorized access of information.	Session
CreativeCDN	c	marketing	RTB House	Regulates the synchronization of user identification and the exchange of your data between various advertising services.	364 days
CreativeCDN	g	marketing	RTB House	This domain is associated with the delivery of advertising material or scripts for advertising content. It is a service used by advertising agencies to optimize their online ad campaigns.	364 days
CreativeCDN	ts	preferences	RTB House	This cookie is associated with creativecdn.com. It is provided by PayPal and supports payment services in the website.	365 days
CreativeCDN	u	marketing	RTB House	This cookie is associated with creativecdn.com. It collects unidentifiable data that is sent to an unidentifiable source. The source's identity is kept secret by the company, Perfect Privacy LLC.	365 days
Sharethrough	stx_user_id	marketing	Sharethrough	Delivering targeted and relevant content	1 year
Pinterest	_pinterest_cm	preferences	Pinterest	Pinterest cookie ensures that you can share our website pages via Pinterest by means of the 'share' button	347 days
Pinterest	_pinterest_sess	preferences	Pinterest	session cookie (expires after your session) which collects anonymous data about a user's visit to the website, such as the number of visits, average time spent on the site and which pages have been loaded in order to personalise and improve the Pinterest service.	session
Pinterest	_pin_unauth	marketing	Pinterest	Registers a unique ID that identifies and recognizes the user. Is used for targeted advertising.	1 day
Pinterest	_pinterest_ct_ua	marketing	Pinterest	This cookie is a third party cookie which groups actions for users who cannot be identified by Pinterest.	session
Pinterest	sessionFunnelEventLogged	marketing	Pinterest	A generic technical cookie used for storing user session identifier in web applications	1 day
Pinterest	_routing_id	marketing	Pinterest	Allows users to share pictures via Pinterest / the Pin It button. Pinterest can collect statistical information about usage of their service.	1 day
Pinterest	_derived_epik	marketing	Pinterest	Cookie is placed by the Pinterest tag when a match is identified when no cookies are present, such as enhanced match.	1 year
Pinterest	_pinterest_ct	marketing	Pinterest	They contain a user ID and the timestamp at which the cookie was created.	1 year
Pinterest	_pinterest_ct_rt	marketing	Pinterest	They contain a user ID and the timestamp at which the cookie was created.	1 year
Pinterest	_epik	marketing	Pinterest	Cookie is placed by the JavaScript tag based on information sent from Pinterest with promoted traffic to help identify the user.	1 year
Reddit	edgebucket	marketing	Reddit	Used by Reddit to deliver advertising	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Reddit	initref	marketing	Reddit	Used by Reddit to deliver advertising	session
Reddit	_rdt_uuid	marketing	Reddit	This cookie is set by Reddit and is used for remarketing on reddit.com.	90 days
Salesforce	_KMPage*	preferences	Salesforce	In Salesforce Classic, used to read the last user selection for Find in View, Article Language, {DataCategory}, and Validation Status in Article Management.	1 day
Salesforce	_KnowledgePageDispatcher*	preferences	Salesforce	In Salesforce Classic, used to remember the user selection to determine whether to show Articles or My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageFilter*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the data category filter in Knowledge.	session
Salesforce	_KnowledgePageFilterArticleArticleType*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the article type filter for Articles view in Knowledge.	session
Salesforce	_KnowledgePageFilterArticlePublishStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the publish status filter for Articles view in Knowledge.	session
Salesforce	_KnowledgePageFilterArticleValidationStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the validation status filter for Articles view in Knowledge.	session
Salesforce	_KnowledgePageFilterLanguage*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the language filter in Knowledge.	session
Salesforce	_KnowledgePageFilterMyDraftArticleType*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the article type filter for My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageFilterMyDraftPublishStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the publish status filter for My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageFilterMyDraftValidationStatus*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for the validation status filter for My Drafts view in Knowledge.	session
Salesforce	_KnowledgePageSortFieldArticle*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for Sort by for the Articles view in Knowledge.	session
Salesforce	_KnowledgePageSortFieldMyDraft*	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for Sort by for the My Drafts view in Knowledge.	session
Salesforce	_spring_KmMIAnyoneDraftArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for the Draft Articles view in Article Management.	1 day
Salesforce	_spring_KmMIArchivedArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Archived Articles in Article Management.	1 day
Salesforce	_spring_KmMIMyDraftArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Draft Articles assigned to Me in Article Management.	1 day
Salesforce	_spring_KmMIMyDraftTranslationsList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Draft Translations in Article Management.	1 day
Salesforce	_spring_KmMIPublishedArticlesList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Published Articles in Article Management.	1 day
Salesforce	_spring_KmMIPublishedTranslationsList*	preferences	Salesforce	In Salesforce Classic, used to configure layout properties for Published Translations in Article Management.	1 day
Salesforce	_sid*	preferences	Salesforce	Identifies a Live Agent session. Stores a unique pseudonymous ID for a specific browser session over chat service.	session
Salesforce	activeView	preferences	Salesforce	In Salesforce Classic, used to remember the last user selection for Articles or Translations tab in Article Management.	session
Salesforce	apex__EmailAddress	marketing	Salesforce	Caches contact IDs associated with email addresses.	1 year
Salesforce	auraBrokenDefGraph	analytics	Salesforce	Used to track when a Lightning page has malformed HTML.	1 week
Salesforce	autocomplete	preferences	Salesforce	Determines if the login page remembers the user's username.	60 days

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce	BAYEAX_BROWSER	preferences	Salesforce	Identify a unique browser subscribed to CometD streaming channels.	session
Salesforce	calViewState	analytics	Salesforce	Sets the inline calendar date state in Salesforce Classic (current week selected).	session
Salesforce	caPanelState	preferences	Salesforce	Saves the open, closed, and height percent states of the calendar panel.	session
Salesforce	renderCtx	preferences	Salesforce	Used to deliver requested pages and content based on a user's navigation.	session
Salesforce	pctrk	analytics	Salesforce	Used to count page views by unauthenticated users against license usage.	session
Salesforce	force-stream	preferences	Salesforce	Used to properly route server requests within Salesforce infrastructure for sticky sessions.	3 hours
Salesforce	sfdc-stream	preferences	Salesforce	Used to properly route server requests within Salesforce infrastructure for sticky sessions.	3 hours
Salesforce	BrowserId_sec	preferences	Salesforce	Used to log secure browser sessions/visits for internal-only product analytics.	1 year
Salesforce	force-proxy-stream	preferences	Salesforce	Used to ensure client requests hit the same proxy hosts and are more likely to retrieve content from cache.	3 hours
Salesforce	BrowserId	preferences	Salesforce	Used to log browser sessions/visits for internal-only product analytics.	1 year
Salesforce	QCQQ	preferences	Salesforce	Used to detect the official login page for Forced Login POST detection.	session
Salesforce	sid_Client	preferences	Salesforce	Used to validate orgid and userid on the client side.	session
Salesforce	idccsrft	necessary	Salesforce	Used for SSO authentication as CSRF protection.	3 months
Salesforce	rsid	preferences	Salesforce	Used for an admin user to 'log in as' one of their org user.	session
Salesforce	rsid2	preferences	Salesforce	Used for an admin user to 'log in as' one of their org portal user.	session
Salesforce	RRetURL	preferences	Salesforce	Used for 'log in as' to return to original page.	session
Salesforce	RRetURL2	preferences	Salesforce	Used for portal 'log in as' to return to original page.	session
Salesforce	alohaEpt	preferences	Salesforce	Used to log page load EPT (Experience Page Time) for Visualforce (Classic UI) pages.	90 sec
Salesforce	clientSrc	preferences	Salesforce	Used to validate the IP from where a user logs in.	session
Salesforce	oinfo	marketing	Salesforce	Used to track the State, Edition and orgID of a customer's org.	3 months
Salesforce	expid_*	marketing	Salesforce	Used to render pages based on specified brand.	session
Salesforce	oid	preferences	Salesforce	Used to redirect a user to the correct Salesforce org and assist the user for the next login.	2 years
Salesforce	CookieConsentPolicy*	preferences	Salesforce	Used to apply end-user cookie consent preferences set by our client-side utility.	1 year
Salesforce	_kuid_	marketing	Salesforce	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.	6 months
Salesforce	visitor_id*	marketing	Salesforce	The visitor cookie includes a unique visitor ID and the unique identifier for your account.	1 year
Salesforce	cookieSettingVerified	preferences	Salesforce	Used to create a popup message telling users that cookies are required.	session
Salesforce	cordovaVersion	preferences	Salesforce	Used for internal diagnostics with mobile applications.	session
Salesforce	cqcid	preferences	Salesforce	Used to track a guest shopper's browsing activity.	1 year
Salesforce	csssid	preferences	Salesforce	Used to establish a request context in the correct tenant org.	session
Salesforce	csssid_Client	preferences	Salesforce	Enables user switching.	session
Salesforce	devOverrideCsrfToken	necessary	Salesforce	CSRF Token.	session
Salesforce	disco	preferences	Salesforce	Tracks the last user login and active session for bypassing login. For example, OAuth immediate flow.	session
Salesforce	FedAuth	preferences	Salesforce	For the SharePoint connector, used to authenticate to the top-level site in SharePoint.	session
Salesforce	gTalkCollapsed	preferences	Salesforce	Controls whether the sidebar in Salesforce Classic is open for a user.	1 year
Salesforce	guest_uuid_essential_*	preferences	Salesforce	Provides a unique ID for guest users in Salesforce Sites. Expires 1 year after the user's last visit to the site.	1 year
Salesforce	hideDevelopmentTools	preferences	Salesforce	Used to determine whether to show the developer tools.	session

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce	hideFilesWarningModal	preferences	Salesforce	Stores the user acknowledgment that a public link to a Salesforce file is on email send. The warning window isn't continually shown after the user acknowledges this action.	50 years
Salesforce	hideIdentityDialog	preferences	Salesforce	Hides the dialog box that informs that the current user is logged out when switching to another user.	1 year
Salesforce	Host-ERIC_PROD-	necessary	Salesforce	Enterprise Request Infrastructure Cookie (ERIC) carries the cross-site request forgery (CSRF) security token between the server and the client. The cookie name indicates the server mode (PROD or PRODDEBUG) and a random number. A different token is generated for each Lightning app.	1 minute
Salesforce	ideaToggle	preferences	Salesforce	Show the Ideas list view or the Feed list view.	session
Salesforce	inst	preferences	Salesforce	Used to redirect requests to an instance when bookmarks and hardcoded URLs send requests to a different instance. This type of redirect can happen after an org migration, a split, or after any URL update.	session
Salesforce	iotcontextsplashdisable	preferences	Salesforce	For the IoT product, stores user preference of whether to show Context Splash popup.	10 years
Salesforce	lastlist	preferences	Salesforce	Used to store the cookie name for the last list URL.	session
Salesforce	liveagent_invite_rejected_	preferences	Salesforce	Instructs Live Agent not to reissue an invitation on the same domain. Deletion of this cookie degrades the customer's experience because they can get repeated invitations.	session
Salesforce	liveagent_sid	preferences	Salesforce	Identifies a Live Agent session. Stores a unique pseudonymous ID for a specific browser session over chat service.	session
Salesforce	lloopch_loid	preferences	Salesforce	Determines whether to send the user to a specific portal login or an app login.	1 year
Salesforce	login	preferences	Salesforce	If the user's session has expired, used to fetch the username and populate it on the main login page when using the process builder app.	60 Days
Salesforce	pc-unit	preferences	Salesforce	Sets a preference for displaying platform cache units to either MB or KB.	1 year
Salesforce	PreferredLanguage	preferences	Salesforce	Stores the user language preference for language detection and localized user experience.	1 year
Salesforce	promptTestMod	preferences	Salesforce	Stores whether test mode is in effect. This cookie is read-only.	30 days
Salesforce	redirectionWarning	preferences	Salesforce	Enables the customer to store URLs that are exempt from setting a redirect warning interstitial page on an allowlist.	1 year
Salesforce	schgtclose	preferences	Salesforce	Deprecated feature, not used.	session
Salesforce	sfdc_lv2	preferences	Salesforce	Stores identity confirmation details for users. If the cookie isn't set or it expires, users must repeat the identity confirmation process the next time that they log in. Identity confirmation requires a verification method such as SMS, an authenticator app, or a security key.	1 year
Salesforce	showNewBuilderWarningMessage	preferences	Salesforce	Used to show or hide a warning message for the new dashboard builder.	100 years
Salesforce	sidebarPinned	preferences	Salesforce	Controls the state of the Salesforce Classic sidebar.	10 years
Salesforce	ssostartpage	preferences	Salesforce	Identifies the Identity Provider (IdP) location for single sign-on (SSO). Certain service provider initiated SSO requests can fail without this cookie.	1 year
Salesforce	SUCSP	preferences	Salesforce	Used when the user identity that an administrator is assuming, via Log In as Another User, is a Customer Success Portal (CSP) user.	session
Salesforce	SUPRM	preferences	Salesforce	Used when the user identity that an administrator is assuming, via Log In as Another User, is a Partner Relationship Management (PRM) portal user.	session
Salesforce	t	preferences	Salesforce	Used to avoid duplicate access checks.	session
Salesforce	useStandbyUrl	preferences	Salesforce	Controls how quickly to set the standby URL when loading the softphone.	session
Salesforce	waveUserPrefFinderLeftNav	preferences	Salesforce	Preference for left navigation UI in CRM Analytics.	100 years
Salesforce	waveUserPrefFinderListView	preferences	Salesforce	Preference for displaying list views in CRM Analytics.	100 years
Salesforce	webact	preferences	Salesforce	Used to collect metrics per page view for personalization.	1 year
Salesforce	WelcomePanel	preferences	Salesforce	Stores Salesforce preferences.	1 day

Service	Cookie	Category	Provider	Purpose	Retention
Salesforce	__Host-ERIC_PROD-*	preferences	Salesforce	Enterprise Request Infrastructure Cookie (ERIC) carries the cross-site request forgery (CSRF) security token between the server and the client. The cookie name indicates the server mode (PROD or PRODDEBUG) and a random number. A different token is generated for each Lightning app.	Session
Salesforce	SetupDomainProbePassed	preferences	Salesforce	Indicates whether the web client successfully accessed the new *.salesforce-setup.com domain. If the cookie value is true, then Setup pages are served from *.salesforce-setup.com. If false, Setup pages are served from *.force.com. In this case, users are sometimes required to view Setup pages in Salesforce Classic instead of in Lightning Experience.	Session
Salesforce	igodigitalstdomain	marketing	Salesforce	This cookie is used to capture customer behavior to improve the quality of the experience of our online customers, including enhanced browsing experiences. It expires after one hour or upon the withdrawal of your consent.	1 hour
Salesforce	igodigitalst_*	marketing	Salesforce	This cookie is used to capture customer behavior to improve the quality of the experience of our online customers, including enhanced browsing experiences. It expires after one hour or upon the withdrawal of your consent.	1 hour
Salesforce	igodigitaltc2	marketing	Salesforce	This cookie is used to capture customer behavior to improve the quality of the experience of our online customers, including enhanced browsing experiences. It expires after 10 years or upon the withdrawal of your consent.	10 years
Salesforce	pi_opt_in	analytics	Salesforce	If tracking opt-in preferences is enabled, the cookie is set with a true or false value when the visitor opts in or out of tracking	1 year
Snapchat	sc_at	marketing	Snapchat	Used to identify a visitor across multiple domains.	1 year
Snapchat	sc-a-nonce	marketing	Snapchat	Nonce control. Used to encrypt session data.	1 year
Snapchat	_scid	marketing	Snapchat	Used to help identify a visitor.	1 year
Snapchat	_schn	marketing	Snapchat	This cookies come from the Snapchat retargeting pixel. This pixel is used to retarget and attribute traffic coming from the social network.	1 day
Snapchat	X-AB	preferences	Snapchat	This cookie is used by the website's operator in context with multi-variate testing. This is a tool used to combine or change content on the website. This allows the website to find the best variation/edition of the site.	1 day
Snapchat	_scid_r	marketing	Snapchat	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	13 months
Vimeo	vuid	analytics	Vimeo	This first party cookie created by Vimeo is used to assign a Vimeo Analytics unique id.	1 minute
Vimeo	Player	preferences	Vimeo	This first party cookie created by Vimeo is used to remember user's player mode preferences.	1 minute
Vimeo	continuous_play_v3	preferences	Vimeo	Used to keep track of whether continuous play is on or not for a user	2 years
Vimeo	sd_identity	analytics	Vimeo	Collects analytical tracking information about videos and enables the player to function properly.	2 years
Vimeo	sd_client_id	analytics	Vimeo	Collects analytical tracking information about videos and enables the player to function properly.	2 years
Active Campaign	ac_enable_tracking	marketing	Active Campaign	This cookie is associated with Active Campaign and is set to confirm that tracking has been enabled for the website. Tracking is used to create reports of our web traffic and improve the user experience of the website.	29 days
Active Campaign	prism_*	marketing	Active Campaign	This cookie is used by Active Campaign for site tracking purposes.	30 days
	XSRF-TOKEN	necessary	Unknown	This cookie is written to help with site security in preventing Cross-Site Request Forgery attacks.	Session
1rx.io	_rxuuid	marketing	1rx.io	Sets a unique ID for the visitor, with which external advertisers can target the visitor with relevant advertisements. This linking service is provided by third-party advertising hubs, facilitating real-time bidding for advertisers.	1 year
ABlyft	ablyft_exps	analytics	ABlyft	Is set and updated when a visitor is bucketed into an experiment/variation.	1 year
ABlyft	ablyft_queue	analytics	ABlyft	Is set when a visitor triggers an event/goal. After sending the event to ABlyft it is cleared.	1 year
ABlyft	ablyft_uvs	analytics	ABlyft	Is set on the first pageview and update with every further pageview of a visitor.	1 year
ABlyft	ablyft_tracking_consent	analytics	ABlyft	Is set when enableTrackingConsent or disableTrackingConsent is triggered via API.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Abovo Media	tv_spot_tracker	analytics	Abovo Media	Contains information about the timeslot of a running TV ad	End of session (browser)
ABTasty	ABTasty	analytics	ABTasty	This cookie sends all test data (visitorID, test and variant IDs, timestamps).	13 months
ABTasty	ABTastySession	analytics	ABTasty	This cookie allows us to identify a unique session. It allows us to determine that a new session has begun for a given user.	session
Acuity	auid	marketing	Acuity	This cookie is used to identify the visitor and cookie-tracking solutions and marketing and advertising services..	1 year
Acuity	aum	marketing	Acuity	This cookie is used to identify the visitor and the company provides a range of cookie-tracking solutions and marketing and advertising services.	1 year
Adalyser.com	__adal_ca	marketing	Adalyser.com	Stores which advertising campaign drove a user to visit, stores traffic source and campaign data.	6 months
Adalyser.com	__adal_cw	marketing	Adalyser.com	Ties back conversion events to earlier visits, stores a visit timestamp.	7 days
Adalyser.com	__adal_id	marketing	Adalyser.com	Uniquely identify a device, stores a generated Device ID.	2 years
Adalyser.com	__adal_ses	marketing	Adalyser.com	Determines whether there is an active session and which conversions have taken place in this session to prevent duplicates, stores a list of events in this session.	session
Adcalls	acalltracker	marketing	Adcalls	Adcalls call tracking: ID, phone number	30 days
Adcalls	acalltrackersession	preferences	Adcalls	This cookie stores a unique identifier, so that it can be tracked which session the visitor is in.	session
Adcalls	acalltrackerreferrer	analytics	Adcalls	This cookie is set as soon as the AdCalls JavaScript is loaded. The cookie is used to store the referrer of the visitor as quickly as possible, so that it cannot be lost. As soon as the JavaScript has been executed, this cookie is immediately deleted.	60 minutes
Adcalls	excludecalltracking	preferences	Adcalls	This cookie is set as soon as the visitor - for whatever reason - is not measured, so that we do not take any further actions.	session
Adcalls	acalltrackernumber	marketing	Adcalls	This cookie stores the phone number for the session that is active.	30 minutes
Adform	TPC	marketing	Adform	Used to determine if browser of user accepts third party cookies or not	14 days
Adform	C	marketing	Adform	Used to determine if browser of user accepts cookies or not	60 days till 3650 days
Adform	uid	marketing	Adform	Contains a unique ID to identify a user	60 days
Adform	cid	marketing	Adform	Unique value to be able to identify cookies from users (same as uid)	60 days
Adform	GCM	marketing	Adform	Checks if a new partner cookie synchronization is required	1 day
Adform	CM	marketing	Adform	Checks if a new partner cookie synchronization is required (cookie set by ad server)	1 day
Adform	CM14	marketing	Adform	Checks if a new partner cookie synchronization is required (cookie set during cookie synchronization)	1 day
Adform	token	marketing	Adform	Security token for opt out functionality	End of session (browser)
Adform	otsid	marketing	Adform	Opt out cookie for specific advertiser	365 days
Adform	adtrc	marketing	Adform	Used to determine if browser related information has been collected	7 days
Adform	SR*	marketing	Adform	Unique value that records info about consecutive ads - includes: total impressions, daily impressions, total clicks, daily clicks, and last impression date	1 day
Adform	CT*	marketing	Adform	Identifies the last click membership for third-party pixels on advertiser's pages	1 hour
Adform	EBFCD*	marketing	Adform	Registers daily max. number of impressions (frequency cap) for expanding advertisements (expandables)	7 days
Adform	EBFC*	marketing	Adform	Registers max. total number of impressions (frequency cap) for expanding advertisements (expandables)	7 days
Adform	CFFC*	marketing	Adform	Registers max. number of impressions (frequency cap) for compound banners	7 days
Adform	DigiTrust.v1.identity	marketing	Adform	Unique value with which the user is identified by DigiTrust, an independent industrial body	7 days
Adform	adformfpid	marketing	Adform	Collects data on the user across websites - This data is used to make advertisement more relevant.	30 days

Service	Cookie	Category	Provider	Purpose	Retention
Adhese	adhese2	analytics	Adhese	Unique Reach reporting	30 days
Adhese	cap*	marketing	Adhese	Frequency Capping	30 days
Adhese	pubmatic_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	improvedigital_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	rubicon_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	adform_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	appnexus_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	triplelift_uid	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adhese	adheseCustomer	marketing	Adhese	When Adhese is used as server connection to SSPs or DSPs with whom the Account holder has a contract, a user syncing process can be installed where the SSP user_uid is stored in an Adhese cookie. This is dependent of consent for all parties involved (Accountholder, SSP, Adhese)	7 days
Adition	UserID1	marketing	Adition	Cookie sets a unique anonymous ID for a website visitor. This ID is used to recognize the user on different sessions and to track their activities on the website. The data collected is used for analysis purposes.	180 days
Adkernel	SSPR_*	marketing	AdKernel	This cookie is used to store the user's unique identifier	Session
Adkernel	SSPZ	marketing	AdKernel	This cookie is used to store the user's unique identifier	Session
Adkernel	DSP2F_*	marketing	AdKernel	This cookie is used to store the user's unique identifier	Session
Adkernel	ADKUID	marketing	AdKernel	This cookie is used to store the user's unique identifier	30 Days
Admatic	__adm_ui	marketing	Admatic	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	1 year
Admatic	__adm_uiex	marketing	Admatic	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	1 year
Admatic	__adm_usyncc	marketing	Admatic	Used to identify the visitor across visits and devices. This allows the website to present the visitor with relevant advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	5 days
Admatic	uids	marketing	Admatic	Registers user behaviour and navigation on the website, and any interaction with active campaigns. This is used for optimizing advertisement and for efficient retargeting.	3 months
Admixer	am-uid	marketing	Admixer	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.	2 years
Adobe ColdFusion	cfid	preferences	Adobe ColdFusion	This cookie is used to determine which type of device the visitor is using, so the website can be properly formatted	1 day
Adobe ColdFusion	cftoken	preferences	Adobe ColdFusion	This cookie is used to determine which type of device the visitor is using, so the website can be properly formatted	1 day
adscale.de	uu	marketing	adscale.de	Used to target ads by registering the user's movements across websites.	1 year
adscale.de	cct	marketing	adscale.de	Necessary for the shopping cart functionality on the website	session

Service	Cookie	Category	Provider	Purpose	Retention
adscale.de	tu	marketing	adscale.de	Used to target ads by registering the user's movements across websites.	29 days
Adxcore	advst_uid_11	marketing	Adxcore	Pending	6 months
Adxcore	DISPATCHER	marketing	Adxcore	Pending	6 months
Adyen	_rp_uid	preferences	Adyen	This cookie is used to track users, and helps identify suspicious browsing and/or purchasing activity.	30 days
AFAS	.secureclient	preferences	AFAS	Pending	Session
AFAS	.seuresession	preferences	AFAS	Pending	Session
AFAS	.stateflags	preferences	AFAS	Pending	Session
AFAS	.auth	preferences	AFAS	Pending	Session
Ahoy	ahoy_visit	analytics	Ahoy	Registers statistical data on visitors behaviour on the website. Used for internal analytics by the website operator.	239 days
Ahoy	ahoy_visitor	analytics	Ahoy	Registers statistical data on visitors behaviour on the website. Used for internal analytics by the website operator.	239 days
Akamai	AKA_A2	preferences	Akamai	Used for Akamai's Advanced Acceleration feature, intended to improve web performance	1 hour or longer
Akamai	ak_bmsc	preferences	Akamai	Cookie used to optimize performance, and to improve the user experience, on Akamai websites	1 hour or longer
Akamai	bm_sv	preferences	Akamai	Used by Akamai Botman Manager to help differentiate between web requests generated by humans and web requests generated by bots or other automated processes	1 hour or longer
Akamai Botmanager	_abck	preferences	Akamai	This cookie is used to analyse traffic to determine if it is automated traffic generated by IT systems or a human user	session
Algolia	_ALGOLIA	analytics	Algolia	Identifies users for your Search Analytics and Personalization.	365 days
Alteon	AlteonP	preferences	Radware	This cookie is set by the load balancers and allows us to evenly balance the number of users across the web servers that we use.	session
Aniview	aniC	marketing	Aniview	This cookie is used in context with video-advertisement. The cookie limits the number of times a user is shown the same advertisement. The cookie is also used to ensure relevance of the video-advertisement to the specific user.	20 Days
Aniview	version	marketing	Aniview	This cookie is used by the website's operator in context with multi-variate testing. This is a tool used to combine or change content on the website. This allows the website to find the best variation/edition of the site.	Session
AT Internet	atidvisitor	analytics	AT Internet	List of numsites encountered by the visitor and storage of identified visitor information	6 months by default, modifiable
AT Internet	atuserid	analytics	AT Internet	Visitor ID for client-side cookie sites	13 months by default, modifiable
Atlas	AA003	marketing	Atlas	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	3 months
Atlas	ATN	marketing	Atlas	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	3 months
Audrte	arcki2*	marketing	Audrte	Collects data on user behaviour and interaction in order to optimize the website and make advertisement on the website more relevant.	14 days
Audrte	arcki2_adform	marketing	Audrte	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	14 days
Audrte	arcki2_ddp	marketing	Audrte	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	14 days
Auth0	auth0	preferences	Auth0	Used to implement the Auth0 session layer.	session
Auth0	auth0_compat	preferences	Auth0	Fallback cookie for single sign-on on browsers that don't support the sameSite=None attribute.	session
Auth0	auth0-mf	preferences	Auth0	Used to establish the trust level for a given device.	session

Service	Cookie	Category	Provider	Purpose	Retention
Auth0	auth0-mf_compat	preferences	Auth0	Fallback cookie for multi-factor authentication on browsers that don't support the sameSite=None attribute.	session
Auth0	a0_users:sess	necessary	Auth0	Used for CSRF protection in Classic Universal Login flows.	session
Auth0	a0_users:sess.sig	necessary	Auth0	Used for CSRF protection in Classic Universal Login flows.	session
Auth0	did	preferences	Auth0	Device identification for attack protection.	session
Auth0	did_compat	preferences	Auth0	Fallback cookie for anomaly detection on browsers that don't support the sameSite=None attribute.	session
Auth0	__txn_*	preferences	Auth0	The __txn_ cookie is an Auth0 transaction cookie used during the login process to securely manage the authentication flow between your application and Auth0	session
Awin	lantern	marketing	29 days	This cookie is used by the affiliate marketing platform AWIN to store a reference to a visit to attribute a sale to marketing channels.	Awin
Awin	AwinChannelCookie	marketing	29 days	Tracks sales for bookings made via links provided by Awin.	Awin
AWS Cookies Popup	aw_popup_viewed_page	preferences	AddWeb Solution	Used in context with the website's pop-up questionnaires and messengering.	session
Axceptio	axceptio_authorized_vendors	preferences	Axceptio	Lists all cookies validated by the user	1 year
Axceptio	axceptio_cookies	preferences	Axceptio	Cookie is set by a script that displays a banner allowing the user to accept Cookies on a case-by-case basis and is kept for 12 months, in order to determine for which Cookies the user has given his consent.	1 year
Axceptio	axceptio_all_vendors	preferences	Axceptio	Lists all available vendors subject to the user's consent	1 year
Baidu	Hm_lpv_t_	analytics	Baidu	Record the most recent access timestamp	session
Baidu	Hm_lvt_	analytics	Baidu	Record the first access timestamp	1 year
Baidu	HMACCOUNT	analytics	Baidu	Used to send data to Baidu about the visitors device and behaviour. Tracks the visitor across devices and marketing channels.	1 year
Bazaar Voice	BVBRANDID	analytics	Bazaar Voice	BVBRANDID is a persistent cookie that allows Bazaarvoice to track website analytics data such as how often you visit the site and allocate it to the same website visitor.	20 years
Bazaar Voice	BVBRANDSID	analytics	Bazaar Voice	This cookie allows internal Bazaarvoice web analytics to be correlated to the same user browsing session for interactions within a particular client domain.	20 years
Bazaar Voice	BVID	marketing	Bazaar Voice	Allows internal Bazaarvoice web analytics to be correlated to the same user for interactions across the Bazaarvoice network.	365 days
Bazaar Voice	BVSID	marketing	Bazaar Voice	Allows internal Bazaarvoice web analytics to be correlated to the same user browsing session for interactions across the Bazaarvoice network.	session
Beamer	_BEAMER_FIRST_VISIT_*	marketing	Hotjar	Set by Beamer (hotjar.com) to store the date of the user's first interaction with insights.	3000 days
Beamer	_BEAMER_USER_ID_*	marketing	Hotjar	Set by Beamer (hotjar.com) to store an internal ID for a user.	300 days
Beamer	_BEAMER_DATE_*	marketing	Hotjar	Set by Beamer (hotjar.com). Stores the latest date in which the feed or page was opened.	300 days
Beamer	_BEAMER_LAST_POST_SHOWN_*	marketing	Hotjar	Set by Beamer (hotjar.com). Stores the timestamp for the last time the number of unread posts was updated for the user.	300 days
Beamer	_BEAMER_FILTER_BY_URL_*	marketing	Hotjar	This cookie is set by Beamer to store whether to apply URL filtering on the feed	20 minutes
Beeswax	bitolsSecure	marketing	Beeswax	This cookie is associated with bidr.io. It allows third party advertisers to target the visitor with relevant advertising. This pairing service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 year
Beeswax	bito	marketing	Beeswax	This cookie is generally provided by bidr.io and is used for advertising purposes.	1 year
Belco	belco-anonymous-id	preferences	Belco	This cookie enables you to make use of the chat-function of our customer service-tool, so we can help you anytime.	1 year
Belco	belco-cookies	preferences	Belco	This cookie enables you to make use of the chat-function of our customer service-tool, so we can help you anytime.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Beslist.nl	client_bslista	analytics	Beslist.nl	Registers statistical data about the behavior of visitors to the website. Used for internal analysis by the website administrator.	540 days
Beslist.nl	client_bslistmatch	analytics	Beslist.nl	Registers statistical data about the behavior of visitors to the website. Used for internal analysis by the website administrator.	1 day
Beslist.nl	client_bslistsid	analytics	Beslist.nl	Unique identifier of the user session.	1 day
Beslist.nl	client_bslistuid	analytics	Beslist.nl	Registers statistical data about the behavior of visitors to the website. Used for internal analysis by the website administrator.	540 days
BetweenDigital	dc	marketing	BetweenDigital	This cookie is used for advertising purposes	10 years
betweendigital.com	betweendigital.com	marketing	betweendigital.com	Collects data on visitors' behaviour and interaction - This is used to optimize the website and make advertisement on the website more relevant.	10 years
betweendigital.com	ss	preferences	betweendigital.com	Necessary for the functionality of the website's chat-box function.	10 years
Bidence	duid_update_time	marketing	Bidence	Registers a unique ID that identifies the user's device during return visits. Used for conversion tracking and to measure the efficacy of online ads.	2 years
Bidence	_ssp_update_time*	marketing	Bidence	This cookie is used to store unique identifiers timestamp	2 years
Bidence	_dsp_uid*	marketing	Bidence	This cookie is used to store unique identifiers	2 years
bidswitch.net	tuuid_lu	marketing	bidswitch.net	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.	3 months
Bit.ly	_bit	analytics	Bit.ly	This cookie is a unique identifier assigned to the user to track your use of bit.ly. Information collected includes your IP address.	6 months
Blue	ckid	marketing	Blue	■ This cookie is an identifier (ID) provided by the user's internet browser and is used to match the user with relevant products in marketing campaigns.	1 Year
Blue	hash	marketing	Blue	■ Is a randomly generated identifier (ID) that ensures the impossibility of identifying a user, precisely to maintain their anonymity. The ID is generated from the ckid.	1 Year
Blue	BLUEID	marketing	Blue	■ Identifier (ID) generated by Blue to ensure that a user is not identified more than once and generates duplication in the system, even if he/she leaves the internet browser and generates another browsing session.	1 Year
Blueconic.com	BCSessionID	marketing	Blueconic.com	Unique identifier for the BlueConic profile.	1 year
Blueconic.com	BCTemplID	marketing	Blueconic.com	Temporary unique identifier for the BlueConic profile, removed after BCSessionID is created.	10 minutes
Blueconic.com	BCPermissionLevel	preferences	Blueconic.com	Opt-in level (PERSONAL ANONYMOUS DO_NOT_TRACK)	1 year
Blueconic.com	BCReferrerOverride	marketing	Blueconic.com	Stores a custom bcChannelIdentifier as referrer. For these channels the actual referrer points to the website and not the override. The override would be lost if not stored in this cookie.	1 year
Blueconic.com	BCRefusedObjectives	marketing	Blueconic.com	Used to store the identifiers of BlueConic Objectives that were explicitly refused.	1 year
Blueconic.com	BCRevision	marketing	Blueconic.com	Used to store requests that are sent to BlueConic, but haven't returned yet. On the next page view, if BCRevision still contains values, those requests are sent again, to prevent data loss. This information is now stored in localStorage; when this fails, the cookie solution is used as fallback.	1 year
Blueconic.com	BCTracking	marketing	Blueconic.com	Used for tracking the channel of an external tracker.	10 seconds
Blueconic.com	bc_tstgrp	marketing	Blueconic.com	Gathers information on the user's behavior, preferences and other personal data, which is sent to a third-party marketing and analysis service, for optimization of the website's advertisement, analysis and general traffic.	1 year
BlueKai	bkdc	marketing	Oracle	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.	179 days
BlueKai	bku	marketing	Oracle	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.	179 days

Service	Cookie	Category	Provider	Purpose	Retention
BlueKai	bkpa	marketing	Oracle	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	179 days
Bombora	tp	marketing	Bombora	This cookie is used to target the audience	14 days
Borlabs	borlabs-cookie	preferences	Borlabs	Stores the user's cookie consent state for embedded content on the current domain	1 year
Bouncex	dgzsdI08v4	marketing	Wunderkind	This cookie provides enhanced functionality and ads personalisation	0 days
Bouncex	bounceClientVisit	marketing	Wunderkind	This cookie is used to remember user web browsing activity and may be used to understand about your demographics, such as age and gender	Session
Braze	ab.storage.userId.*	preferences	Braze	Used to determine whether the currently logged-in user has changed and to associate events with the current user.	Unknown
Braze	ab.storage.sessionId.*	analytics	Braze	Randomly-generated string used to determine whether the user is starting a new or existing session to sync messages and calculate session analytics.	Session
Braze	ab.storage.deviceId.*	analytics	Braze	Randomly-generated string used to identify anonymous users, and to differentiate users' devices and enables device-based messaging.	Unknown
Braze	ab.optOut	preferences	Braze	Used to store a user's opt-out preference.	Unknown
Braze	ab._gd	preferences	Braze	Temporarily created (and then deleted) to determine the root-level cookie domain, which allows the SDK to work properly across sub-domains.	Unknown
Browser-Update.org	browserupdateorg	preferences	Browser-Update.org	Stores information if user dismissed notification about outdated browser	30 days
CakePHP	CAKEPHP	preferences	CakePHP	A cookie controller used to manage other Cookies	1 hour
Casale Media	CMID	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 day
Casale Media	CMPRO	marketing	Casale Media	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that the visitor is shown the same advertisement.	1 day
Casale Media	CMPS	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads	1 day
Casale Media	CMRUM3	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 day
Casale Media	CMST	marketing	Casale Media	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 day
Channel.me	wwwchannelme_z_sid	preferences	Channel.me	The cookie is used when using the co-browsing feature.	session
Chartbeat	_chartbeat*	analytics	Chartbeat	Cookie is used to register if a person has visited the domain before (to calculate new vs returning users).	30 days
Chartbeat	_SUPERFLY_nosample	analytics	Chartbeat	Cookie is used only if you go over your plan's traffic limit. At that point the cookie is set and will disable the beacon from that visitor for one hour.	1 hour
CHEQ AI Technologies	_cq_duid	preferences	CHEQ AI Technologies	Used by the website to protect against fraud in relation to its referral system.	3 months
CHEQ AI Technologies	_cq_suid	preferences	CHEQ AI Technologies	This cookie is used to distinguish between humans and bots.	3 months
Citrix	NSC_*	preferences	Citrix	This cookie name is associated with the Netscaler load balancing service from Citrix. This is a pattern type cookie with the root being NSC_ and the rest of the name being a unique encrypted alpha numeric identifier for the virtual server it originated from. The cookie is used to ensure traffic and user data is routed to the correct locations where a site is hosted on multiple servers, so that the end user has a consistent experience.	12 hours
Civic	CookieControl	preferences	Civic UK	This cookie is used to remember the user's cookie consent preferences.	3 months
Civic	HACIVICLB	preferences	Civic UK	This cookie is used by CIVIC's load balancer to identify the server that is active for your request on our cluster. Its purpose is to improve the performance of the website. The cookie is essential to the operation of the site and is always set by the load balancer, but does not store any personal information. This cookie might be set from the civicuk.com domain or from stats.civiccomputing.com	Session

Service	Cookie	Category	Provider	Purpose	Retention
Civic	HACIVIC	preferences	Civic UK	This cookie is used by CIVIC's load balancer to identify the server that is active for your request on our cluster. Its purpose is to improve the performance of the website. The cookie is essential to the operation of the site and is always set by the load balancer, but does not store any personal information. This cookie might be set from the civicuk.com domain or from stats.civiccomputing.com	Session
Civic	HAAPPLB	preferences	Civic UK	This cookie is used by CIVIC's load balancer to identify the server that is active for your request on our cluster. Its purpose is to improve the performance of the website. The cookie is essential to the operation of the site and is always set by the load balancer, but does not store any personal information. This cookie might be set from the civicuk.com domain or from stats.civiccomputing.com	Session
Claritas	barometric[cuid]	marketing	Claritas	This cookie is used to identify users for Veritone/Barometric Podcast Conversion.	1 year
Claritas	barometric[idfa]	marketing	Claritas	This cookie is used to collect visitor statistics. This data is used to categorize users and improve the effectiveness of website advertising.	10 seconds
CleanTalk	apbct_antibot	preferences	CleanTalk	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in order to make valid reports on the use of their website.	session
CleanTalk	ct_check_js	preferences	CleanTalk	Used in order to detect spam and improve the website's security.	session
CleanTalk	ct_fkp_timestamp	preferences	CleanTalk	Used in order to detect spam and improve the website's security. Does not store visitor specific data.	session
CleanTalk	ct_has_scrolled	preferences	CleanTalk	This cookie is used to distinguish between humans and bots.	session
CleanTalk	ct_pointer_data	preferences	CleanTalk	Used in order to detect spam and improve the website's security. Does not store visitor specific data.	session
CleanTalk	ct_ps_timestamp	preferences	CleanTalk	Used in order to detect spam and improve the website's security. Does not store visitor specific data.	session
CleanTalk	ct_timezone	preferences	CleanTalk	Used in order to detect spam and improve the website's security.	Session
CleanTalk	apbct_cookies_test	preferences	CleanTalk	Cookie to validate other cookies, so they can't be spoofed.	Session
CleanTalk	apbct_*	preferences	CleanTalk	Group of cookies which are set from backend and contain information about the current user	Session
CleanTalk	ct_*	preferences	CleanTalk	Group of cookies used for storing dynamic variables from browser	Session
CleanTalk	ct_sfw_*	preferences	CleanTalk	Group of cookies used for our SpamFireWall technology.	Session
CleanTalk	spbc_cookies_test	preferences	CleanTalk	Cookie to test cookies so we know that everything working properly	Session
CleanTalk	spbc_firewall_pass_key	preferences	CleanTalk	The flag defines if the Security Firewall was passed.	Session
CleanTalk	spbc_is_logged_in	preferences	CleanTalk	Dashboard. Flag defines if a user was logged in.	Session
CleanTalk	spbc_2fa_passed	preferences	CleanTalk	Dashboard. Flag defines if Two-Factor Authentication was passed.	Session
CleanTalk	spbc_timer	preferences	CleanTalk	Dashboard. Time spent on the page.	Session
CleanTalk	spbc_log_id	preferences	CleanTalk	Dashboard. User identification.	Session
Clerk	clerk_*	necessary	Clerk	Clerk authentication service session and user management cookies.	Varies
CodeIgniter	ci_session	preferences	CodeIgniter	Cookie to track the users logged in state and access level to restricted pages.	session
Codepen	__editor_layout	preferences	Codepen	Used for Codepen, which in turn is used for some blog articles and documentation	29 days
Codepen	codepen_session	preferences	Codepen	Used by CodePen when embedding CodePen snippets.	29 days
Codepen	codepen_signup_referrer	preferences	Codepen	Used by Codepen to store the signup referral platform	1 year
Codepen	codepen_signup_referrer_date	preferences	Codepen	Used by Codepen to store the latest date of signup referral platform	1 year
CognitoForms	c-referrer	analytics	CognitoForms	We use cookies to understand who referred users to our Website to support our referral program and provide referral discounts. We do not store user identifiable information in these cookies.	Session
CognitoForms	c-signup	analytics	CognitoForms	We use cookies to understand who referred users to our Website to support our referral program and provide referral discounts. We do not store user identifiable information in these cookies.	Session

Service	Cookie	Category	Provider	Purpose	Retention
CognitoForms	c-plan	analytics	CognitoForms	We use cookies to understand who referred users to our Website to support our referral program and provide referral discounts. We do not store user identifiable information in these cookies.	Session
CognitoForms	cognito.services.a	analytics	CognitoForms	We use cookies to identify the user session when users log in to use the Website. This cookie is required for the secure operation of our Services.	Session
CognitoForms	cognito.organization	analytics	CognitoForms	We use cookies to identify the user session when users log in to use the Website. This cookie is required for the secure operation of our Services.	Session
Command Act	tc_cj_v2	marketing	Command Act	Used for user customer journey storage for TMS deduplication (channel and source storage).	1 year
Command Act	tc_cj_v2_cmp.	marketing	Command Act	Used for user customer journey storage for TMS deduplication (campaign storage).	1 year
Command Act	tc_cj_v2_med	marketing	Command Act	Used for user customer journey storage for TMS deduplication (medium storage).	1 year
Command Act	tc_test_cookie	preferences	Command Act	Cookie linked to the display of the privacy banner, it allows to check whether cookies can be deposited and not to redisplay the consent banner when consent is given. Deposited then disappears, cannot be deleted. Technical cookie (exempted)	1 year
Command Act	TCIPD	preferences	Command Act	Used to identify visitors exposed to the privacy banner. CMP Commanders Act uses this cookie to measure statistics for privacy banner usage until visitors provide consent for the TCID cookie. With this 2-cookie system, CMP Commanders Act is the only CMP that has been granted the right of exemption from consent for statistical measurement by the French CNIL	1 year
Command Act	TC_PRIVACY	preferences	Command Act	Used for user status storage (optin or optout) and Privacy banner display.	396 days
Command Act	TC_PRIVACY_CENTER	preferences	Command Act	Used to display the optin/optout categories in the Privacy Center if the user re-open it.	396 days
Command Act	TC_OUTPUT	preferences	Command Act	Used for user status storage (optin or optout) and Privacy banner display.	396 days
Command Act	TC_OUTPUT_categories	preferences	Command Act	Used to display the optin/optout categories in the Privacy Center if the user re-open it.	396 days
Command Act	CAID	marketing	Command Act	The CAID is the user identifier for cookie 1st	1 year
Command Act	TCID	marketing	Command Act	Visitor identifier used to compute deduplicated statistics per user (for campaign and on-site tracking, segmentation, ...). CMP Commanders Act uses this cookie to measure statistics for privacy banner performance after a visitor provided consent. Before users provided consent CMP Commanders Act uses the TCIPD cookie to measure anonymous statistics for privacy banner.	1 year
Command Act	WID	marketing	Command Act	Used to identify when the browser is closed in order to split page views into multiple functional sessions.	Session
Command Act	tc_sample_	preferences	Command Act	Used for visitor and session sampling in the TMSCommander rules.	Session
Command Act	TMS	marketing	Command Act	Used when the deduplication is based on CAMPAIGN tracking (so the CAMPAIGN tracking is taken into account and not the landing page tracking)	Session
Command Act	TC_CHECK_COOKIES_SU PPORT	preferences	Command Act	Technical cookie, TMS verification of Cookies deposit (exempted)	Session
Command Act	TCSESSION	marketing	Command Act	Used to calculate CAMPAIGN metrics based on the session.	Session
Command Act	TCREDIRECT	marketing	Command Act	Used to deduplicate clicks (if redirect, just store the page view and ignore the click).	Session
Command Act	TCLANDINGURL	marketing	Command Act	Used to store landing page URL for CAMPAIGN raw data.	Session
Command Act	TCAUDIENCE	analytics	Command Act	Used to store the user segment for user targeting.	1 year
Command Act	_TCCookieSync	analytics	Command Act	Used to store the date of the last cookie synchronisation with the partner (set in local storage by default, and cookie if local storage not available).	1 year
Command Act	DLBCTLYOXA	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTAPI	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTDATA	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTCAMPAIGN	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTCAMPAIGNEF	preferences	Command Act	Used for internal infrastructure dispatch.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Command Act	FDLBCAMPAIGNCDOM	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTTMS	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTCMP	preferences	Command Act	Used for internal, infrastructure dispatch.	Session
Command Act	FDLBFIRST	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBCTLY	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	FDLBFIRSTEVENTS	preferences	Command Act	Used for internal infrastructure dispatch.	Session
Command Act	tc_caids	preferences	Command Act	Used for restore deleted cookies by ITP	396 days
Command Act	tc_cj_ss	preferences	Command Act	Used for restore deleted cookies by ITP	396 days
Command Act	tc_ss*	preferences	Command Act	Used for restore deleted cookies by ITP In case your cookie tc_ss contains more than 2048 characters, cookies will be created with incremented names (ex. tc_ss1, tc_ss2, ...)	396 days
Command Act	TCREDIRECT_DEDUP	marketing	Command Act	Used when the deduplication is based on CAMPAIGN tracking	session
Complianz	complianz_policy_id	preferences	Complianz	Stores the user's cookie consent state for the current domain	1 year
Complianz	complianz_consent_status	preferences	Complianz	Stores the status of the cookie agreement of the current user	1 year
Complianz	cmplz_marketing	preferences	Complianz	Stores the setting of the marketing/statistic level of the cookie agreement.	1 year
Complianz	cmplz_statistics	preferences	Complianz	Stores the setting of the statistic level of the cookie agreement.	1 year
Complianz	cmplz_preferences	preferences	Complianz	Stores the setting of the preferences level of the cookie agreement.	1 year
Complianz	cmplz_functional	preferences	Complianz	Stores the setting of the functional level of the cookie agreement.	1 year
Complianz	cmplz_stats	preferences	Complianz	Stores the setting of the stats level of the cookie agreement.	1 year
Complianz	cmplz_choice	preferences	Complianz	Store if a message has been dismissed	1 year
Complianz	cmplz_id	preferences	Complianz	Store cookie consent preferences	1 year
Complianz	cmplz_user_data	preferences	Complianz	Read to determine which cookie banner to show	1 year
Complianz	cmplz_saved_services	preferences	Complianz	Store cookie consent preferences	1 year
Complianz	cmplz_consented_services	preferences	Complianz	Store cookie consent preferences	1 year
Complianz	cmplz_policy_id	preferences	Complianz	Store accepted cookie policy ID	1 year
Complianz	cmplz_saved_categories	preferences	Complianz	Store cookie consent preferences	1 year
Complianz	cmplz_banner-status	preferences	Complianz	This cookie stores if the cookie banner has been dismissed	1 year
comScore	S1	analytics	comScore	Comscore: statistical and analytical data	5 years
comScore	C1	analytics	comScore	Comscore: statistical and analytical data	5 years
ComScore	UIDR	marketing	ComScore	Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences.	2 years
ComScore	UID	marketing	ComScore	Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences.	2 years
ComScore	PID	marketing	ComScore	Collects a code that identifies the specific website or advertiser participating in the ScorecardResearch data collection program.	1 year
ComScore	XID	marketing	ComScore	Collects a unique identifier assigned to a device (computer, phone, tablet) to track the user across different websites.	1 year
Consentmanager.net	__cmpconsent*	preferences	Consentmanager.net	Consent String of the IAB CMP Framework (TCF) v2 specific to a single account in our platform.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Consentmanager.net	__cmpiab*	preferences	Consentmanager.net	(only if simplified format is enabled) List of IAB vendor IDs separated by underscore	1 year
Consentmanager.net	__cmpcvc*	preferences	Consentmanager.net	List of custom vendor IDs separated by underscore specific to a single account in our platform	1 year
Consentmanager.net	__cmpcpc*	preferences	Consentmanager.net	List of custom purpose IDs separated by underscore	1 year
Consentmanager.net	__cmpccc*	preferences	Consentmanager.net	Consent information in custom consent format	1 year
Consentmanager.net	__cmpwel*	preferences	Consentmanager.net	Information on PUR (pay or accept) mode	1 year
Consentmanager.net	__cmpiuid	preferences	Consentmanager.net	If enabled, a unique random ID per visitor	1 year
Consentmanager.net	__cmpccx	preferences	Consentmanager.net	Integer. Test if visitor left the website after seeing the consent layer.	1 year
Consentmanager.net	__cmpcc	preferences	Consentmanager.net	Integer. Test if visitors browser supports cookies.	1 year
Consentmanager.net	__cmpfcc	preferences	Consentmanager.net	Integer. Test if visitors browser supports cookies.	1 year
Consentmanager.net	__cmpld	preferences	Consentmanager.net	Timestamp. Contains the time when the visitor last saw the consent layer.	1 year
Consentmanager.net	__cmpccpausps*	preferences	Consentmanager.net	Consent information in IAB USP CCPA Format.	1 year
ContentSquare	_cs_c	analytics	ContentSquare	Consent state: digit between 0 and 3. Used for capturing analytics on web pages	13 months
ContentSquare	_cs_cvars	analytics	ContentSquare	This cookie is used to capture analytics on the web page	Session
ContentSquare	_cs_id	analytics	ContentSquare	Contains: user ID, timestamp (in seconds) of user creation, number of visits for this user	13 months
ContentSquare	_cs_s	analytics	ContentSquare	Number of page views for the current session, and the recording state	1 Year
ContentSquare	__CT_Data	analytics	ContentSquare	This cookie is used to count the number of a guest's pageviews or visits	1 Year
ContentSquare	_CT_RS_	analytics	ContentSquare	This cookie is used to capture analytics on the web page	1 Year
ContentSquare	WRUID	analytics	ContentSquare	This cookie is used for analytics	1 Year
ContentSquare	_cs_ex	analytics	ContentSquare	This cookie stores if the user is excluded from tracking. Contains the timestamp of the last time this visitor was drawn.	30 days
ContentSquare	_cs_optout	analytics	ContentSquare	This cookie stores the user is optout	13 months
ContentSquare	_cs_rl	analytics	ContentSquare	This cookie is used for a few integrations we have that require us to generate replay links and put them into cookies.	1 year
ContentSquare	_cs_root-domain	analytics	ContentSquare	Use as a test cookie to get the root domain name excluding subdomains for cookie. For more technical, info we almost use the same code as this	Session
ContentSquare	WRIgnore	analytics	ContentSquare	This cookie is created to indicate that the user was not selected during random ratio check. This user will not participate again in the random ratio check for as long as the life time of the cookie.	Session
ContentSquare	WRBlock	analytics	ContentSquare	If a visitor to client's website does not wish to be tracked by the software, Clicking this link shall place a cookie on the visitor's machine for the purpose of blocking any recording by the Contentsquare software of this visitor's session.	1 Year
ContentSquare	_cs_same_site	analytics	ContentSquare	Check if the browser supports the SameSite flag	Immediately removed
ContentSquare	_cs_debug	analytics	ContentSquare	Enables/disables specific behavior of the Tag for debugging purposes	Session
ContentSquare	_hjasCachedUserAttributes	analytics	ContentSquare	Specifies whether the data set in _hjUserAttributes Local Storage item is up to date or not	Session
ContentSquare	_hjUserAttributesHash	analytics	ContentSquare	Specifies whether any user attribute has changed and needs to be updated	2 minutes
ContentSquare	_hjUserAttributes	analytics	ContentSquare	Stores user attributes sent through the Identify API.	no expiration
ContentSquare	_hp2_hld	analytics	ContentSquare	Used to determine the highest-level domain a cookie can be set on (since public suffix domains block setting cookies on the top level).	Session
ContentSquare	_hp5_event_props.*	analytics	ContentSquare	Event properties cookie.	13 months
ContentSquare	_hp5_meta.*	analytics	ContentSquare	Contains all metadata related to user/session	13 months

Service	Cookie	Category	Provider	Purpose	Retention
ContentSquare	_cs_mk_aa	analytics	ContentSquare	Ensures Adobe dimensions and eVars are set only once every 30 minutes. Stores the value of the csMatchingKey which is a random number plus timestamp in milliseconds.	30 minutes
ContentSquare	_cs_mk_ga	analytics	ContentSquare	Ensures Google dimensions and eVars are set only once every 30 minutes. Stores the value of the csMatchingKey which is a random number plus timestamp in milliseconds.	30 minutes
ContentSquare	_cs_tld*	analytics	ContentSquare	Cookies generated for Google Analytics and Adobe Analytics integrations which help determine the main domain on which create integration cookies.	Session
Convert Insights	_conv_r	preferences	Convert	This cookie is used as a referral-cookie that stores the visitor's profile - the cookie is overwritten when the visitor re-enters the website and new information on the visitor is collected and stored.	Session
Convert Insights	_conv_s	preferences	Convert	This cookie contains an ID string on the current session. This contains non-personal information on what subpages the visitor enters - this information is used to optimize the visitor's experience.	1 day
Convert Insights	_conv_v	preferences	Convert	This cookie is used to identify the frequency of visits and how long the visitor is on the website. The cookie is also used to determine how many and which subpages the visitor visits on a website - this information can be used by the website to optimize the domain and its subpages.	6 months
Cookie First	cookiefirst-consent	preferences	Cookie First	This cookie saves your cookie preferences for this website. You can change these or withdraw your consent easily.	1 year
Cookie Law Info	cookielawinfo-checkbox-necessary	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The cookies is used to store the user consent for the cookies in the category 'Necessary'.	11 months
Cookie Law Info	cookielawinfo-checkbox-non-necessary	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The cookies is used to store the user consent for the cookies in the category 'Non Necessary'.	11 months
Cookie Law Info	viewed_cookie_policy	preferences	CookieYes	The cookie is set by the GDPR Cookie Consent plugin and is used to store whether or not user has consented to the use of cookies. It does not store any personal data.	11 months
Cookie Law Info	cookielawinfo-checkbox-marketing	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The purpose of this cookie is to check whether or not the user has given the consent to the usage of cookies under the category 'Marketing'.	11 months
Cookie Law Info	cookielawinfo-checkbox-analytics	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The purpose of this cookie is to check whether or not the user has given the consent to the usage of cookies under the category 'Analytics'.	11 months
Cookie Law Info	cookielawinfo-checkbox-performance	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The purpose of this cookie is to check whether or not the user has given the consent to the usage of cookies under the category 'Performance'.	11 months
Cookie Law Info	cookielawinfo-checkbox-others	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The cookie is used to store the user consent for the cookies in the category 'Other'.	11 months
Cookie Law Info	cookielawinfo-checkbox-functional	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The cookie is used to store the user consent for the cookies in the category 'Functional'.	11 months
Cookie Law Info	cookielawinfo-checkbox-advertisement	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The cookie is used to store the user consent for the cookies in the category 'Advertisement'.	11 months
Cookie Law Info	cli_user_preference	preferences	CookieYes	The cookie is set by the GDPR Cookie Consent plugin and is used to store whether or not user has consented to the use of cookies. It does not store any personal data.	1 year
Cookie Law Info	cookielawinfo-checkbox-preferences	preferences	CookieYes	This cookie is set by GDPR Cookie Consent plugin. The purpose of this cookie is to check whether or not the user has given the consent to the usage of cookies under the category 'Preferences'.	1 year
Cookie Law Info	CookieLawInfoConsent	preferences	CookieYes	The cookie is set by the GDPR Cookie Consent plugin and is used to store whether or not user has consented to the use of cookies. It does not store any personal data.	1 year
Cookie Script	CookieScriptConsent	preferences	Cookie Script	This cookie is used by Cookie-Script.com service to remember visitor cookie consent preferences. It is necessary for Cookie-Script.com cookie banner to work properly.	6 months
Cookiebot	CookieConsent	preferences	Cookiebot	Stores the user's cookie consent state for the current domain	1 year
Cookiebot	CookieConsentBulkTicket	preferences	Cookiebot	Enables sharing cookie preferences across domains / websites	1 year
Cookiebot	userlang*	preferences	Cookiebot	Saves language preferences of user for a website	1 year
Cookiebot	consentUUID	preferences	Cookiebot	This cookie is used as a unique identification for the users who has accepted the cookie consent box.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Cookiebot	CrossConsent	preferences	Cookiebot	Stores the user's cookie consent state for the current domain	Session
Cookiebot	1.gif	preferences	Cookiebot	Used to count the number of sessions to the website, necessary for optimizing CMP product delivery.	Session
Cookiebot	cb-currency	preferences	Cookiebot	Stores the user's currency preference	Session
Cookiebot	CookieConsentBulkSetting-*	preferences	Cookiebot	Enables cookie consent across multiple websites	1 Year
CookieConsent.io	cookie-consent-io	preferences	CookieConsent.io	Registers cookie preferences of a user	1 year
CookieConsent.io	cookie-consent-io-timestamp*	preferences	CookieConsent.io	Registers user activity timestamp	30 days
CookieConsent.io	cookie-consent-io-gdpr	preferences	CookieConsent.io	Register anonymous consent identifier for GDPR consent compliance	1 year
CookieConsent.io	ccec_user	marketing	CookieConsent.io	Contains information about the customer to allow retargeting.	1 year
CookieYes	cookieyesID	preferences	CookieYes	CookieYes sets this cookie as a unique identifier for visitors according to their consent.	1 year
CookieYes	cky-consent	preferences	CookieYes	The cookie is set by CookieYes to remember the users' consent settings so that the website recognizes the users the next time they visit.	1 year
CookieYes	cookieyes-necessary	preferences	CookieYes	CookieYes sets this cookie to remember the consent of users for the use of cookies in the 'Necessary' category.	1 year
CookieYes	cookieyes-functional	preferences	CookieYes	CookieYes sets this cookie to remember the consent of users for the use of cookies in the 'Functional' category.	1 year
CookieYes	cookieyes-analytics	preferences	CookieYes	CookieYes sets this cookie to remember the consent of users for the use of cookies in the 'Analytics' category.	1 year
CookieYes	cookieyes-advertisement	preferences	CookieYes	CookieYes sets this cookie to remember the consent of users for the use of cookies in the 'Advertisement' category.	1 year
CookieYes	cookieyes_privacy_policy_generator_session	preferences	CookieYes	CookieYes sets this cookie to identify a session instance for a user.	2 hours
CookieYes	cookieyes_session	preferences	CookieYes	CookieYes sets this cookie to identify a session instance for a user.	2 hours
CookieYes	cky-action	preferences	CookieYes	This cookie is set by CookieYes and is used to remember the action taken by the user.	1 year
CookieYes	cookieyes-performance	preferences	CookieYes	CookieYes sets this cookie to remember the user's consent for cookies in the 'Performance' category.	1 year
CookieYes	cookieyes-consent	preferences	CookieYes	CookieYes sets this cookie to remember user's consent preferences so that their preferences are respected on their subsequent visits to this site. It does not collect or store any personal information of the site visitors.	1 year
CraftCMS	CRAFT_CSRF_TOKEN	necessary	CraftCMS	Facilitates protection against cross-site request forgeries. This helps to safeguard data as it is submitted through forms on the website.	session
CraftCMS	CraftSessionId	preferences	CraftCMS	Craft relies on PHP sessions to maintain sessions across web requests. That is done via the PHP session cookie. Craft names that cookie 'CraftSessionId' by default. This cookie will expire as soon as the session expires.	session
Crisp	crisp-client/*	preferences	Crisp IM SAS	Crisp live chat widget session and preferences cookies.	6 months
csync.loopme.me	viewer_token	marketing	csync.loopme.me	This cookie is associated with csync.loopme.me. It is used to track visitors on multiple websites in order to present relevant advertising based on the visitor's preferences.	31 days
Customer.io	_cio	marketing	Customer.io	Used to identify visitors in order to send transactional and targeted email messages.	1 day
Customer.io	_cioid	marketing	Customer.io	Used to identify visitors in order to send transactional and targeted email messages.	1 year
Customer.io	_cioanonid	marketing	Customer.io	Used to identify visitors in order to send transactional and targeted email messages.	1 year
Customer.io	cioFT	marketing	Customer.io	Used to identify visitors in order to send transactional and targeted email messages.	1 year
Customer.io	cioLT	marketing	Customer.io	Used to identify visitors in order to send transactional and targeted email messages.	1 year
Datadome	Datadome	preferences	Datadome	This a security cookie based upon detecting BOTS and malicious traffic.	1 year
Datatics	datatics_optin	marketing	Datatics	Saving opt-in preferences.	undefined

Service	Cookie	Category	Provider	Purpose	Retention
Datatricks	datatricksDebugger	marketing	Datatricks	Saving Datatricks debugger preferences.	undefined
Datatricks	datatricks_customData	marketing	Datatricks	Saving defined custom data.	undefined
Devise (Ruby on Rails)	remember_user_token	preferences	Ruby on Rails	Remember me functionality for Devise authentication gem in Rails applications.	2 weeks
Didomi	didomi_token	preferences	Didomi	This cookie contains consent information for personalized purposes and for personalized partners, as well as information specific to Didomi (e.g. user ID).	1 year
Didomi	euconsent-v2	preferences	Didomi	This cookie contains the chain of consent for the IAB's Transparency and consent framework as well as the consent information for all IAB standards (partners and purposes).	1 year
Digital Audience	digitalAudience	marketing	Digital Audience	Digital Audience uses cookies to improve the effectiveness of digital platforms, thanks to online recognition mechanisms.	Unlimited
Digital Factory	cookie_notice_accepted	preferences	Digital Factory	Identifies whether the user has accepted the use of cookies on this web site	3 months
Disqus	vglnk.Agent.p	marketing	Disqus	Cookie set by Disqus. Used to collect visitor behaviour in order to present more relevant advertisements.	1 year
Disqus	vglnk.PartnerRfsh.p	marketing	Disqus	This cookie is used to collect data from various website in order to present more relevant advertisement.	1 year
Django	django_language	preferences	Django	Stores the user's language preference in Django web applications.	Session
Dotmetrics	DotMetrics.SessionCookieTemp	analytics	Dot Metrics	This cookie DotMetrics obtain information about a general site visit collect in the DotMetrics Research Network.	Session
Dotmetrics	DotMetrics.UniqueUserIdentityCookie	analytics	Dot Metrics	This cookie contains information about the current user (unique ID, creation time, current tracking mode and version)	Session
Dotmetrics	DotMetrics.DeviceKey	analytics	Dot Metrics	This cookie collects information about your device. The purpose for which we use it is to provide a high quality view of the survey or some content on your device.	Session
Dotmetrics	DotMetrics.SessionCookieTempTimed	analytics	Dot Metrics	This cookie contains information about the current site from which you access the DotMetrics research network.	Session
Dotomi	DotomiUser	marketing	Epsilon	This cookie is set by the provider Dotomi. This cookie is used for sales/lead correlation and for targeting and marketing purposes. it is used to store unique surfer ID.	13 months
Dotomi	cjae	marketing	Epsilon	The cookie is set by the provider Dotomi. This cookie is used to record visitor behaviour.	1 month
Dotomi	DotomiStatus	marketing	Epsilon	Used to honor device-level opt-out preferences.	5 years
Dotomi	DotomiSession_*	marketing	Epsilon	Pseudonymous session id	session
Dotomi	DotomiSync	marketing	Epsilon	Used to identify which sync pixels we set on users via registration tags	1 year
Dotomi	dtm_token	marketing	Epsilon	Manage cookie level profile, freq. cap, retargeting	13 months
Dotomi	dtm_token_exp	marketing	Epsilon	Logs timestamp for dtm_token cookie	session
Dotomi	dtm_tcddata	marketing	Epsilon	Stores consent for vendors that participate in the IAB Transparency and Consent Framework.	1 day
Dotomi	dtm_tcddata_exp	marketing	Epsilon	Logs timestamp for dtm_tcddata cookie	session
Dotomi	dtm_token_sc	marketing	Epsilon	Our first party cookie set via headers on registration tags	13 months
Dotomi	dtm_user_id	marketing	Epsilon	Used to identify users registration	13 months
Dotomi	dtm_user_id_sc	marketing	Epsilon	Used to identify users registration	13 months
Dotomi	dtm_gdpr_delete	marketing	Epsilon	Set when GDPR data delete is executed. Life span is 30 days. When this cookie exists, GDPR consent is considered revoked.	30 days
Dotomi	dtm_gpc_optout	marketing	Epsilon	Set when GPC Optout is initiated. Presence of this cookie helps us prevent multiple downstream optout requests for the same user	30 days
Drupal CMS	has_js	preferences	Drupal CMS	Drupal uses this cookie to indicate whether or not the visitors browser has JavaScript enabled.	session
Duda	dm_timezone_offset	analytics	Duda	Cookie used by the hosting provider (duda.co), the cookie is set in order to enable and measure personalization rules and statistics.	15 days

Service	Cookie	Category	Provider	Purpose	Retention
Duda	dm_last_visit	analytics	Duda	Cookie used by the hosting provider (duda.co), the cookie is set in order to enable and measure personalization rules and statistics.	1 year
Duda	dm_total_visits	analytics	Duda	Cookie used by the hosting provider (duda.co), the cookie is set in order to enable and measure personalization rules and statistics.	1 year
Duda	dm_last_page_view	analytics	Duda	Cookie used by the hosting provider (duda.co), the cookie is set in order to enable and measure personalization rules and statistics.	1 year
Duda	dm_this_page_view	analytics	Duda	Cookie used by the hosting provider (duda.co), the cookie is set in order to enable and measure personalization rules and statistics.	1 year
Dynamic Yield	DYID	preferences	Dynamic Yield	A Dynamic Yield unique identifier that operates as a key for personalization.	1 Year
Dynamic Yield	_dyid	preferences	Dynamic Yield	A Dynamic Yield unique identifier that operates as a key for personalization.	30 Days
Dynamic Yield	_dyid_server	preferences	Dynamic Yield	A Dynamic Yield unique identifier that operates as a key for personalization.	1 Year
Dynamic Yield	DYSES	preferences	Dynamic Yield	A Dynamic Yield unique identifier that operates as a key for personalization.	Session
Dynamic Yield	_dyjsession	preferences	Dynamic Yield	A Dynamic Yield unique identifier that operates as a key for personalization.	Session
Dynamic Yield	_dy_csc_ses	analytics	Dynamic Yield	This cookie tracks when a user closes their browser.	Session
Dynamic Yield	_dycmc	analytics	Dynamic Yield	This cookie maintains a simple heuristic that detects users who actively delete cookies (cookie deleters). The 'cookie deleter' markup is collected within the reported page visit data.	30 Days
Dynamic Yield	_dycnst	preferences	Dynamic Yield	This cookie is used to remember user cookie consent preferences.	30 Days
Dynamic Yield	_dy_lu_ses	preferences	Dynamic Yield	This cookie determines the first page URL a user comes from, and its validity.	Session
Dynamic Yield	_dy_df_geo	analytics	Dynamic Yield	This cookie is used for audience creation purposes to store geographical location data (country, state, city).	30 Days
Dynamic Yield	_dy_geo	analytics	Dynamic Yield	This cookie is for audience creation purposes to store geographical location data (country, continent, area, city).	30 Days
Dynamic Yield	_dycst	analytics	Dynamic Yield	This cookie is used for audience creation purposes to collect data about the user-agent and associated window size.	30 Days
Dynamic Yield	_dy_ses_load_seq	preferences	Dynamic Yield	This cookie is used for experimentation and A/B testing purposes, to detect browser sessions.	30 Days
Dynamic Yield	_dy_soct	preferences	Dynamic Yield	This cookie controls the frequency of periodically-activated campaigns. Without this cookie, periodically-activated campaigns would be either disabled or executed upon every page load.	1 Year
Dynamic Yield	_dy_toffset	preferences	Dynamic Yield	This cookie validates the user's clock drift (for computers that don't sync their clock with the internet).	30 Days
Dynamic Yield	dy_fs_page	preferences	Dynamic Yield	This cookie indicates the URL of the first page a user visits when they start a session on a website, and targets a user by the first page of their session.	Session
Dynamic Yield	_dy_cs_storage_items	marketing	Dynamic Yield	This cookie is used for proprietary custom implementation on your website, for Dynamic Yield campaigns to operate correctly.	30 Days
Dynamic Yield	_dy_cs_cookie_items	marketing	Dynamic Yield	This cookie is used for proprietary custom implementation on your website, for Dynamic Yield campaigns to operate correctly.	30 Days
Dynatrace	dtCookie*	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	dtLatC*	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	dtPC*	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	dtSa	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	dtValidationCookie	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Dynatrace	dtDisabled	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	rxVisitor*	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	rxvt	analytics	Dynatrace	This cookie is used by RUM API, Dynatrace Real User Monitoring (RUM) gives you the power to know your customers by providing performance analysis in real time.	Session
Dynatrace	b925d32c	preferences	Dynatrace	Indicates if a user is logged in or not.	Session
Dynatrace	ssoCSRFCookie	preferences	Dynatrace	Serves as cross-site request forgery (CSRF) protection when moving between servlets in SSO.	Session
Dynatrace	p23mn32t	preferences	Dynatrace	Contains a unique Base32 identifier that indicates to SSO that a user is logging in from a new device. The identifier is created based on the user login, browser, and user agent.	5 Years
Dynatrace	l34kn6no	preferences	Dynatrace	Stores the OpenID state when SSO acts as a relying party, for example, for signing in with Microsoft using OpenID.	Session
Dynatrace	iu2g34bw	preferences	Dynatrace	Stores the OpenID code_verifier when SSO acts as a relying party, for example, for signing in with Microsoft using OpenID.	Session
Dynatrace	a69k21bb	preferences	Dynatrace	Stores redirect_uri upon successful sign-in when SSO acts as a relying party, for example, for signing in with Microsoft using OpenID.	Session
Dynatrace	cgq80xhu	preferences	Dynatrace	Contains an SHA-256 hash of a random UUID. When a user signs in via OpenID, this cookie is used to track the session state via the SSO OpenID iFrame and perform frontend logout if necessary.	Session
Dynatrace	72ddbc27	preferences	Dynatrace	Added when a user selects the Remember me option to store their credentials. Thanks to this option, the user doesn't have to provide their credentials again when the session expires, and the user is logged in automatically.	3 months
Dynatrace	kj76fg4h	preferences	Dynatrace	Prevents the user from becoming stuck following a failed federated login if the user selected the Remember me option to store their credentials. If the user is signed in, this cookie is deleted.	5 minutes
E-volution.ai	v_usr	marketing	E-volution.ai	Collects data about the user's visit to the site, such as the number of returning visits and which pages are read. The purpose is to deliver targeted ads.	13 days
Easysize.me	easysize_button_loaded_for_user	preferences	Easysize.me	Sizing display for products	session
Emetric	pid_short	marketing	Emetric	This cookie is used by Xplosion/emetriq. Used to analyze the behavior of visitors to the website and derive preferences. These allow for interest-based advertising on third party websites.	1 year
Emetric	pid_signature	marketing	Emetric	This cookie is used by Xplosion/emetriq. Used to analyze the behavior of visitors to the website and derive preferences. These allow for interest-based advertising on third party websites.	1 year
Emetric	pid	marketing	Emetric	This cookie is used by Xplosion/emetriq. Used to analyze the behavior of visitors to the website and derive preferences. These allow for interest-based advertising on third party websites.	1 year
Emetric	ep	marketing	Emetric	This cookie is used by Xplosion / emetriq. Used to analyze the behavior of visitors to the website and derive preferences. These allow for interest-based advertising on third party websites.	1 year
Enzuzo	cookies-analytics	preferences	Enzuzo	Used by the CMP Enzuzo to register the user's choice regarding analytics cookies.	1 year
Enzuzo	cookies-functional	preferences	Enzuzo	Used by the CMP Enzuzo to register the user's choice regarding functional cookies.	1 year
Enzuzo	cookies-marketing	preferences	Enzuzo	Used by the CMP Enzuzo to register the user's choice regarding marketing cookies.	1 year
Enzuzo	cookies-preferences	preferences	Enzuzo	Used by the CMP Enzuzo to register the user's choice regarding preference cookies.	1 year
Exponea	__exponea_etc__	marketing	Exponea	Exponea Bloomreach Engagement - This cookie is used to determine which products the visitor has viewed. This information is used to promote related products and optimize ad-efficiency.	3 years
Exponea	__exponea_time2__	marketing	Exponea	Exponea Bloomreach Engagement - This cookie is used to determine which products the visitor has viewed. This information is used to promote related products and optimize ad-efficiency.	1 day
Ezoic	active_template::*	preferences	Ezoic	Used to store which template you are viewing on this website.	2 days

Service	Cookie	Category	Provider	Purpose	Retention
Ezoic	ezds	preferences	Ezoic	Used to store the pixel size of your screen to help personalize your experience and ensure content fits.	1 year
Ezoic	ezoab_*	preferences	Ezoic	Used to split test different features and functionality.	2 hours
Ezoic	ezoadgid_*	analytics	Ezoic	Stores an ID that connects you to an age and gender category.	30 minutes
Ezoic	ezohw	preferences	Ezoic	Used to store the pixel size of your browser to help personalize your experience and ensure content fits.	1 year
Ezoic	ezopvc_*	analytics	Ezoic	Used to store the number of pages that you have viewed on this site in this session.	30 minutes
Ezoic	ezoref_*	analytics	Ezoic	Used to store the referring domain (the website you were at before you can to this website).	2 hours
Ezoic	ezostid_*	preferences	Ezoic	Used to test different features and functionality and to record which features and functionality are available to you so you receive a consistent experience.	Unknown
Ezoic	ezosuigeneris*	marketing	Ezoic	Used to uniquely identify you across different websites on the internet so your experience can be customized.	1 year
Ezoic	ezosuibasgeneris-1	marketing	Ezoic	Used to uniquely identify you across different websites on the internet so your experience can be customized.	1 year
Ezoic	ezouid_*	analytics	Ezoic	Used to uniquely identify you as a visitor on this website. Used for analytics and personalization of your experience.	Unknown
Ezoic	ezovid_*	analytics	Ezoic	Used to uniquely identify a visit by you to this website. Used for analytics and personalization of your experience.	30 minutes
Ezoic	ezovuuid_*	analytics	Ezoic	Used to uniquely identify a visit by you to this website. Used for analytics and personalization of your experience.	30 minutes
Ezoic	ezovuuidtime_*	analytics	Ezoic	Used to record the time of your visit to this website so different visits can be differentiated from each other.	2 days
Ezoic	ezux_et_*	analytics	Ezoic	Used to record the amount of time that you engaged with content on this website. Used for analytics purposes to improve user experience.	Unknown
Ezoic	ezux_ifep_*	analytics	Ezoic	Used to record whether you have engaged with the content on this site. Used for analytics purposes to improve user experience.	Unknown
Ezoic	ezux_lpl_*	analytics	Ezoic	Used to record the time that you loaded the last page on this website.	Unknown
Ezoic	ezux_tos_*	analytics	Ezoic	Used to record the amount of time you have spent on this website.	Unknown
Ezoic	ezoawesome_*	preferences	Ezoic	Used for fraud and invalid activity detection.	Unknown
f5 BIG-IP	BIGipServer*	preferences	f5	Used by the f5 BIG-IP load balancer to ensure one user's request is always handled by the same server to maintain a consistent user experience	Unknown
Fastclick	pluto2	marketing	Epsilon	This is a temporary cookie that is created in the case when no PLUTO cookie is set AND the user hits the advertiser site where a Re-Targeting pixel has been executed.	13 months
Fastclick	pluto	marketing	Epsilon	The Session ID is used to track preference information.	13 months
Fastclick	fastclick	preferences	Epsilon	Tells the delivery system that the browser had opted out of the network	10 years
Fathom Analytics	_fathom*	analytics	Conva Ventures Inc	Privacy-focused simple website analytics with minimal data collection.	Varies
Federated Media Publishing	ljt_reader	marketing	Federated Media Publishing	Collects data related to reader interests, context, demographics and other information on behalf of the Lijit platform with the purpose of finding interested users on websites with related content.	1 year
FeedbackCompany	tsrvid	preferences	FeedbackCompany	Feedback company review cookie	1 year
Fidelity-media.com	DSP_UID	marketing	Fidelity-media.com	Pending	9 days
Flowbox	_flowbox	preferences	Flowbox	Used to differentiate between users and sessions and collecting statistics on the viewing behaviour for Instagram posts displayed on the website.	1 year
FreeWheel	uid-bp-*	marketing	FreeWheel	The uid cookie is used by FreeWheel to generate statistics to show how many people may have seen a particular ad. Whereas the other cookies recognize returning users for the purpose of presenting users with relevant advertisements.	2 months
FreeWheel	MRM_UID	marketing	FreeWheel	Used to track the visitor across multiple devices including TV	1 month

Service	Cookie	Category	Provider	Purpose	Retention
Funda	DG_HID	marketing	Funda	Pending	30 days
Funda	DG_IID	marketing	Funda	Pending	30 days
Funda	DG_SID	marketing	Funda	Pending	30 days
Funda	DG_UID	marketing	Funda	Pending	30 days
Funda	DG_ZID	marketing	Funda	Pending	30 days
Funda	DG_ZUID	marketing	Funda	Pending	30 days
Funda	fonts-loaded	preferences	Funda	This cookie checks and remembers whether you have the font used by funda. Remembering this check makes visiting the website faster.	30 days
Funda	html-classes	preferences	Funda	Remembering how the website is displayed to adjust the appearance of the site to the environment and browser used by the user. This ensures that the site loads faster on a subsequent visit.	30 days
Funda	SNLB2	preferences	Funda	Pending	30 days
Gemius	__gfp_64b	analytics	Gemius	Stores data on the time spent on the website and its sub-pages, during the current session.	13 months
Gemius	__gfp_s_64b	analytics	Gemius	Registers data on the performance of the website's embedded video-content.	13 months
Gemius	Gdyn	analytics	Gemius	Collects statistics on the visitor's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.	13 months
GitHub	app_manifest_token	preferences	GitHub	This cookie is used during the App Manifest flow to maintain the state of the flow during the redirect to fetch a user session.	5 minutes
GitHub	color_mode	preferences	GitHub	This cookie is used to indicate the user selected theme preference.	Session
GitHub	_device_id	preferences	GitHub	This cookie is used to track recognized devices for security purposes.	1 Year
GitHub	dotcom_user	preferences	GitHub	This cookie is used to signal to us that the user is already logged in.	1 Year
GitHub	enterprise_trial_redirect_to	preferences	GitHub	This cookie is used to complete a redirect for trial users	5 minutes
GitHub	fileTreeExpanded	preferences	GitHub	Used to indicate whether the file tree on the code view was last expanded or collapsed	30 days
GitHub	ghcc	preferences	GitHub	This cookie validates user's choice about cookies	180 days
GitHub	_gh_ent	preferences	GitHub	This cookie is used for temporary application and framework state between pages like what step the customer is on in a multiple step form.	2 Weeks
GitHub	_gh_sess	preferences	GitHub	_gh_sess This cookie is used for temporary application and framework state between pages like what step the user is on in a multiple step form.	Session
GitHub	gist_oauth_csrf	necessary	GitHub	This cookie is set by Gist to ensure the user that started the oauth flow is the same user that completes it.	Deleted when oauth state is validated
GitHub	gist_user_session	preferences	GitHub	This cookie is used by Gist when running on a separate host.	2 Weeks
GitHub	has_recent_activity	preferences	GitHub	This cookie is used to prevent showing the security interstitial to users that have visited the app recently.	1 Hour
GitHub	__Host-gist_user_session_same_site	preferences	GitHub	This cookie is set to ensure that browsers that support SameSite cookies can check to see if a request originates from GitHub.	2 Weeks
GitHub	__Host-user_session_same_site	preferences	GitHub	This cookie is set to ensure that browsers that support SameSite cookies can check to see if a request originates from GitHub.	2 Weeks
GitHub	marketplace_repository_ids	preferences	GitHub	This cookie is used for the marketplace installation flow.	1 Hour
GitHub	marketplace_suggested_tar_get_id	preferences	GitHub	This cookie is used for the marketplace installation flow.	1 Hour
GitHub	_octo	analytics	GitHub	This cookie is used for session management including caching of dynamic content, conditional feature access, support request metadata, and first party analytics	1 Year
GitHub	org_transform_notice	preferences	Github	This cookie is used to provide notice during organization transforms.	1 hour

Service	Cookie	Category	Provider	Purpose	Retention
GitHub	private_mode_user_session	preferences	Github	This cookie is used for Enterprise authentication requests.	2 Weeks
GitHub	saml_csrf_token	necessary	Github	This cookie is set by SAML auth path method to associate a token with the client.	Session
GitHub	saml_return_to	preferences	Github	This cookie is set by the SAML auth path method to maintain state during the SAML authentication loop.	Session
GitHub	saml_return_to_legacy	preferences	Github	This cookie is set by the SAML auth path method to maintain state during the SAML authentication loop.	Session
GitHub	show_cookie_banner	preferences	Github	Set based on the client's region and used to determine if a cookie consent banner should be shown	Session
GitHub	tz	preferences	Github	This cookie allows us to customize timestamps to your time zone.	Session
GitHub	user_session	preferences	Github	This cookie is used to log you in.	2 Weeks
Groovinads	GRV_BHV_UID*	marketing	Groovinads	This cookie is used to store the user's unique identifier	45 days
Groovinads	GRV_BHV_IDCC*	marketing	Groovinads	This cookie is used to store the user's geographical location	45 days
Groovinads	GRV_BHV_SKU*	marketing	Groovinads	This cookie is used to store SKU of user	45 days
Groovinads	GRV_BHV_IDCAT*	marketing	Groovinads	This cookie is used to unique identifier.	45 days
Groovinads	GRV_BHV_DATE*	marketing	Groovinads	This cookie is used to store Date for user perferences.	45 days
Groovinads	GRV_IDU	marketing	Groovinads	This cookie is used to store the user's unique identifier	296 days
Groovinads	NPA*	marketing	Groovinads	This cookie is used to store the user's browsing history	45 days
Groovinads	GRV_BHV_BRND_*	marketing	Groovinads	This cookie is used to brand of user's perferences	45 days
Groovinads	GRV_google	marketing	Groovinads	This cookie is used to store user's google search history	45 days
GumGum	cs	marketing	GumGum	Used to store the user consent status for the current domain.	1 year
GumGum	vst	marketing	GumGum	Used to store the user user intereset	1 year
HAproxy	SERVERID	preferences	HAProxy	Load balancer cookie	session
Hu-manity.co	hu-consent	preferences	Hu-manity.co	Stores the permission to use cookies for the current domain by the user	1 month
Imperva	incap_ses_*	preferences	Imperva	This cookie is set to allow a visitor to receive site content from one out of multiple servers as the visitor browses the site. This allows the visitor's session to be maintained.	session
Imperva	nlbi_*	preferences	Imperva	Incapsula DDoS Protection and Web Application Firewall: Load balancing cookie. To ensure requests by a client are sent to the same origin server.	session
Imperva	visid_incap_*	preferences	Imperva	This cookie is from the incapsula CDN and helps us with reliability, security and the performance of our site.	1 year
Improve Digital	um	marketing	ad.360yield.com	To enable the bidding process.	90 days
Improve Digital	umeh	marketing	ad.360yield.com	To enable the bidding process.	90 days
Indeed	CTK	analytics	Indeed	This cookie is used to provide a more consistent user experience across sessions by providing improved job recommendations and other services we offer on Indeed. This also helps Indeed analyze in aggregate the best way to help people get jobs. This cookie does not use 3rd party data and is not used for targeting.	1825 days
Indeed	ctkgen	analytics	Indeed	Contains information related to registering (counting) a job application via a job listing on indeed.com.	1 day
Indeed	INDEED_CSRF_TOKEN	necessary	Indeed	This cookie is used by Cloudflare to identify trusted web traffic.	Session
Indeed	jasx_pool_id	analytics	Indeed	Contains information related to registering (counting) a job application via a job listing on indeed.com.	Session
Indeed	pagead/conv/%INTEGER%	analytics	Indeed	Contains information related to registering (counting) a job application via a job listing on indeed.com.	Session
infOnline	i00	marketing	infOnline	This cookie is used to share anonymous data about the use of online and mobile media players with the Broadcasters' Audience Research Board (BARB) to understand how many people watch online, and how much they watch.	1 year
Inspectlet	__insp_pad	analytics	Inspectlet	This cookie contains the page number of the session recording.	End of session (browser)

Service	Cookie	Category	Provider	Purpose	Retention
Inspectlet	__insp_sid	analytics	Inspectlet	This cookie contains the ID of the Inspectlet session that is being recorded.	End of session (browser)
Inspectlet	__insp_ref	analytics	Inspectlet	The cookie contains the referrer source/URL	End of session (browser)
Inspectlet	__insp_scpt	analytics	Inspectlet	This cookie contains an integer that allows us to know if the screen capture was triggered or not.	End of session (browser)
Inspectlet	__insp_nv	analytics	Inspectlet	This cookie contains a value that allows Inspectlet to know if this user is a new visitor or a returning visitor.	End of session (browser)
Inspectlet	__insp_wid	analytics	Inspectlet	This cookie contains an unique user ID provided by the website if set up.	End of session (browser)
Inspectlet	__insp_uid	analytics	Inspectlet	This cookie contains random ID assigned to a visitor.	1 year
Inspectlet	__insp_dct	analytics	Inspectlet	Registers statistical data on visitors' behaviour on the website. Used for internal analytics by the website operator.	Session
Inspectlet	__insp_norec_sess	analytics	Inspectlet	Inspectlet uses cookies to keep track of session information. These cookies are needed to accurately understand how visitors are navigating the website.	1 year
Inspectlet	__insp_slim	analytics	Inspectlet	Inspectlet uses cookies to keep track of session information. These cookies are needed to accurately understand how visitors are navigating the website.	1 year
Inspectlet	__insp_targlpt	analytics	Inspectlet	Inspectlet uses cookies to keep track of session information. These cookies are needed to accurately understand how visitors are navigating the website.	1 year
Inspectlet	__insp_targlpu	analytics	Inspectlet	Inspectlet uses cookies to keep track of session information. These cookies are needed to accurately understand how visitors are navigating the website.	1 year
Intershop	cc-*	preferences	Intershop	References a cart for anonymous users	session
Intershop	pgid-org-*	preferences	Intershop	Hash of personalization information. Used to cache pages or snippets for users with same personalization information	session
Intershop	SecureSessionID-*	preferences	Intershop	Reference to authenticated user	session
Issuu	iutk	marketing	Issuu	Recognises the user's device and what Issuu documents have been read.	10 years
Iubenda	_iub_cs-*	preferences	Iubenda	This cookie is used to store cookie acceptance and register consent.	1 year
J2EE	JSESSIONID*	preferences	J2EE	JSESSIONID is a cookie generated by Servlet containers and used for session management in J2EE web applications for HTTP protocol. If a Web server is using a cookie for session management, it creates and sends JSESSIONID cookie to the client and then the client sends it back to the server in subsequent HTTP requests. JSESSIONID is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.	session
Jimdo	ckies_functional	preferences	Jimdo	Opt-out for functional cookies	1 year
Jimdo	ckies_necessary	preferences	Jimdo	Confirms that other necessary cookies get set	1 year
Jimdo	ckies_performance	preferences	Jimdo	Opt-out for performance cookies	1 year
Jimdo	ckies_marketing	preferences	Jimdo	Opt-out for marketing/third party/consent based cookies	1 year
Jimdo	ClickAndChange	preferences	Jimdo	Session Cookie for Creator CMS	session
Joomla!	componentType	preferences	Joomla!	componentType is a session cookie, used for correct recording the type of the page (frontpage, single page, blog etc)	session
Joomla!	componentStyle	preferences	Joomla!	componentStyle is a session cookie, used for setting the proper template in compliance with visited type of the page	session
Joomla! Engagebox	nrid	preferences	Joomla!	This cookie is used to remember a user's choice about cookies on the website. Where users have previously indicated a preference, that user's preference will be stored in this cookie.	2 years
JoomlaArt	ja_purity_tpl	preferences	JoomlaArt	Indicates the website uses a JoomlaArt template	355 days

Service	Cookie	Category	Provider	Purpose	Retention
JoomlaArt	ja_purity_ii_tpl	preferences	JoomlaArt	Indicates the website uses a JoomlaArt template	355 days
justpremium.com	jpxumaster	marketing	JustPremium	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 month
justpremium.com	jpxumatched	marketing	JustPremium	Used to present the visitor with relevant content and advertisement - The service is provided by third party advertisement hubs, which facilitate real-time bidding for advertisers.	1 month
Kelkoo	KelkooID	marketing	Kelkoo	This cookie identifies the user for statistics and ad retargeting.	1 year
Kentico	CMSCsrCookie	necessary	Kentico	Store's a security token that the system uses to validate all form data submitted via POST requests. Helps protect against Cross site request forgery.	session
Kentico	CMSCookieLevel	preferences	Kentico	Specifies which cookies are allowed by the visitor.	1 year
Kentico	CMSLandingPageLoaded	analytics	Kentico	Indicates that the landing page has already been visited and the Landing page activity is not logged again for the current visitor. Expires after 20 minutes and the expiration period of the key is renewed every time the website is accessed again.	20 minutes
Kentico	CMSPreferredCulture	preferences	Kentico	Stores the visitor's preferred content culture.	1 year
Kentico	CMSUserPage	analytics	Kentico	Stores the IDs (DocumentID, NodeID) of the last visited page. Used for logging landing and exit page web analytics and activities.	20 minutes
Kentico	CurrentContact	analytics	Kentico	Stores the GUID of the contact related to the current site visitor. Used to track activities on the website.	50 years
Kentico	VisitorStatus	analytics	Kentico	Indicates if the visitor is new or returning. Used for tracking the visitors statistic in Web analytics.	20 years
Keycloak	AUTH_SESSION_ID	preferences	Keycloak	ID of current authentication session.	session
Keycloak	KC_RESTART	preferences	Keycloak	Internal cookie from Keycloak.	session
Keycloak	KC_START	preferences	Keycloak	Internal cookie from Keycloak.	session
Keycloak	KEYCLOAK_IDENTITY	preferences	Keycloak	ID of the current user.	session
Keycloak	KEYCLOAK_LOCALE	preferences	Keycloak	Language of the interface.	session
Keycloak	KEYCLOAK_REMEMBER_ME	preferences	Keycloak	Internal cookie from Keycloak.	1 year
Keycloak	KEYCLOAK_SESSION	preferences	Keycloak	ID of the current browser session	session
Keycloak	KC_STATE_CHECKER	preferences	Keycloak	Workaround for set the property samesite=strict on browsers that doesn't suport it	session
Keycloak	KC_AUTH_STATE	preferences	Keycloak	Internal cookie from Keycloak. To manage the authentication state	session
Keycloak	AUTH_SESSION_ID_LEGACY	preferences	Keycloak	Internal cookie from Keycloak. To manage the authentication state as a work-around to older browsers not supporting the SameSite flag on cookies.	session
Kiyoh	Kiyohnl	preferences	Kiyoh	Cookies are associated with the use of Kiyoh to collect and display customer reviews	1 year
Laravel	laravel_session	preferences	Laravel	Internally laravel uses laravel_session to identify a session instance for a user	Session
Leadfeeder	_lfa	marketing	Leadfeeder	Leadfeeder cookie collects the behavioral data of all website visitors. This includes; pages viewed, visitor source and time spent on the site	2 years
Leadinfo	_li_id*	marketing	Leadinfo	These cookies enable us to get insights about the business use of our website, based on IP addresses of the website visitors.	1 year
Leadinfo	_li_ses*	marketing	Leadinfo	These cookies enable us to get insights about the business use of our website, based on IP addresses of the website visitors.	1 year
Lightbox CDN	TIPMix	preferences	Lightbox	Registers which server-cluster is serving the visitor. This is used in context with load balancing, in order to optimize user experience.	0 day
Lightbox CDN	x-ms-routing-name	preferences	Lightbox	Registers which server-cluster is serving the visitor. This is used in context with load balancing, in order to optimize user experience.	0 day
Lightspeed	COOKIELAW_ADS	preferences	Lightspeed	Keeps track of whether marketing cookies are allowed	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Lightspeed	COOKIELAW_SOCIAL	preferences	Lightspeed	Keeps track of whether social cookies are allowed	1 year
Lightspeed	COOKIELAW_STATS	preferences	Lightspeed	Keeps track of whether analytics cookies are allowed	1 year
Lightspeed	COOKIELAW	preferences	Lightspeed	These cookies are used for platform stability and to store cookie preferences. They do not collect personally identifiable information and cannot be disabled.	1 year
Live helper chat	lhc_per	preferences	Live helper chat	Stores persistent information about chat id to be able to keep same chat while customer is navigating through pages.	180 days
Live helper chat	lhc_iddep	preferences	Live helper chat	Stores required department id. To disable user to change department.	Unknown
Live helper chat	lhc_ses	preferences	Live helper chat	Stores temporary information about chat. Was invitation to chat shown or not.	session
LiveZilla GmbH	lz_last_visit	preferences	LiveZilla GmbH	Last Visit (Timestamp), used to determine when the website visitor browsed the website the last time.	1 Year
LiveZilla GmbH	lz_userid	preferences	LiveZilla GmbH	Sets up a unique ID which is used to generate statistical data about the website visitor's usage of the website.	1 Year
LiveZilla GmbH	lz_visits	preferences	LiveZilla GmbH	Number of visits, is used to identify how often the website visitor already visited the website.	1 Year
Loggly	logglytrackingssession	preferences	Solarwinds	Used by Loggly for performance and error tracking.	session
Lucky Orange	_global_lucky_opt_out	preferences	Lucky Orange	If set, will not run Lucky Orange. Set via our opt out links.	10 years
Lucky Orange	_lo_np_*	preferences	Lucky Orange	Set if a user should no longer receive a particular poll.	30 days
Lucky Orange	_lo_bn	preferences	Lucky Orange	Indicated this visitor has been banned from tracking.	30 days
Lucky Orange	_lo_cid	preferences	Lucky Orange	ID of the visitor's current chat, if any.	Session
Lucky Orange	_lo_uid	analytics	Lucky Orange	Unique identifier for the visitor.	2 years
Lucky Orange	_lo_rid	analytics	Lucky Orange	ID of the visitor's current recording.	30 minutes
Lucky Orange	_lo_v	analytics	Lucky Orange	Total number of visitor's visits.	1 year
Lucky Orange	__lotl	analytics	Lucky Orange	URL of the visitor's original landing page, if any.	180 days
Lucky Orange	__lotr	analytics	Lucky Orange	URL of the visitor's original referrer, if any.	180 days
MailMunch	mailmunch_second_pagevie w	marketing	MailMunch	Used for tracking by the Mailmunch mailing list software	1 year
MailMunch	_mailmunch_visitor_id	marketing	MailMunch	This cookie is set by MailMunch which is email collection and email marketing platform.	1 year
Marfeel	_ut*	analytics	Marfeel	This cookie is used to uniquely identify the same user on the different domains	30 days
Marfeel	_s*	analytics	Marfeel	This cookie is used to store for temporary session	Session
Marfeel	_lv*	analytics	Marfeel	This cookie is used to store for last visit	180 days
Marfeel	_nrbi	analytics	Marfeel	This cookie is used to store user data for the Cookie Management Platform	180 days
Marfeel	compass_sid	analytics	Marfeel	This cookie is used to store Marfeel session id.	Session
Marfeel	compass_uid	analytics	Marfeel	This cookie is used to store Marfeel user id	180 days
Marfeel	__m_rec	analytics	Marfeel	This cookie is used to store data about recirculation module	180 days
Matomo	_pk_id*	analytics	Matomo	Used to store a few details about the user such as the unique visitor ID	13 months
Matomo	_pk_ref*	analytics	Matomo	Used to store the attribution information, the referrer initially used to visit the website	6 months
Matomo	_pk_ses*	analytics	Matomo	Short lived cookies used to temporarily store data for the visit	30 minutes
Matomo	_pk_cvar	analytics	Sharpspring	Short lcts data on visitors behavior and interaction - This is used to optimize the website and make advertisement on the website more relevant.	3 years
Matomo	_pk_hsr*	analytics	Matomo	Short lived cookies used to temporarily store data for the visit	30 minutes

Service	Cookie	Category	Provider	Purpose	Retention
Matomo	_pk_testcookie*	analytics	Matomo	Cookie is created and should be then directly deleted (used to check whether the visitor's browser supports cookies)	session
Matomo	mtm_consent	analytics	Matomo	Cookie is created with no expiry date to forever remember that consent was given by the user.	forever
Matomo	mtm_consent_removed	analytics	Matomo	Cookie is used to store the user consent preference	forever
Matomo	mtm_cookie_consent	analytics	Matomo	Cookie is used to store the user consent preference	forever
Matomo	matomo_ignore	analytics	Matomo	cookie will be a third party cookie. This cookie does not contain personal information or any ID and the cookie value is the same for all visitors)	30 years
Matomo	matomo_sessid	analytics	Matomo	when you use the opt-out feature (this is called a nonce and helps prevent CSRF security issues)	14 days
Maxlead	cookieconsent_variant	preferences	Maxlead	Stores the variant of shown cookie banner	1 year
Maxlead	cookieconsent_system	preferences	Maxlead	Cookie consent system cookie for saving user's cookie opt-in/out choices.	1 year
Maxlead	cookieconsent_level	preferences	Maxlead	Cookie consent system cookie for storing the level of cookie consent.	1 year
Maxlead	cookieconsent_seen	preferences	Maxlead	Used to support the GDPR / AVG compliant cookie consent system	1 year
Media.net	data-*	marketing	Media.net	Cookie used to record your browsing activity, with the purpose of displaying targeted ads.	1 year
Media.net	visitor-id	marketing	Media.net	This cookie is used to collect information on the visitor, which we then use for analytics purposes.	1 year
Media.net	gdpr_status	marketing	Media.net	Determines whether you have accepted the cookie consent box, to prevent it being shown the next time you visit	6 months
Media.net	mnet_session_depth	marketing	Media.net	Contains the scroll-depth across the website's sub-pages.	Session
Mediamath	uuid	marketing	MediaMath	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.	1 year
MediaMath	mt_misc	marketing	MediaMath	MediaMath uses this cookie to hold attributes about the browser for fraud prevention and other technical optimizations.	30 days
MediaMath	mt_mop	marketing	MediaMath	MediaMath uses this cookie to synchronize the visitor ID with a limited number of trusted exchanges and data partners	30 days
MediaMath	uuidc	marketing	MediaMath	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.	1 year
Mediaplex	svid	marketing	Epsilon	Used to relate preference information for marketing purposes	13 months
Mediaplex	rts	marketing	Epsilon	Used to track last time browser was redirected through Corporate Cookie Service / Dotomi.com domain	13 months
Mediarithmics	mics_vid	marketing	Mediarithmics	This Cookie is required by mediarithmics third-party cookie identifier	1 year
Mediarithmics	mics_uaid	marketing	Mediarithmics	This cookie is an Legacy cookie added by mediarithmics that will be deprecated	1 year
Mediarithmics	mics_lts	marketing	Mediarithmics	This cookie is added by mediarithmics which determines the last time the browser has been seen	1 year
Mediarithmics	chk	marketing	Mediarithmics	This cookie is added by mediarithmics In the case of a call on events.mediarithmics.com without a cookie mics_vid, this cookie is written to check that the user browser supports third party cookies. It contains a randomly generated UUID.	1 hour
MediaVine	mv_tokens	marketing	MediaVine	Sets a unique ID for the visitor that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs which facilitates real-time bidding for advertisers.	14 days
MediaVine	mv_tokens_invalidate-verizon-pushes	marketing	MediaVine	Sets a unique ID for the visitor that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs which facilitates real-time bidding for advertisers.	14 days
MediaVine	am_tokens	marketing	MediaVine	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs which facilitate real-time bidding for advertisers.	14 days
MediaVine	am_tokens_invalidate-verizon-pushes	marketing	MediaVine	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs which facilitate real-time bidding for advertisers.	14 days

Service	Cookie	Category	Provider	Purpose	Retention
MercadoLibre	_d2id	marketing	MercadoLibre	This cookie is required for shopping cart functionality on the website.	1 year
MercadoLibre	edsid	marketing	MercadoLibre	This cookie is used to identify users to implement fraud prevention	1 year
MercadoLibre	ftid	marketing	MercadoLibre	This cookie is used to identify users to implement fraud prevention	1 year
Moove	moove_gdpr_popup	preferences	Moove	When this Cookie is enabled, these Cookies are used to save your Cookie Setting Preferences.	1 year
Mopinion.com	Pastease.passive.activated*	analytics	Mopinion.com	The visitor is selected via this Mopinion cookie and the visitor sees the form.	1 month
Mopinion.com	Pastease.passive.chance*	analytics	Mopinion.com	This Mopinion cookie determines the chance that the visitor will see the form.	1 month
Nativo	opt_out	marketing	Nativo	This cookie is used to remember not to serve that user targeted Ads if they opt out.	1 year
Nativo	visitor	marketing	Nativo	This cookie is used to identify a unique visitor to the site.	1 year
Neustar	ab	marketing	Neustar	This cookie is used by the website's operator in context with multi-variate testing. This is a tool used to combine or change content on the website. This allows the website to find the best variation/edition of the site.	1 year
Next	NEXT_LOCALE	preferences	NextJS	This cookie can be set using a language switcher and then when a user comes back to the site it will leverage the locale specified in the cookie when redirecting from / to the correct locale location.	Session
Next.js	__next_*	preferences	Vercel	Next.js framework cookies for routing and user preferences.	Varies
NextAuth.js	__Secure-next-auth.callback-url	preferences	NextAuth.js	Used to store the callback URL which the user should be redirected to after login.	session
NextAuth.js	__Host-next-auth.csrf-token	preferences	NextAuth.js	Used to help with site security in preventing Cross-Site Request Forgery attacks.	session
NextAuth.js	next-auth.*	necessary	NextAuth.js	Authentication session cookies for NextAuth.js (Auth.js) - popular authentication library for Next.js.	Session to 30 days
Nexx360	n360_thirtythreeacross	marketing	Nexx360	This cookie is used to pre-bid on 33Across by Nexx360 Header Bidding.	3 months
Nexx360	n360-thirtythreeacross	marketing	Nexx360	This cookie is used to pre-bid on 33Across by Nexx360 Header Bidding.	3 months
Nexx360	n360_appnexus	marketing	Nexx360	This cookie is used to pre-bid on Xandr by Nexx360 Header Bidding.	3 months
Nexx360	n360-appnexus	marketing	Nexx360	This cookie is used to pre-bid on Xandr by Nexx360 Header Bidding.	3 months
Nexx360	n360_blink	marketing	Nexx360	This cookie is used to pre-bid on Bliink by Nexx360 Header Bidding.	3 months
Nexx360	n360-blink	marketing	Nexx360	This cookie is used to pre-bid on Bliink by Nexx360 Header Bidding.	3 months
Nexx360	n360_amx	marketing	Nexx360	This cookie is used to pre-bid on AdaptMX by Nexx360 Header Bidding.	3 months
Nexx360	n360-amx	marketing	Nexx360	This cookie is used to pre-bid on AdaptMX by Nexx360 Header Bidding.	3 months
Nexx360	n360_adform	marketing	Nexx360	This cookie is used to pre-bid on Adform by Nexx360 Header Bidding.	3 months
Nexx360	n360-adform	marketing	Nexx360	This cookie is used to pre-bid on Adform by Nexx360 Header Bidding.	3 months
Nexx360	n360_adnuntius	marketing	Nexx360	This cookie is used to pre-bid on Adnuntius by Nexx360 Header Bidding.	3 months
Nexx360	n360-adnuntius	marketing	Nexx360	This cookie is used to pre-bid on Adnuntius by Nexx360 Header Bidding.	3 months
Nexx360	n360_adot	marketing	Nexx360	This cookie is used to pre-bid on Adot by Nexx360 Header Bidding.	3 months
Nexx360	n360-adot	marketing	Nexx360	This cookie is used to pre-bid on Adot by Nexx360 Header Bidding.	3 months
Nexx360	n360_adyoulike	marketing	Nexx360	This cookie is used to pre-bid on Adyoulike by Nexx360 Header Bidding.	3 months
Nexx360	n360-adyoulike	marketing	Nexx360	This cookie is used to pre-bid on Adyoulike by Nexx360 Header Bidding.	3 months
Nexx360	n360_connectad	marketing	Nexx360	This cookie is used to pre-bid on ConnectAd by Nexx360 Header Bidding.	3 months
Nexx360	n360-connectad	marketing	Nexx360	This cookie is used to pre-bid on ConnectAd by Nexx360 Header Bidding.	3 months
Nexx360	n360_conversant	marketing	Nexx360	This cookie is used to pre-bid on Conversant by Nexx360 Header Bidding.	3 months
Nexx360	n360-conversant	marketing	Nexx360	This cookie is used to pre-bid on Conversant by Nexx360 Header Bidding.	3 months

Service	Cookie	Category	Provider	Purpose	Retention
Nexx360	n360_cwire	marketing	Nexx360	This cookie is used to pre-bid on Cwire by Nexx360 Header Bidding.	3 months
Nexx360	n360-cwire	marketing	Nexx360	This cookie is used to pre-bid on Cwire by Nexx360 Header Bidding.	3 months
Nexx360	n360_firstid	marketing	Nexx360	This cookie is used to pre-bid on First ID by Nexx360 Header Bidding.	3 months
Nexx360	n360-firstid	marketing	Nexx360	This cookie is used to pre-bid on First ID by Nexx360 Header Bidding.	3 months
Nexx360	n360_freewheel	marketing	Nexx360	This cookie is used to pre-bid on Freewheel by Nexx360 Header Bidding.	3 months
Nexx360	n360-freewheel	marketing	Nexx360	This cookie is used to pre-bid on Freewheel by Nexx360 Header Bidding.	3 months
Nexx360	n360_fueldigitalmedia	marketing	Nexx360	This cookie is used to pre-bid on Fuel Digital Media by Nexx360 Header Bidding.	3 months
Nexx360	n360-fueldigitalmedia	marketing	Nexx360	This cookie is used to pre-bid on Fuel Digital Media by Nexx360 Header Bidding.	3 months
Nexx360	n360_fueldigitalix	marketing	Nexx360	This cookie is used to pre-bid on Fuel Digital (IX) by Nexx360 Header Bidding.	3 months
Nexx360	n360-fueldigitalix	marketing	Nexx360	This cookie is used to pre-bid on Fuel Digital (IX) by Nexx360 Header Bidding.	3 months
Nexx360	n360_fueldigital	marketing	Nexx360	This cookie is used to pre-bid on Fuel Digital (Smart) by Nexx360 Header Bidding.	3 months
Nexx360	n360-fueldigital	marketing	Nexx360	This cookie is used to pre-bid on Fuel Digital (Smart)by Nexx360 Header Bidding.	3 months
Nexx360	n360_gingerad	marketing	Nexx360	This cookie is used to pre-bid on GingerAd by Nexx360 Header Bidding.	3 months
Nexx360	n360-gingerad	marketing	Nexx360	This cookie is used to pre-bid on GingerAd by Nexx360 Header Bidding.	3 months
Nexx360	n360_goodad	marketing	Nexx360	This cookie is used to pre-bid on GoodAd by Nexx360 Header Bidding.	3 months
Nexx360	n360-goodad	marketing	Nexx360	This cookie is used to pre-bid on GoodAd by Nexx360 Header Bidding.	3 months
Nexx360	n360_gravity	marketing	Nexx360	This cookie is used to pre-bid on Gravity by Nexx360 Header Bidding.	3 months
Nexx360	n360-gravity	marketing	Nexx360	This cookie is used to pre-bid on Gravity by Nexx360 Header Bidding.	3 months
Nexx360	n360_groupm	marketing	Nexx360	This cookie is used to pre-bid on GroupM by Nexx360 Header Bidding.	3 months
Nexx360	n360-groupm	marketing	Nexx360	This cookie is used to pre-bid on GroupM by Nexx360 Header Bidding.	3 months
Nexx360	n360_improve	marketing	Nexx360	This cookie is used to pre-bid on Improve by Nexx360 Header Bidding.	3 months
Nexx360	n360-improve	marketing	Nexx360	This cookie is used to pre-bid on Improve by Nexx360 Header Bidding.	3 months
Nexx360	n360_ix	marketing	Nexx360	This cookie is used to pre-bid on Index by Nexx360 Header Bidding.	3 months
Nexx360	n360-ix	marketing	Nexx360	This cookie is used to pre-bid on Index by Nexx360 Header Bidding.	3 months
Nexx360	n360_medianet	marketing	Nexx360	This cookie is used to pre-bid on Media.net by Nexx360 Header Bidding.	3 months
Nexx360	n360-medianet	marketing	Nexx360	This cookie is used to pre-bid on Media.net by Nexx360 Header Bidding.	3 months
Nexx360	n360_moneytag	marketing	Nexx360	This cookie is used to pre-bid on Moneytag by Nexx360 Header Bidding.	3 months
Nexx360	n360-moneytag	marketing	Nexx360	This cookie is used to pre-bid on Moneytag by Nexx360 Header Bidding.	3 months
Nexx360	n360_nextmillennium	marketing	Nexx360	This cookie is used to pre-bid on NextMillennium by Nexx360 Header Bidding.	3 months
Nexx360	n360-nextmillennium	marketing	Nexx360	This cookie is used to pre-bid on NextMillennium by Nexx360 Header Bidding.	3 months
Nexx360	n360_onetag	marketing	Nexx360	This cookie is used to pre-bid on OneTag by Nexx360 Header Bidding.	3 months
Nexx360	n360-onetag	marketing	Nexx360	This cookie is used to pre-bid on OneTag by Nexx360 Header Bidding.	3 months
Nexx360	n360_openx	marketing	Nexx360	This cookie is used to pre-bid on OpenX by Nexx360 Header Bidding.	3 months
Nexx360	n360-openx	marketing	Nexx360	This cookie is used to pre-bid on OpenX by Nexx360 Header Bidding.	3 months
Nexx360	n360_outbrain	marketing	Nexx360	This cookie is used to pre-bid on Outbrain by Nexx360 Header Bidding.	3 months
Nexx360	n360-outbrain	marketing	Nexx360	This cookie is used to pre-bid on Outbrain by Nexx360 Header Bidding.	3 months

Service	Cookie	Category	Provider	Purpose	Retention
Nexx360	n360_plista	marketing	Nexx360	This cookie is used to pre-bid on Plista by Nexx360 Header Bidding.	3 months
Nexx360	n360-plista	marketing	Nexx360	This cookie is used to pre-bid on Plista by Nexx360 Header Bidding.	3 months
Nexx360	n360_pubmatic	marketing	Nexx360	This cookie is used to pre-bid on Pubmatic by Nexx360 Header Bidding.	3 months
Nexx360	n360-pubmatic	marketing	Nexx360	This cookie is used to pre-bid on Pubmatic by Nexx360 Header Bidding.	3 months
Nexx360	n360_pulsepoint	marketing	Nexx360	This cookie is used to pre-bid on PulsePoint by Nexx360 Header Bidding.	3 months
Nexx360	n360-pulsepoint	marketing	Nexx360	This cookie is used to pre-bid on PulsePoint by Nexx360 Header Bidding.	3 months
Nexx360	n360_quantum	marketing	Nexx360	This cookie is used to pre-bid on Quantum by Nexx360 Header Bidding.	3 months
Nexx360	n360-quantum	marketing	Nexx360	This cookie is used to pre-bid on Quantum by Nexx360 Header Bidding.	3 months
Nexx360	n360_richaudience	marketing	Nexx360	This cookie is used to pre-bid on RichAudience by Nexx360 Header Bidding.	3 months
Nexx360	n360-richaudience	marketing	Nexx360	This cookie is used to pre-bid on RichAudience by Nexx360 Header Bidding.	3 months
Nexx360	n360_rtbhouse	marketing	Nexx360	This cookie is used to pre-bid on RTB House by Nexx360 Header Bidding.	3 months
Nexx360	n360-rtbhouse	marketing	Nexx360	This cookie is used to pre-bid on RTB House by Nexx360 Header Bidding.	3 months
Nexx360	n360_rubicon	marketing	Nexx360	This cookie is used to pre-bid on Rubicon (Magnite) by Nexx360 Header Bidding.	3 months
Nexx360	n360-rubicon	marketing	Nexx360	This cookie is used to pre-bid on Rubicon (Magnite) by Nexx360 Header Bidding.	3 months
Nexx360	n360_sharethrough	marketing	Nexx360	This cookie is used to pre-bid on Sharethrough by Nexx360 Header Bidding.	3 months
Nexx360	n360-sharethrough	marketing	Nexx360	This cookie is used to pre-bid on Sharethrough by Nexx360 Header Bidding.	3 months
Nexx360	n360_smaato	marketing	Nexx360	This cookie is used to pre-bid on Smaato by Nexx360 Header Bidding.	3 months
Nexx360	n360-smaato	marketing	Nexx360	This cookie is used to pre-bid on Smaato by Nexx360 Header Bidding.	3 months
Nexx360	n360_smartadserver	marketing	Nexx360	This cookie is used to pre-bid on Smart (Equativ) by Nexx360 Header Bidding.	3 months
Nexx360	n360-smartadserver	marketing	Nexx360	This cookie is used to pre-bid on Smart (Equativ) by Nexx360 Header Bidding.	3 months
Nexx360	n360_smartyads	marketing	Nexx360	This cookie is used to pre-bid on SmartyAds by Nexx360 Header Bidding.	3 months
Nexx360	n360-smartyads	marketing	Nexx360	This cookie is used to pre-bid on SmartyAds by Nexx360 Header Bidding.	3 months
Nexx360	n360_smilewanted	marketing	Nexx360	This cookie is used to pre-bid on Smilewanted by Nexx360 Header Bidding.	3 months
Nexx360	n360-smilewanted	marketing	Nexx360	This cookie is used to pre-bid on Smilewanted by Nexx360 Header Bidding.	3 months
Nexx360	n360_staila	marketing	Nexx360	This cookie is used to pre-bid on Staila by Nexx360 Header Bidding.	3 months
Nexx360	n360-staila	marketing	Nexx360	This cookie is used to pre-bid on Staila by Nexx360 Header Bidding.	3 months
Nexx360	n360_tappx	marketing	Nexx360	This cookie is used to pre-bid on TappX by Nexx360 Header Bidding.	3 months
Nexx360	n360-tappx	marketing	Nexx360	This cookie is used to pre-bid on TappX by Nexx360 Header Bidding.	3 months
Nexx360	n360_mediagrid	marketing	Nexx360	This cookie is used to pre-bid on The MediaGrid by Nexx360 Header Bidding.	3 months
Nexx360	n360-mediagrid	marketing	Nexx360	This cookie is used to pre-bid on The MediaGrid by Nexx360 Header Bidding.	3 months
Nexx360	n360_ttd	marketing	Nexx360	This cookie is used to pre-bid on The Trade Desk by Nexx360 Header Bidding.	3 months
Nexx360	n360-ttd	marketing	Nexx360	This cookie is used to pre-bid on The Trade Desk by Nexx360 Header Bidding.	3 months
Nexx360	n360_traffactive	marketing	Nexx360	This cookie is used to pre-bid on Traffactive by Nexx360 Header Bidding.	3 months
Nexx360	n360-traffactive	marketing	Nexx360	This cookie is used to pre-bid on Traffactive by Nexx360 Header Bidding.	3 months
Nexx360	n360_triplelift	marketing	Nexx360	This cookie is used to pre-bid on Triplelift by Nexx360 Header Bidding.	3 months
Nexx360	n360-triplelift	marketing	Nexx360	This cookie is used to pre-bid on Triplelift by Nexx360 Header Bidding.	3 months

Service	Cookie	Category	Provider	Purpose	Retention
Nexx360	n360_yahoo	marketing	Nexx360	This cookie is used to pre-bid on Verizon (Yahoo) by Nexx360 Header Bidding.	3 months
Nexx360	n360-yahoo	marketing	Nexx360	This cookie is used to pre-bid on Verizon (Yahoo) by Nexx360 Header Bidding.	3 months
Nexx360	n360_vidoomy	marketing	Nexx360	This cookie is used to pre-bid on Vidoomy by Nexx360 Header Bidding.	3 months
Nexx360	n360-vidoomy	marketing	Nexx360	This cookie is used to pre-bid on Vidoomy by Nexx360 Header Bidding.	3 months
Nexx360	n360_yieldlab	marketing	Nexx360	This cookie is used to pre-bid on Yieldlab by Nexx360 Header Bidding.	3 months
Nexx360	n360-yieldlab	marketing	Nexx360	This cookie is used to pre-bid on Yieldlab by Nexx360 Header Bidding.	3 months
NGINX Ingresss	INGRESSCOOKIE	preferences	NGINX	Registers which server-cluster is serving the visitor. This is used in context with load balancing, in order to optimize user experience.	session
Nielsen	IMRID	marketing	Nielsen	This domain is owned by Nielsen. The main business activity is: Consumer Profiling for Online Advertising	390 days
Nielsen	ud	marketing	Nielsen	Collects data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	119 days
Nielsen	udo	marketing	Nielsen	Collects information on user behavior on multiple websites. This information is used in order to optimize the relevance of advertisement on the website.	119 days
Nielsen	EE	marketing	Nielsen	Collects data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	119 days
nopCommerce	Nop.customer	preferences	nopCommerce	Customer cookie. Used to identifier guest customers.	1 month
nopCommerce	NopCommerce.RecentlyViewedProducts	preferences	nopCommerce	Recently viewed products cookie. Stores a list of the recently viewed products	10 days
nopCommerce	NOPCOMMERCE.AUTH	preferences	nopCommerce	Forms authentication cookie. Used for authenticating registered customers.	session
OnAudience	done_redirects*	marketing	OnAudience	Used to monitor website performance for statistical purposes.	1 day
Optinmonster	_omappvs	marketing	Optinmonster	Cookie is used to identify returning visitors	1 day
Optinmonster	_omappvp	marketing	Optinmonster	Cookie is used to identify returning visitors	1 day
Oracle	JSESSIO	preferences	Oracle	JSESSIO is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.	Session
Oracle	ORA_WWV_APP_*	preferences	Oracle	Security cookie for applications.	Session
Oracle	ELOQUA	analytics	Oracle	This cookies allow better understand how visitors use the website. This cookie data may be used to personalise the content or design of the website	13 months
Oracle	ELQSTATUS	analytics	Oracle	This cookie is used to track individual visitors and their use of the site. It is set when you first visit the site and updated on subsequent visits.	13 months
Oribi	oribi_user_guid	analytics	Oribi	This cookie is used to identify a unique visitor	1 year
Oribi	oribi_cookie_test	analytics	Oribi	This cookie is used To determine if tracking can be enabled on a current domain	Session
Ortec	app_ts	marketing	Ortec	Used by adscience.nl to display remarketing campaigns.	1 year
Ortec	viewer	marketing	Ortec	Used by adscience.nl to measure visitor numbers and information and use it to optimize marketing campaigns.	1 year
Ortec	spx_ts	marketing	Ortec	These cookies ensure that relevant advertisements are displayed on external websites.	1 year
Ortec	adx_ts	marketing	Ortec	These cookies ensure that relevant advertisements are displayed on external websites.	1 year
Ortec	id_ts	marketing	Ortec	These cookies ensure that relevant advertisements are displayed on external websites.	1 year
Osano	osano_consentmanager	preferences	Osano	Stores the user's current consent status.	1 year
Osano	osano_consentmanager_expirationdate	preferences	Osano	Stores the expiration of the user's captured consent.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Osano	osano_consentmanager_uid	preferences	Osano	Stores the user's unique consent identifier.	1 year
Osano	cookieconsent_status	preferences	Osano	This cookie is used to remember if you have consented to the use of cookies on this website.	1 year
Osano	cookieconsent_page	preferences	Osano	Page where the user complies to the cookie consent	session
Pangle	_pangle	marketing	Pangle	This cookie is to measure and improve the performance of your advertising campaigns and to personalize the user's ad experiences delivered by the Pangle ad network.	13 months
Parse.ly	_parsely_visitor	preferences	Parse.ly	JSON document uniquely identifying a browser and counting its sessions	13 months
Parse.ly	_parsely_tpa_blocked	preferences	Parse.ly	JSON document storing a flag indicating whether pixel.parsely.com is not accessible by the tracker	12 hours
Parse.ly	_parsely_slot_click	preferences	Parse.ly	explicitly cleared on some tracker loads, JSON document storing positional information about a clicked internal link	Session
Parse.ly	_parsely_session	preferences	Parse.ly	JSON document storing information identifying a browsing session according to Parsely's proprietary definition	30 minutes
Parse.ly	test	preferences	Parse.ly	This cookie is used to discover cookie support, value undefined	Session
Partnerize	tPHG-PS	marketing	Partnerize	Partnerize's tracking cookie, deployed either upon a user's clicking of a link on a partner website, or upon the loading of a customer's image to a partner website.	1 year
PayPal	enforce_policy	preferences	PayPal	This cookie is provided by Paypal. The cookie is used in context with transactions on the website - The cookie is necessary for secure transactions.	1 year
PayPal	x-pp-s	preferences	PayPal	This cookie is provided by PayPal and supports payment services in the website.	session
PayPal	ts	preferences	PayPal	This cookie is generally provided by PayPal and supports payment services on the website	3 years
PayPal	ts_c	preferences	PayPal	This cookie is provided by Paypal. The cookie is used in context with transactions on the website.	3 years
PayPal	tsrce	preferences	PayPal	This cookie is generally provided by PayPal and supports payment services on the website.	session
PayPal	nsid	preferences	PayPal	Cookie for fraud detection. When making a payment via PayPal these cookies are issued - PayPal session/security	session
PayPal	X-PP-SILOVER	preferences	PayPal	This cookie is generally provided by PayPal and supports payment services on the website.	30 minutes
PayPal	X-PP-L7	preferences	PayPal	Paypal - These cookies are essential in order to enable you to move around the website and use its features, such as accessing secure areas of the website. Without these cookies services you have asked for, like shopping baskets or e-billing, cannot be provided.	session
PayPal	l7_az	preferences	PayPal	This cookie is necessary for the PayPal login-function on the website.	1 day
Perfect Audience	pa_rubicon_ts	marketing	Perfect Audience	This cookie is set by Perfect Audience and is used for advertising purposes based on user behavior data.	2 years
Perfect Audience	pa_google_ts	marketing	Perfect Audience	This cookie is set by Perfect Audience and is used for advertising purposes based on user behavior data.	2 years
Perfect Audience	pa_twitter_ts	marketing	Perfect Audience	This cookie is set by Perfect Audience and is used for advertising purposes based on user behavior data.	2 years
Perfect Audience	pa_yahoo_ts	marketing	Perfect Audience	This cookie is set by Perfect Audience and is used for advertising purposes based on user behavior data.	2 years
Perfect Audience	pa_openx_ts	marketing	Perfect Audience	This cookie is set by Perfect Audience and is used for advertising purposes based on user behavior data.	2 years
Perfect Audience	pa_uid	marketing	Perfect Audience	This cookie is set by Perfect Audience and is used for advertising purposes based on user behavior data.	2 years
Perl	CGISESSID	preferences	Perl	Cookie generated by applications based on the Perl language. This is a general purpose identifier used to maintain user session variables.	session
Permutive	pxid	preferences	Permutive	Typically, it is enabled when a Publisher owned multiple domains and has an interest in identifying their users consistently across their domains. The URL of the referrer header has to match a pre-configured list of domains (configured in the Permutive dashboard). We refer to this service as the "Secure Permutive 3P cookie", and will not be shared between Publishers. This PXID 3P cookie varies Publisher by Publisher.	89 Days
Permutive	permutive-id	preferences	Permutive	This ID is the same within a domain (not publisher-specific). The Permutive ID exists in all environments, including 3P cookie-blocked environments like Safari and Firefox. The ID is persistent for a user as long as the local storage isn't refreshed on the user's device.	1095 Days

Service	Cookie	Category	Provider	Purpose	Retention
PHP.net	PHPSESSID	preferences	PHP.net	Cookie generated by applications based on the PHP language. This is a general purpose identifier used to maintain user session variables. It is normally a random generated number, how it is used can be specific to the site, but a good example is maintaining a logged-in status for a user between pages.	Sessions
PHP.net	__Secure-PHPSESSID	preferences	PHP.net	Cookie generated by applications based on the PHP language. This is a general purpose identifier used to maintain user session variables. It is normally a random generated number, how it is used can be specific to the site, but a good example is maintaining a logged-in status for a user between pages.	Sessions
phpMyAdmin	pmaAuth-*	preferences	phpMyAdmin	Per server authentication	session
phpMyAdmin	phpMyAdmin	preferences	phpMyAdmin	Session identifier	session
phpMyAdmin	pmaUser-*	preferences	phpMyAdmin	Per server username	30 days
phpMyAdmin	pma_lang	preferences	phpMyAdmin	Language preference	30 days
Piano	pa_user	analytics	Piano	The pa_user cookie tracks an authenticated visitor (user) over time, even if the user does not log in again during subsequent visits. This cookie is managed by the customer who chooses its value and decides if the cookie should be set or not	13 months
Piano	xbc	preferences	Piano	This cookie is used by Multiple Composer features, used for, metering, A/B testing, adblocker conversion tracking, credits, affiliates, first-visit segmentation, and AMP reader ID linking.	2 years
Piano	__tbc	preferences	Piano	This cookie is used for tracking conversion and external segmentation	2 years
Piano	__pls	preferences	Piano	This cookie is used to differentiate users has been subscribed to an ESP push list	2 years
Piano	__tac	preferences	Piano	This cookie is used to check access via JWT won't work and the Composer Cookies stop working	90 days
Piano	_pcus	marketing	Piano	This cookie is used to User segmentation	2 years
Piano	cX_P	analytics	Piano	This cookie contains the browserId that is used in Piano products for reporting and tracking purposes	13 months
Piano	cX_G	marketing	Piano	This cookie is a Global ID mapping different IDs together into one ID. Used for building user profile information across all sites of a single customer where cx.js is implemented	13 months
Piano	gckp	marketing	Piano	This cookie is used for building user profile information across sites of a single customer where cx.js is implemented	12 months
Piano	pnespsdk_visitor	analytics	Piano	This cookie is used for tracking user visits	12 months
Piano	pnespsdk_push_subscription_added	analytics	Piano	This cookie is used only in case the Push notifications feature in ESP is activated and allows correct tracking of Push notification subscription events	12 months
Piano	pnespsdk_pnespid	marketing	Piano	This cookie is used to connect a user visit coming from an email campaign click with a visitor on the website	12 months
Piano	pnespsdk_ssn	preferences	Piano	This session cookie is mandatory for the ESP service to be correctly running	session
Piano	__utp	preferences	Piano	This cookie is used for logged-in user's session, and contains details of a logged-in user. By default, this cookie is set on the top-level domain	2 years
Piano	__pil	preferences	Piano	This cookie is used to set the preferred language for the Piano templates. Value for example: de_DE. If not available, VX's LANG cookie is used.	30 days
Piano	__pid	preferences	Piano	This cookie stores the domain received on the frontend is used as a domain for other cookies (incl. __utp, __idr, __tae) Example value: .piano.io	30 days
Piano	__idr	preferences	Piano	The User Session Cookie is set when a user selects the option 'Stay logged in' when signing in. The expiration depends on the value configured in the Piano ID settings. Various browser restrictions and cookie rules affect the expiration as well.	30 days
Piano	__eea	preferences	Piano	This cookie is used to determine if the user token (stored in __utp) needs to be refreshed with the new expiration automatically every 24 hours.	30 days
Piano	__code	preferences	Piano	This cookie is used for ID OAuth authorization.	session
Piano	__bid	preferences	Piano	this cookie is used to Identifies the browser of the end user	1 year
Piano	__ut	preferences	Piano	This cookie is used to Store on your website, the User Token Cookie stores encrypted data used by all Piano User Accounts	2 years

Service	Cookie	Category	Provider	Purpose	Retention
Piano	__pvi	analytics	Piano	This cookie stores data about the last visit to the site including the AID, lastTrackedVisitId, domain and time of the visit. Used for reporting only.	1 day
Piano	__pat	analytics	Piano	This cookie stores difference between the client's application time zone and UTC. At midnight, (application's local time), the previous visit is expired and a new one is created. The cookie is used for calculation.	30 days
Piano	__pnahc	preferences	Piano	This cookie stores the result of previous Adblock detection, removes false-positive AdBlock detection clauses.	90 days
Piano	LANG	preferences	Piano	This cookie stores the selected locale	1500 days
Piano	LANG_CHANGED	preferences	Piano	This cookie stores the temporarily selected locale (e.g. impersonation in Admin dashboard).	1 day
Piano	_pctx	preferences	Piano	This cookie is required to sync different Piano product scripts containing common data points. It contains data from different products, for example for Composer Insights or Ad Revenue Insights, but only IF you have implemented any of these products.	13 months
Piano	_pprv	preferences	Piano	This cookie contains the property consent (linked to a product) the end-user has consented to. More information about Consent management can be found here.	13 months
Piano	_pcid	preferences	Piano	This cookie contains the browserId (BID) that is used in Piano products for reporting and tracking purposes.	13 months
Picreel	picreel_tracker__visited	analytics	Picreel	Used for statistical purposes when counting the number of pages, the user visited	Unlimited
Picreel	picreel_tracker__first_visit	analytics	Picreel	Used for statistical purposes, keeping the date of the first visit	Unlimited
Picreel	picreel_tracker__page_views	analytics	Picreel	Pending	Unlimited
Picreel	picreel_new_price	analytics	Picreel	Pending	Unlimited
Piwik	stg_traffic_source_priority	analytics	Piwik	Stores the type of traffic source that explains how the visitor reached your website.	30 minutes
Piwik	stg_last_interaction	analytics	Piwik	Determines whether the last visitor's session is still in progress or a new session has started.	365 days
Piwik	stg_returning_visitor	analytics	Piwik	Determines if the visitor has already been to your website, they are returning visitors.	365 days
Piwik	stg_externalReferrer	analytics	Piwik	Stores an URL of a website that referred a visitor to your website.	session
Piwik	_pk_id.*	analytics	Piwik	Used to recognize visitors and hold their various properties.	13 Months
Piwik	_pk_ses.*	analytics	Piwik	Shows the visitor's active session. If the cookie doesn't exist, it means that the session ended more than 30 minutes ago and was counted in the _pk_id cookie.	30 minutes
Piwik	ppms_privacy_*	analytics	Piwik	Stores the visitor's consent to data collection and usage.	12 months
Piwik	ppms_privacy_bar_*	analytics	Piwik	Stores information that the visitor has closed the consent reminder.	Session
Piwik	stg_fired_*	analytics	Piwik	Indicates whether the tag and trigger combination was fired during the current visitor session. This cookie can be set multiple times with different condition IDs.	Session
Piwik	stg_utm_campaign	analytics	Piwik	Stores the name of the campaign that directed the visitor to your site.	Session
Piwik	stg_pk_campaign	analytics	Piwik	Stores the name of the campaign that directed the visitor to your site.	Session
Piwik	_stg_optout	analytics	Piwik	Helps to turn off all tracking tags on your site.	365 days
Piwik	stg_global_opt_out	analytics	Piwik	Helps to turn off all tracking tags on sites that belong to one Piwik PRO account.	365 days
Platform161	fl_inst	marketing	Platform161	Used to check if Flash plugin is enabled in browser of user.	7 days
Platform161	pvc2	marketing	Platform161	Contains information related to ad impressions.	13 months
Platform161	pcc2	marketing	Platform161	Contains information related to ad impressions.	13 months
Platform161	trc	marketing	Platform161	Contains information related to ad impressions.	13 months
Platform161	tuuid	marketing	Platform161	Unique value to identify individual users.	13 months
Platform161	ad2	marketing	Platform161	Contains information related to ad impressions.	13 months
Plausible Analytics	plausible_*	analytics	Plausible Insights OÜ	Privacy-friendly web analytics. Does not use cookies by default but may store preferences if enabled.	Varies

Service	Cookie	Category	Provider	Purpose	Retention
Plesk	PLESKSESSID	preferences	Plesk	Keeps a Plesk session	session
Plesk	plesk-items-per-page	preferences	Plesk	Save the state of UI elements in Plesk	session
Plesk	plek-list-type	preferences	Plesk	Save the state of UI elements in Plesk	session
Plesk	plesk-sort-dir	preferences	Plesk	Save the state of UI elements in Plesk	session
Plesk	plesk-sort-field	preferences	Plesk	Save the state of UI elements in Plesk	session
Plesk	sites-active-list-state-collapsed	preferences	Plesk	Save the state of UI elements in Plesk	session
Plesk	lists-state	preferences	Plesk	Save the state of UI elements in Plesk	session
Polylang	pll_language	preferences	Polylang	Saves the chosen language.	1 year
Postviewscounter	pvc_visits[0]	analytics	Postviewscounter	It counts the number of visits to a post. The cookie is used to prevent repeat views of a post by a visitor.	1 day
PowerLinks	pl_user_id	marketing	PowerLinks	This cookie registers data on the visitor. The information is used to optimize advertisement relevance.	3 months
PowerLinks Media Limited	dsps:*	marketing	PowerLinks Media Limited	Service to display targeted advertising to visitors.	90 days
Prebid	_pbjs_userid_consent_data	preferences	Prebid	This cookie is used to know if the user's consent choices have changed since the last page load. It is a hashed (cyrb53Hash) value of the consent string with a 30 day expiration.	30 days
PrivacyPillar	privacypillar-google-consent	preferences	PrivacyPillar	Information about the visitor's Google vendor choices is stored by this cookie.	1 year
PrivacyPillar	privacypillar-cookie-consent	preferences	PrivacyPillar	Stores the user's current consent status.	1 year
PrivacyPillar	euconsent-v2	preferences	PrivacyPillar	This cookie stores the TC string.	1 year
PrivacyPillar	usprivacy	preferences	PrivacyPillar	This cookie stores the US privacy string.	1 year
Processwire	wires	preferences	Processwire	ProcessWire session identifier.	session
Processwire	wires_challenge	preferences	Processwire	ProcessWire session cookie used to verify the validity of a session.	30 days
Pulsepoint	_dbefe	marketing	Pulsepoint	Collects information on user preferences and/or interaction with web-campaign content - This is used on CRM-campaign-platform used by website owners for promoting events or products.	Session
QookieQloud	__cpmQQ_trackers	necessary	Qodli AB	Stores information about trackers to block based on Consent.	Local Storage
QookieQloud	__cpmQQ_trackers_timestamp	necessary	Qodli AB	Last update for the trackers.	Local Storage
QookieQloud	__cmpQQ_usedCookies	necessary	Qodli AB	Stores the sites cookies for faster experience.	Local Storage
QookieQloud	__cmpQQ_consentID	necessary	Qodli AB	This cookie is used as a unique identification for the users who has accepted the cookie consent box.	Local Storage
QookieQloud	__cmpQQ_CookieConsent	necessary	Qodli AB	Stores the user's cookie consent state for the current domain	Local Storage
Qualaroo	ki_s	marketing	Qualaroo	This cookie is used to store the current state of any survey the user has viewed or interacted with.	5 years
Qualaroo	ki_u	marketing	Qualaroo	This cookie is used to store a unique user identifier.	5 years
Qualtrics	QSI_HistorySession	analytics	Qualtrics	Used in lieu of the "Site History" cookie, for the same purpose (keeping track of the number page views as well as how long the visitor has been on the site).	Session
Qualtrics	QSI_OptInIDsAndWindowNames	analytics	Qualtrics	These two keys contain the Intercept ID mapped to any PopUnder opened by said intercept, as well as a map from the Intercept ID to the page "origin" that it originally came from. This is then used to update the PopUnder with updated Embedded Data upon navigation (unload), with the origin being used as additional security for the cross-window postMessage targetOrigin field.	Session
Qualtrics	QSI_OptInIDsAndTargetOrigins	analytics	Qualtrics	These two keys contain the Intercept ID mapped to any PopUnder opened by said intercept, as well as a map from the Intercept ID to the page "origin" that it originally came from. This is then used to update the PopUnder with updated Embedded Data upon navigation (unload), with the origin being used as additional security for the cross-window postMessage targetOrigin field.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Qualtrics	SiteReferrer	analytics	Qualtrics	These are used for supporting certain targeting conditions, such as which website originally referred the site visitor. They are typically set in session storage, but in the event they are unavailable, cookies will be used as a fallback.	Session
Qualtrics	PageReferrer	analytics	Qualtrics	These are used for supporting certain targeting conditions, such as which website originally referred the site visitor. They are typically set in session storage, but in the event they are unavailable, cookies will be used as a fallback.	Session
Qualtrics	SearchTerm	analytics	Qualtrics	These are used for supporting certain targeting conditions, such as which website originally referred the site visitor. They are typically set in session storage, but in the event they are unavailable, cookies will be used as a fallback.	Session
Qualtrics	FocusTime	analytics	Qualtrics	These are used for supporting certain targeting conditions, such as which website originally referred the site visitor. They are typically set in session storage, but in the event they are unavailable, cookies will be used as a fallback.	Session
Qualtrics	BlurTime	analytics	Qualtrics	These are used for supporting certain targeting conditions, such as which website originally referred the site visitor. They are typically set in session storage, but in the event they are unavailable, cookies will be used as a fallback.	Session
Qualtrics	ActionSetHistory	analytics	Qualtrics	These are used for supporting certain targeting conditions, such as which website originally referred the site visitor. They are typically set in session storage, but in the event they are unavailable, cookies will be used as a fallback.	Session
Qualtrics	SiSessID	analytics	Qualtrics	The SiSessID and CPSessID cookies are set and used when a Qualtrics user logs into Qualtrics. The value of these cookies is an identifier that is used to retrieve information about a user's logged-in session in the Website / App Insights Portal. It is important to note that this cookie is only set for users of the Qualtrics product (not your website visitors).	Session
Qualtrics	CPSessID	analytics	Qualtrics	The SiSessID and CPSessID cookies are set and used when a Qualtrics user logs into Qualtrics. The value of these cookies is an identifier that is used to retrieve information about a user's logged-in session in the Website / App Insights Portal. It is important to note that this cookie is only set for users of the Qualtrics product (not your website visitors).	Session
Qualtrics	QSI_ReplaySession_Info_*	analytics	Qualtrics	This cookie is used for identifying the session that is being recorded. This is necessary for recording page changes and reloads to be recorded on the same session. It contains information like sessionId, creationDataCenter, and sessionStartTime in a JSON format.	Session
Qualtrics	QSI_TestSessions_*	analytics	Qualtrics	This cookie is used to determine whether the session is recorded in test session mode. A test session debugger will appear and sessions recorded will be identified by a test session label. This value is a boolean.	Session
Qualtrics	QSI_SI_*	analytics	Qualtrics	Used to determine whether or not we should display a survey on repeated user visits within a period	30 days
Qualtrics	QSI_S_*	preferences	Qualtrics	Used to track visits and sampling rate set in the survey	7 days
Qualtrics	QST	preferences	Qualtrics	Qualtrics surveys will add a persistent cookie (QST) that is used to prevent the same person from taking the same survey multiple times. Website / App Insights also uses this cookie to evaluate "survey has been taken" logic in action sets. See the Submitting Survey Sessions section for more information on how this cookie works.	6 months
Qualtrics	QSIPopUnder_PopUnderTarget_SI_*	preferences	Qualtrics	It helps Qualtrics prevent displaying another pop under if there is already one. This prevents multiple windows from crowding a site visitor	Session
Qualtrics	QSI_CT	preferences	Qualtrics	This cookie is used for tracking events. It has a counter of each event and the number of times that event has occurred. For instance, if there are 2 different events that you are tracking.	Session
Qualtrics	QSI_DATA	preferences	Qualtrics	This cookie is used for cookie storage and will only be set if both session and local storage do not exist. It is extremely rare that session storage is not set in the browser window. QSI_DATA is rarely used.	Session
Qualtrics	QSI_ReplaySession_Throttled_*	preferences	Qualtrics	This cookie is used to stop session creation and recording due to an encountered error. This value is a boolean. This cookie is ignored if it is a test session.	Session
Qualtrics	QSI_ReplaySession_SampledOut_*	preferences	Qualtrics	This cookie is used to stop session creation due to the session being sampled-out. The sampling percentage is determined by the sample rate set in your session replay settings. This value is a boolean. This cookie is ignored if it is a test session.	Session
Qualtrics	Site History	preferences	Qualtrics	This cookie tracks the URLs of the web pages that the user visited. The pages must have the site intercept code snippet for tracking to work. By default, the maximum size is 2000 bytes, but you can specify a different size in your intercept settings.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Quantcast	cref	marketing	Quantcast	Contains data on user navigation, interaction and time spent on the website and its sub-pages - This data is used to optimise the relevance of advertisements and for statistical purposes.	13 months
Quantcast	mc	marketing	Quantcast	Tracking of users and measure and improve performance and supports personalisation	13 months
Quantcast	d	marketing	Quantcast	Tracking of users and measure and improve performance and supports personalisation	13 months
Quantcast	__qca	marketing	Quantcast	This cookie is set by Quantcast, who present targeted advertising. Stores browser and HTTP request information.	1 year
Rack	rack.session	preferences	Rack	Cookie generated by the Ruby Rack app. This is a general purpose identifier used to maintain user session variables.	session
Rapleaf	pxrc	marketing	Tower Data	This cookie registers non-personal data on the visitor. The information is used to optimize advertisement relevance.	2 months
Rapleaf	rlas3	marketing	Tower Data	Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.	1 year
RD Station	rdtrk	marketing	RD Station	Save a list of all pages that the visitor accessed within your domain, even before conversion (only for accounts with access to Lead Tracking).	1 Year
RD Station	_rdtrk	marketing	RD Station	Save a list of all pages that the visitor accessed within your domain, even before conversion (only for accounts with access to Lead Tracking).	1 Year
RD Station	_rd_experiment_version	marketing	RD Station	Ensure that the user always sees the same version of an A/B test, preserving the experience and consistency of results.	1 Year
RD Station	_form_fields	preferences	RD Station	Automatically fill in previously answered fields.	3 months
RD Station	_rdlps_pp	marketing	RD Station	Do not require the same visitor to answer the same questions in a smart form.	6 months
RD Station	_rd_wa_first_session*	marketing	RD Station	Save the website from which the visitor first accessed.	30 minutes
RD Station	_sp_wa_first_session*	marketing	RD Station	Save the website from which the visitor first accessed.	30 minutes
RD Station	_rd_wa_id*	marketing	RD Station	Save information regarding the existence of a session in progress, to differentiate visits.	30 minutes
RD Station	_sp_wa_id*	marketing	RD Station	Save information regarding the existence of a session in progress, to differentiate visits.	30 minutes
RD Station	_rd_wa_ses_id*	marketing	RD Station	Store the visitor's unique identifier, the time it was created, the visit count, the current time, the time of the last visit and the session id.	30 minutes
RD Station	_sp_wa_ses_id*	marketing	RD Station	Store the visitor's unique identifier, the time it was created, the visit count, the current time, the time of the last visit and the session id.	30 minutes
RD Station	_sp_root_domain_test_	marketing	RD Station	Checks the site's main domain. Does not store data.	Session
rekmob.com	rek_content	marketing	rekmob.com	Pending	6 days
richAudience	rai-pltn-pl-*	marketing	richAudience	Ad-serving frequency control, optimization and Brand Safety.	1 day
richAudience	avcid-*	marketing	richAudience	ID Syncing with DSP / SSP for communications using Open RTB protocol	90 days
richAudience	pdid	marketing	richAudience	Randomly generated user ID.	1 month
Roku	matchadform	marketing	Roku	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	29 days
Roku	wfivefivec	marketing	Roku	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.	13 months
Ruby on Rails	_rails_session	necessary	Ruby on Rails	Session management cookie for Ruby on Rails applications. Contains encrypted session data.	Session
Rudderstack	rl_user_id	analytics	Rudderstack	Stores the user ID set via the identify API. All the subsequent event payloads will contain this data unless cleared from the storage.	Session
Rudderstack	rl_trait	analytics	Rudderstack	Stores the user traits object set via the identify API. All the subsequent event payloads will contain this data unless cleared from the storage.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Rudderstack	rl_anonymous_id	analytics	Rudderstack	Stores the anonymous ID. By default, it would be the auto-generated unique ID by SDK for each visitor unless overridden via setAnonymousId API. All the subsequent event payloads will contain this data unless cleared from the storage.	Session
Rudderstack	rl_group_id	analytics	Rudderstack	Stores the user group ID set via the group API. All the subsequent group event payloads will contain this data unless cleared from the storage.	Session
Rudderstack	rl_group_trait	analytics	Rudderstack	Stores the user group traits object set via the group API. All the subsequent group event payloads will contain this data unless cleared from the storage.	Session
Rudderstack	rl_page_init_referrer	analytics	Rudderstack	Stores the initial referrer of the page when a user visits a site for the first time. All the subsequent event payloads will contain this data.	Session
Rudderstack	rl_page_init_referring_domain	analytics	Rudderstack	Stores the initial referring domain of the page when a user visits a site for the first time. All the subsequent event payloads will contain this data.	Session
Rudderstack	test_rudder_cookie	analytics	Rudderstack	Checks whether the cookie storage of a browser is accessible or not. Once checked, the SDK removes the cookie immediately.	Session
Rudderstack	rl_session	analytics	Rudderstack	Stores the session-related information including sessionId if session tracking is enabled.	Session
Rudderstack	rl_auth_token	analytics	Rudderstack	Stores the authentication token passed by the user.	Session
Sailthru	sailthru_content	marketing	Sailthru	Tracks recent pageviews for all visitors, and can be used to populate a new user profile.	1 year
Sailthru	sailthru_pageviews	marketing	Sailthru	This cookie is set by Sailthru to tracks the number of page views for each user.	30 minutes
Sailthru	sailthru_visitor	marketing	Sailthru	This cookie is set by Sailthru. The cookie contains an id that is used to identify a user's pageviews within a session.	1 year
SAP	apiDomain_*	marketing	SAP	The shared domain API calls for all sites in a group should be sent to.	12 months
SAP	gac_*	preferences	SAP	Used to trigger server initiated login.	session
SAP	_gig_APIProxy_enabled	preferences	SAP	Used to indicate whether to use APIProxy or not.	session
SAP	gig_bootstrap_*	marketing	SAP	If declined, user may be intermittently logged out.	12 months
SAP	gig_canary	preferences	SAP	Indicates whether the client is using the canary version of the WebSDK.	12 months
SAP	gig_canary_3*	preferences	SAP	Indicates whether the client is using the canary version of the WebSDK.	12 months
SAP	_gig_email	marketing	SAP	Last used email address in share (when sending email).	12 months
SAP	gig_canary_ver*	preferences	SAP	The version name of the WebSDK's canary version.	12 months
SAP	gig_hasGmid	marketing	SAP	Internal cookie for the Web SDK	12 months
SAP	_gig_llu	marketing	SAP	Last login provider username for Login Welcome back screen.	12 months
SAP	_gig_llp	marketing	SAP	Last login provider username for Login Welcome back screen.	12 months
SAP	glt_*	preferences	SAP	Login Token for authentication.	12 months
SAP	_gig_lt	preferences	SAP	Login Token for authentication.	12 months
SAP	gig_last_ver_*	preferences	SAP	Last time of verification of the session when the site is using the verifyLoginInterval property of global CONF in order to trigger reverification.	12 months
SAP	gig_loginToken_*	preferences	SAP	SAP Customer Data Cloud's Single Sign On (SSO) group login token.	12 months
SAP	_gig_shareUI_cb_*	preferences	SAP	Login Token for authentication.	12 months
SAP	_gig_shareUI_lastUID	marketing	SAP	Last logged in UID.	12 months
SAP	_gigRefUid_*	marketing	SAP	Last referrer User ID.	12 months
SAP	gig_toggles	preferences	SAP	This value is sent to SAP Customer Data Cloud in order to identify toggles that the back-end behavior depends on to process the specified toggle.	session

Service	Cookie	Category	Provider	Purpose	Retention
SAP	gig3pc	preferences	SAP	Remembers if third-party cookies are blocked to avoid checking every time.	2 days
SAP	gig3ptest	preferences	SAP	A temp cookie used to check if third-party cookies are blocked.	session
SAP	glnk	preferences	SAP	Ticket for second phase of login.	session
SAP	gmld	marketing	SAP	User cookie.	12 months
SAP	gst	preferences	SAP	Server ticket for second phase of login.	30 Minutes
SAP	GSLM_*	preferences	SAP	Session magic cookie.	session
SAP	hasGmid	marketing	SAP	Internal cookie for the Web SDK	13 months
SAP	SAML_*	preferences	SAP	This cookie is saved by SAML SP to manage the SAML session information and, specifically, the parameters needed for logout.	12 months
SAP	gltxp_*	preferences	SAP	Login Token Expiration.	session
SAP	_gig_*	marketing	SAP	Callback for listener.	12 months
SAP	ua_*	preferences	SAP	COPPA (under age).	1 day
SAP	ucid	marketing	SAP	Unique computer identifier used for generating reports, and used by the Web SDK to get saved response.	13 months
Seedtag	st_csd	marketing	seedtag.com	Date of the last cookie-syn	1 year
Seedtag	st_cs	marketing	seedtag.com	Unique identifiers of DSPs	1 year
Seedtag	st_uid	marketing	seedtag.com	This cookie is used to store randomly generated unique browser identifier	1 year
Seedtag	st_cnt	marketing	seedtag.com	This cookie is used to store low precision geolocation (Country, City)	1 year
Seedtag	st_chc	marketing	seedtag.com	This cookie is used to store Cookie-sync	1 year
Seedtag	st_ssp	marketing	seedtag.com	This cookie is used to store low precision geolocation	1 year
semasio.net	SEUNCY	marketing	semasio.net	Registers a unique ID that identifies the user's device for return visits.	179 days
ShareThis	__stid	analytics	ShareThis	The __stid cookie is set as part of the ShareThis service and monitors user-activity, e.g. Web pages viewed, navigation from page to page, time spent on each page etc.	1 year
ShareThis	__stidv	marketing	ShareThis	ShareThis cookie ID version.	10 years
ShareThis	pubconsent*	preferences	ShareThis	ShareThis cookie set to indicate user has made a declaration about GDPR data collection for IAB TCF v1 format.	13 months
ShareThis	st_optout	preferences	ShareThis	ShareThis cookie set to indicate that user has opted out from data collection.	10 years
ShareThis	pxcelBcnLcy	analytics	ShareThis	ShareThis Tag Management System cookie to track latency on reporting beacon.	session
ShareThis	pxcelAcc3PC	preferences	ShareThis	ShareThis Tag Management System cookie to check whether third party cookies are accepted by the browser. This is only set if there is no incoming cookie in the request.	1 day
ShareThis	pxcelPage*	analytics	ShareThis	ShareThis Tag Management System cookie to track status of pixel rotation loading. ShareThis uses a different cookie for different groups of sites within the ShareThis network.	1 year
ShareThis	usprivacy*	preferences	ShareThis	ShareThis reads if the usprivacy cookie is present in the publisher domain.	session
ShareThis	euconsent*	preferences	ShareThis	ShareThis reads if the euconsent cookie is present in the publisher domain.	session
ShareThis	fpestid	preferences	ShareThis	Fpestid is a ShareThis cookie ID set in the domain of the website operator.	13 months
Sharpspring	koitk	marketing	Constant Contact	Collects data on visitors behavior and interaction - This is used to optimize the website and make advertisement on the website more relevant.	3 years
Sharpspring	__ss_referrer	marketing	Constant Contact	This cookie contains information about where the visitor came from, called the source for the visit.	6 hours
Sharpspring	__ss_tk	marketing	Constant Contact	This is Sharpspring's token cookie which enables user tracking. It ensures that the visit to website is connected to the user independent of the session and the source.	25 years

Service	Cookie	Category	Provider	Purpose	Retention
Sharpspring	__ss	marketing	Constant Contact	This cookie is storing the session ID for your visit. It is used in combination with __ss_tk to group website visits in reports for a single user.	30 minutes
Shopify	_ab	preferences	Shopify.com	Used in connection with access to admin.	session
Shopify	_secure_session_id	preferences	Shopify.com	Used in connection with navigation through a storefront.	session
Shopify	Cart	preferences	Shopify.com	Used in connection with shopping cart.	14 days
Shopify	cart_sig	preferences	Shopify.com	Used in connection with shopping cart.	14 days
Shopify	cart_ts	preferences	Shopify.com	Used in connection with checkout.	14 days
Shopify	checkout_token	preferences	Shopify.com	Used in connection with checkout.	14 days
Shopify	Secret	preferences	Shopify.com	Used in connection with checkout.	14 days
Shopify	Secure_customer_sig	preferences	Shopify.com	Used in connection with customer login.	2 years
Shopify	storefront_digest	preferences	Shopify.com	Used in connection with customer login.	2 years
Shopify	_shopify_u	preferences	Shopify.com	Used to facilitate updating customer account information.	2 years
Shopify	_tracking_consent	marketing	Shopify.com	Tracking preferences.	2 years
Shopify	_landing_page	marketing	Shopify.com	Track landing pages.	2 years
Shopify	_orig_referrer	marketing	Shopify.com	Track landing pages.	2 years
Shopify	_s	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_shopify_fs	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_shopify_s	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_shopify_sa_t	marketing	Shopify.com	Shopify analytics relating to marketing & referrals.	2 years
Shopify	_shopify_uniq	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_shopify_visit	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_shopify_y	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_y	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	tracked_start_checkout	analytics	Shopify.com	Shopify analytics relating to checkout.	2 years
Shopify	ki_r	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	ki_t	analytics	Shopify.com	Shopify analytics.	2 years
Shopify	_Brochure_session	analytics	Shopify.com	Used in connection with browsing through site.	2 years
Shopify	shopify_pay_redirect	preferences	Shopify.com	Used in connection with checkout.	30 minutes, 3w or 1y depending on value
Shopify	cart_currency	preferences	Shopify.com	Set after a checkout is completed to ensure that new carts are in the same currency as the last checkout.	14 days
Shopify	dynamic_checkout_shown_on_cart	preferences	Shopify.com	Used in connection with checkout.	30 minutes
Shopify	keep_alive	preferences	Shopify.com	Used in connection with buyer localization.	14 weeks
Shopify	checkout_session_token*	preferences	Shopify.com	Used in connection with checkout.	3 weeks
Shopify	checkout_session_lookup	preferences	Shopify.com	Used in connection with checkout.	3 weeks
Shopify	cart_ver	preferences	Shopify.com	Used in connection with shopping cart.	2 weeks
Shopify	localization	preferences	Shopify.com	Used in connection with checkout.	2 weeks

Service	Cookie	Category	Provider	Purpose	Retention
Shopify	locale_bar_accepted	preferences	Shopify.com	This cookie is provided by app (BEST Currency Converter) and is used to secure currency chosen by the customer.	session
Shopify	_cmp_a	preferences	Shopify.com	Used for managing customer privacy settings.	1 day
Shopify	_shopify_country	preferences	Shopify.com	For shops where pricing currency/country set from GeoIP, that cookie stores the country we've detected. This cookie helps avoid doing GeoIP lookups after the first request.	session
Shopify	_customer_account_shop_sessions	preferences	Shopify.com	Used in combination with the _secure_account_session_id cookie to track a user's session for new customer accounts	30 days
Shopify	_secure_account_session_id	preferences	Shopify.com	Used to track a user's session for new customer accounts	30 Days
Shopify	_shopify_m	preferences	Shopify.com	Used for managing customer privacy settings.	1 year
Shopify	_shopify_tm	preferences	Shopify.com	Used for managing customer privacy settings.	30 minutes
Shopify	_shopify_tw	preferences	Shopify.com	Used for managing customer privacy settings.	2 weeks
Shopify	_storefront_u	preferences	Shopify.com	Used to facilitate updating customer account information.	1 minute
Shopify	customer_account_locale	preferences	Shopify.com	Used in connection with new customer accounts	1 year
Shopify	hide_shopify_pay_for_checkout	preferences	Shopify.com	Used in connection with checkout.	Session
Shopify	master_device_id	preferences	Shopify.com	Used in connection with merchant login.	2 years
Shopify	previous_step	preferences	Shopify.com	Used in connection with checkout.	1 year
Shopify	discount_code	preferences	Shopify.com	Used in connection with checkout.	Session
Shopify	remember_me	preferences	Shopify.com	Used in connection with checkout.	1 Year
Shopify	shopify_pay	preferences	Shopify.com	Used in connection with checkout.	1 Year
Shopify	shop_pay_accelerated	preferences	Shopify.com	Used in connection with checkout.	1 Year
Shopify	checkout_prefill	preferences	Shopify.com	Used in connection with checkout.	5 minutes
Shopify	checkout_queue_token	preferences	Shopify.com	Used in connection with checkout.	1 Year
Shopify	checkout_worker_session	preferences	Shopify.com	Used in connection with checkout.	3 days
Shopify	checkout_session_token_*	preferences	Shopify.com	Used in connection with checkout.	3 weeks
Shopify	identity-state	preferences	Shopify.com	Used in connection with customer authentication	24 hours
Shopify	identity-state-*	preferences	Shopify.com	Used in connection with customer authentication	24 hours
Shopify	identity_customer_account_number	preferences	Shopify.com	Used in connection with customer authentication	12 weeks
Shopify	card_update_verification_id	preferences	Shopify.com	Used in connection with checkout.	20 minutes
Shopify	customer_account_new_login	preferences	Shopify.com	Used in connection with customer authentication	24 hours
Shopify	customer_account_preview	preferences	Shopify.com	Used in connection with customer authentication	7 days
Shopify	customer_payment_method	preferences	Shopify.com	Used in connection with checkout.	1 hour
Shopify	customer_shop_pay_agreement	preferences	Shopify.com	Used in connection with checkout.	1 hour
Shopify	pay_update_intent_id	preferences	Shopify.com	Used in connection with checkout.	20 minutes
Shopify	profile_preview_token	preferences	Shopify.com	Used in connection with checkout.	5 minutes
Shopify	login_with_shop_finalize	preferences	Shopify.com	Used in connection with customer authentication	5 minutes

Service	Cookie	Category	Provider	Purpose	Retention
Shopify	preview_theme	preferences	Shopify.com	Used in connection with the theme editor	Session
Shopify	shopify-editor-unconfirmed-settings	preferences	Shopify.com	Used in connection with the theme editor	16 hours
Shopify	_shopify_d	analytics	Shopify.com	Shopify analytics.	Session
Shopify	shop_analytics	analytics	Shopify.com	Shopify analytics.	30 minutes
Shopify	_shopify_sa_p	analytics	Shopify.com	Shopify analytics relating to marketing & referrals.	30 minutes
Shopify	_shopify_ga	analytics	Shopify.com	Shopify and Google Analytics.	Session
Shopify	_shopify_essential	preferences	Shopify.com	Contains essential information for the correct functionality of a store such as session and checkout information and anti-tampering data.	1 year
Shopify	_shopify_essential_*	preferences	Shopify.com	Contains an opaque token that is used to identify a device for all essential purposes.	1 year
Siteimprove	nmstat	analytics	Siteimprove	This cookie is used to help record the visitor's use of the website. It is used to collect statistics about site usage such as when the visitor last visited the site. This information is then used to improve the user experience on the website. This Siteimprove Analytics cookie contains a randomly generated ID used to recognize the browser when a visitor reads a page. The cookie contains no personal information and is used only for web analytics. It is also used to track the sequence of pages a visitor looks at during a visit to the site. This information can be used to reduce user journeys, and enable visitors to find relevant information quicker.	3 years
SiteSpect	SSLB	preferences	SiteSpect	Indicates to a downstream load balancer that subsequent requests by a user should be routed to or away from SiteSpect, depending on the cookie's value.	2 years
SiteSpect	SSPV	preferences	SiteSpect	Used by the Preview feature and used when the Logging Level field on the Logging & Performance tab for the Domain is set to Debug.	1 year
SiteSpect	SSRT	preferences	SiteSpect	Stores the date and time of the user's last request to determine if the visit has timed out.	1 year
SiteSpect	SSSC	preferences	SiteSpect	A session-only cookie used to send the user's Campaign assignment information to the backend webserver.	1 year
Sleeknote	_sn_a	analytics	Sleeknote	This is the cookie used for visitor analytics tracking. It sets a visitor ID so that the visitor can be identified across sessions. This enables all visitor related analytics data to be shown on the analytics pages in your Dashboard. Note that if a visitor is opted out of this cookie, you will still be able to see how many views and conversions your campaigns had, just not any visitor-related data like referrer, location, and so on.	1 year
Sleeknote	_sn_m	marketing	Sleeknote	This cookie contains information used for marketing related targeting options. Targeting options like the referrer, UTM, or geo-location. Note that if this cookie is opted out, the marketing targeting options will not work, and the campaign will default to not show.	1 year
Sleeknote	_sn_n	preferences	Sleeknote	This is the necessary cookie set by Sleeknote, as it contains technical information so that the campaigns can show properly and tracking works properly.	1 year
Smaato	SCM	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smaato	SCMaps	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smaato	SCMsovrn	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smaato	SCMinf	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smaato	SCMo	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smaato	SCMg	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smaato	SCM*	marketing	Smaato	This cookie is used to store the user's unique identifier	3 weeks
Smartadserver	cnfq	marketing	Equativ.com	Technical cookie used to trigger the injection of monitoring scripts from a CNAME	360 minutes
Smartadserver	lcsr	marketing	Equativ.com	Technical cookie used to refresh date serialized in ISO format	13 months
Smartadserver	dyncdn	preferences	Equativ.com	End-point and traffic data	1 day
Smartadserver	gid	marketing	Equativ.com	Global unique ID cross domains associated with an end-user	13 months
Smartadserver	csfq	marketing	Equativ.com	Technical cookie used to trigger the injection of monitoring scripts	6 hours

Service	Cookie	Category	Provider	Purpose	Retention
Smartadserver	partner-*	marketing	Equativ.com	Labeling end-users with keywords defined by a client.	13 months
Smartadserver	vs	analytics	Equativ.com	Counting new visits	session
Smartadserver	Comp	marketing	Equativ.com	Labeling end-users with keywords defined by a client.	13 months
Smartadserver	Pwb	marketing	Equativ.com	Allows for the display of ads in the correct format based on browser, screen size, and OS.	2 days
Smartadserver	Pdomid	preferences	Equativ.com	Technical cookie used to distribute the traffic between Smart's servers	13 months
Smartadserver	sasd	marketing	Equativ.com	Geolocation collection	1 day
Smartadserver	sasd2	marketing	Equativ.com	Geolocation collection	1 day
Smartadserver	TestIfCookie	marketing	Equativ.com	Technical cookie used to test if persistent cookies are accepted	session cookie
Smartadserver	csync	marketing	Equativ.com	Optimises ad display based on the user's movement combined and various advertiser bids for displaying user ads.	1 day
Smartadserver	TestIfCookieP	marketing	Equativ.com	Technical cookie used to test if persistent cookies are accepted	13 months
Smartadserver	pid	marketing	Equativ.com	Unique ID associated with an end-user (according to a domain and browser)	13 months
Smartadserver	pbw	analytics	Equativ.com	This cookie collects cached data by browser ID, operating system ID and screen size	13 months
Smartadserver	lcsrd	marketing	Equativ.com	This cookie is used to present the visitor with relevant content and advertisements	13 months
SnapEngage	SnapABugHistory	marketing	SnapEngage	This cookie is associated with live chat software from SnapEngage. It identifies a visitor to enable a history of engagement to be recorded.	1 year
SnapEngage	SnapABugUserAlias	preferences	SnapEngage	Stores a unique ID string for each chat-box session. This allows the website-support to see previous issues and reconnect with the previous supporter.	1 year
SnapEngage	SnapABugVisit	preferences	SnapEngage	This cookie is associated with live chat software from SnapEngage. It identifies a new user session.	1 year
SnapEngage	SnapABugRef	marketing	SnapEngage	This cookie is associated with live chat software from SnapEngage. It records the landing page and origin of a visitor.	1 year
Snapwidget	_gat_pro	preferences	Snapwidget	Allows Snapwidget to offer anonymous analytics about how the visitors are using your widgets	24 hours
Snowplow	sp	analytics	Snowplow	Stores a server-side collector generated unique identifier for a user that is sent with all subsequent tracking event events. Can be used as a first party cookie is the collector is on the same domain as the site.	1 year
Snowplow	_sp_id.*	analytics	Snowplow	Stores user information that is created when a user first visits a site and updated on subsequent visits. It is used to identify users and track the users activity across a domain. This cookie stores a unique identifier for each user, a unique identifier for the users current session, the number of visits a user has made to the site, the timestamp of the users first visit, the timestamp of their previous visit and the timestamp of their current visit.	2 years
Snowplow	_sp_ses.*	analytics	Snowplow	Used to identify if the user is in an active session on a site or if this is a new session for a user (i.e. cookie doesn't exist or has expired).	30 minutes
Sonobi	__uin_bw	marketing	Sonobi	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.	1 month
Sonobi	__uir_bw	marketing	Sonobi	Collects data on visitors' behaviour and interaction - This is used to optimize the website and make advertisement on the website more relevant.	1 day
Sonobi	__uis	marketing	Sonobi	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	29 days
Sonobi	HAPLB5S	marketing	Sonobi	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	29 days
Sonobi	__uin_mm	marketing	Sonobi	These cookies are used to deliver adverts more relevant to you and your interests. They are also used to limit the number of times you see an advertisement as well as help measure the effectiveness of the advertising campaign.	44 days
Sonobi	__uir_mm	marketing	Sonobi	These cookies are used to deliver adverts more relevant to you and your interests. They are also used to limit the number of times you see an advertisement as well as help measure the effectiveness of the advertising campaign.	14 days

Service	Cookie	Category	Provider	Purpose	Retention
Sonobi	HAPLB8*	marketing	Sonobi	Sonobi sets this cookie for advertising purposes.	session
Sonobi	__uin_rh	marketing	Sonobi	This domain is owned by Sonobi, an automated online advertising buying and selling platform.	364 Days
Sonobi	__uir_rh	marketing	Sonobi	This domain is owned by Sonobi, an automated online advertising buying and selling platform.	32 Days
Sonobi	__uis	marketing	Sonobi	This domain is owned by Sonobi, an automated online advertising buying and selling platform.	29 Days
Sonobi	HAPLB3A	marketing	Sonobi	This domain is owned by Sonobi, an automated online advertising buying and selling platform.	Session
Sooqr	__sqra	preferences	Sooqr	Tracks the user's interaction with the website's search-bar-function. This data can be used to present the user with relevant products or services.	2 years
Sooqr	__sqrb	preferences	Sooqr	Tracks the user's interaction with the website's search-bar-function. This data can be used to present the user with relevant products or services.	2 years
Sooqr	__sqrc	preferences	Sooqr	Tracks the user's interaction with the website's search-bar-function. This data can be used to present the user with relevant products or services.	2 years
SOVRN	_ljtrtb_*	marketing	SOVRN	These cookies are used temporarily when multiple partners pass us their ID simultaneously. To avoid technical conflicts that arise from accessing the ljtrtb cookie for multiple partners at the same time, we store each partner's ID in a separate cookie and then consolidate these IDs into the ljtrtb cookie when it's available.	1 year
SOVRN	ljtrtb	marketing	SOVRN	Enables us to help our advertising partners make decisions about displaying an advertisement to you. We store the ID that each partner uses to identify you and pass that information to the partner when a website requests an advertisement from us.	1 year
Spotify	sp_t	preferences	Spotify	Required to ensure the functionality of the integrated Spotify plugin. This does not result in any cross-site functionality.	2 months
Spotify	sp_landing	preferences	Spotify	Required to ensure the functionality of the integrated Spotify plugin. This does not result in any cross-site functionality.	1 day
SpotX	audience	marketing	SpotX	Sync audience data between buyers and sellers.	1 year
Squeezely	sqzl_abs	marketing	Squeezely	A cookie used by Squeezely	1 month
Squeezely	sqzl_consent	preferences	Squeezely	Stores the user's cookie consent state for the current domain	1 year
Squeezely	sqzl_session_id	marketing	Squeezely	A cookie used by Squeezely	session
Squeezely	sqzl_vw	marketing	Squeezely	A cookie used by Squeezely	1 year
Squeezely	sqzlocal	marketing	Squeezely	This is a cookie from the service Squeezely. It helps us with registering which pages you have visited and with sending you personalized ads	1 year
Stape	_gtmeec	marketing	Stape	Used by Meta to store user data for reuse, enabling more efficient and accurate tracking and targeting.	3 months
Stonly	_csrf	necessary	Stonly	This cookie is used to prevent Cross-site request forgery (often abbreviated as CSRF) attacks of the website.	session
StreamTheWorld	idsync-bsw-uid-s	marketing	StreamTheWorld	Presents the user with relevant content and advertisement. The service is provided by third-party advertisement hubs, which facilitate real-time bidding for advertisers.	6 days
Supabase	sb-*	necessary	Supabase	Supabase authentication and session management cookies.	1 week to 1 year
SurveyMonkey	RP_*	preferences	SurveyMonkey	Enforces the one response per computer setting.	90 days
SurveyMonkey	sso_user	preferences	SurveyMonkey	Determines if certain Enterprise respondents are authenticated if an account holder requires respondents to authenticate.	90 days
SurveyMonkey	CX_*	preferences	SurveyMonkey	Used for pop-up surveys to track whether the survey was already taken to avoid re-showing the pop-up.	1 year
SurveyMonkey	P_*	preferences	SurveyMonkey	Used for pop-up surveys to track whether the survey was already taken to avoid re-showing the pop-up.	1 year
SurveyMonkey	sm_ir	preferences	SurveyMonkey	Used by the instant results page so a survey creator can display data.	Session
SurveyMonkey	_splunk_rum_sid	preferences	SurveyMonkey	This is a site observability cookie that identifies/monitors site issues.	15 minutes
SurveyMonkey	sm_rec	preferences	SurveyMonkey	Stores unencrypted user data. Expiry time based on the 'remember me' button on login.	Session

Service	Cookie	Category	Provider	Purpose	Retention
SurveyMonkey	RE_*	preferences	SurveyMonkey	Used to track the current page of the respondent in a multi-page survey. If the respondent leaves the survey, it enables the respondent to resume on the page they were last on.	Session
SurveyMonkey	REPID_*	preferences	SurveyMonkey	Used to track the current page of the respondent in a multi-page survey. If the respondent leaves the survey, it enables the respondent to resume on the page they were last on.	Session
Swym	swym-email	preferences	Swym	This stores the email address when the shopper logs into the store or when the shopper authenticates their wishlist or subscribes for a back-in-stock alert.	1 year
Swym	swym-session-id	preferences	Swym	This is a general-purpose platform session cookie used to maintain an anonymous user session.	30 mins
Swym	swym-pid	preferences	Swym	Unique identifier to track merchants and their wishlist settings.	1 year
Swym	swym-swymRegid	preferences	Swym	This cookie is used to store an encrypted version of the user's device ID and information on the user's session.	1 year
Swym	swym-cu_ct	preferences	Swym	Related to custom cart experience from Swym on the wishlist.	30 mins
Swym	swym-o_s	preferences	Swym	Related to swym app versioning systems.	1 year
Swym	swym-instrumentMap	preferences	Swym	Related to Wishlist instrumentation for identification of API.	30 mins
Swym	swym-ol_ct	preferences	Swym	Related to swym cart functionality.	30 mins
Swym	swym-v-ckd	preferences	Swym	Related to swym app versioning systems.	1 year
Swym	swym-tpermts	preferences	Swym	Related to asking user permission for marketing	1 year
Swym	swym-u_pref	preferences	Swym	Related to user's marketing preference.	1 year
Swym	swym-weml	preferences	Swym	Related to user's email address for Swym apps	1 year
Tailtarget	ttbprf	marketing	Totvs	This cookie is used for user segmentation	1 month
Tailtarget	ttc	marketing	Totvs	This cookie is used for user segmentation with user's cache expiration	1 day
Tailtarget	ttmprf	marketing	Totvs	This cookie is used for user segmentation	1 month
Tailtarget	n	marketing	Totvs	This cookie is used for user segmentation with timestamp from the latest access	1 month
Tailtarget	u	marketing	Totvs	This cookie is used for user segmentation identifying the user uniquely	1 year
Tailtarget	trk	marketing	Totvs	This cookie is used for deliver ads	1 month
Tailtarget	ttca	marketing	Totvs	This cookie is used for deliver ads with users'conversion data	30 days
Tailtarget	tp*	marketing	Totvs	This cookie is used for deliver ads, using synchronous id for DSP	30 days
Tailtarget	dc	preferences	Totvs	This cookie is used for sync with Google services	30 days
Tailtarget	ttgcm	marketing	Totvs	This cookie is used for sync with Google services	14 days
Tailtarget	_ssc	marketing	Totvs	This cookie is used for indicate user access to the same site	2 days
Tappx	TXCSDMN_*	marketing	Tappx	This cookie is associated with Tappx, an AdTech platform.	1 month
Tappx	TXCD	marketing	Tappx	This cookie is associated with Tappx, an AdTech platform.	1 month
Tawk.to Chat	TawkConnectionTime	preferences	Tawk.to Chat	This cookie is used to determine the connection duration of tawk sessions.	session
Tawk.to Chat	tawkUUID	analytics	Tawk.to Chat	This cookie is used to collect information about how the visitor handles the live chat function on the website.	10 years
Tawk.to Chat	TawkCookie	preferences	Tawk.to Chat	Main Tawk.to cookie.	session
Tawk.to Chat	__tawkuuid	preferences	Tawk.to Chat	Tawk.to cookie used to distinguish users.	10 years
Teads	tt_viewer	marketing	Teads.com	Teads uses a "tt_viewer" cookie to help personalize the video ads you see on our partner websites.	1 year
Teads	tt_bluekai	marketing	Teads.com	Avoid calling to bluekai. This avoids unnecessary calls to bluekai.	1 day
Teads	tt_exelate	marketing	Teads.com	Avoid calling to Exelate. This avoids unnecessary calls to Eleate.	1 day

Service	Cookie	Category	Provider	Purpose	Retention
Teads	tt_liveramp	marketing	Teads.com	Avoid calling to Liveramp. This avoids unnecessary calls to Liveramp.	1 day
Teads	tt_neustar	marketing	Teads.com	Avoid calling to Nuestar. This avoids unnecessary calls to Nuestar.	1 day
Teads	tt_salesforce	marketing	Teads.com	Avoid calling to Salesforce. This avoids unnecessary calls to Salesforce.	1 day
Termly	__tlbcpv	preferences	Termly	Used to record the cookie consent preferences of visitors	1 year
Termly	__tltpl_*	preferences	Termly	Used to record the policies that visitors consent to	1 year
Termly	__tluid	preferences	Termly	Assigns a random ID number to each visitor so that their policy consent and cookie consent preferences can be saved.	1 year
The Ozone Project	ozone_uid	marketing	The Ozone Project	This cookie contains unique randomly-generated values that enable the Ozone Project to distinguish browsers and mobile devices.	90 days
The Tradedesk	TDCPM	marketing	The Tradedesk	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.	1 year
The Tradedesk	TDID	marketing	The Tradedesk	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.	1 year
Totvs	u	marketing	Totvs	This cookie is Used for audience segmentation for advertising	1 year
Totvs	_ssc	marketing	Totvs	This is a cookie used for generating access and internet traffic statistics.	1 day
Tripadvisor	RT	preferences	Tripadvisor	This cookie is used to identify the visitor through an application. This allows the visitor to login to a website through their LinkedIn application for example.	399 days
Tripadvisor	TADCID	marketing	Tripadvisor	This cookie is used for viewing embedded content from TripAdvisor, including payment of referral commission fees and user tracking across websites.	10 years
Tripadvisor	ServerPool	marketing	Tripadvisor	This cookie is generally provided by TripAdvisor and is used for advertising purposes.	Session
Tripadvisor	TATravelInfo	analytics	Tripadvisor	This cookie is used to track visitors across websites to build a profile of search and browsing history.	2 years
Tripadvisor	TAUnique	analytics	Tripadvisor	This cookie is used to track visitors across websites to build a profile of search and browsing history.	Session
Tripadvisor	TAReturnTo	analytics	Tripadvisor	This cookies is used by TripAdvisor to track the return-to URL after authentication	Session
Trustpilot	__auc	analytics	Trustpilot	Used to track and report information to the Alexa analytics	1 year
Trustpilot	ajs_user_id	analytics	Trustpilot	This cookie helps track visitor usage, events, target marketing, and can also measure application performance and stability.	1 year
Trustpilot	ajs_anonymous_id	analytics	Trustpilot	Used for Analytics and help count how many people visit a certain site by tracking if you have visited before	1 year
Trustpilot	ajs_group_id	analytics	Trustpilot	Track visitor usage and events within the website	1 year
Trustpilot	__asc	analytics	Trustpilot	A cookie set by Trustpilot if you click the read more widget	1 year
Trustpilot	amplitude_id*	marketing	Trustpilot	These cookies are used by the TrustPilot service to identify you and enable you to leave reviews of our products and services.	1 year
Trustpilot	csrf-canary	necessary	Trustpilot	These cookies are used by the TrustPilot service to identify you and enable you to leave reviews of our products and services.	session
Twiago	deuxesse_uxid	marketing	Twiago	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	29 days
Twitch	api_token	preferences	Twitch	This cookies is necessary for the implementation of video-content on the website.	3652 days
Twitch	unique_id	preferences	Twitch	This cookie is associated with twitch.com. It preserves the user state across page requests.	3652 days
Twitch	unique_id_durable	preferences	Twitch	This cookie is associated with twitch.com. It allows the host domain to remember the choices you make on the Twitch Services and to provide enhanced and more personalized features, such as customising a webpage, remembering if the host domain has asked you to participate in a promotion and for other services you request, like watching a video or commenting on a blog.	3652 days
Twitch	session_unique_id	preferences	Twitch	This cookie is use for Twitch.tv which is an online service used for watching or broadcasting live or prerecorded videos across topics such as cooking, travel, art, sports, and video games.	Session

Service	Cookie	Category	Provider	Purpose	Retention
Twitch	server_session_id	preferences	Twitch	This cookie is associated with twitch.com. It allows the host domain to remember the choices you make on the Twitch Services and to provide enhanced and more personalized features, such as customising a webpage, remembering if the host domain has asked you to participate in a promotion and for other services you request, like watching a video or commenting on a blog.	Session
Twitch	twitch.lohp.countryCode	preferences	Twitch	This cookie is used for country determination	3650 days
Twitch	auth-token	preferences	Twitch	This cookie is used for authentication & authorization	Session
Twitch	enable-compact-scene-listing	preferences	Twitch	This cookie is used to store user preference	3650 days
Twitch	videoChat.notice_dismissed	preferences	Twitch	This cookie is used to store user preference	3650 days
Twitch	chat_rules_shown	preferences	Twitch	This cookie is used to store user preference	3650 days
Twitch	algoliasearch-client-js	preferences	Twitch	This cookie is used for search optimization	3650 days
Twitch	device_id	preferences	Twitch	This cookie is An ID that uniquely identifies the device the user is using.	3650 days
Twitch	referrer_url	preferences	Twitch	This cookie detects how the user reached the website by registering their last URL-address.	3650 days
Twitch	sentry_device_id	preferences	Twitch	This cookie Preserves users states across page requests.	3650 days
Twitch	session_storage_last_visited_twitch_url	preferences	Twitch	This cookie stores the user's video player preferences using embedded Twitch video	3650 days
Twitch	local_storage_app_session_id	preferences	Twitch	This cookie preserves users states across page requests.	3650 days
Typeform	tf_respondent_cc	preferences	Typeform	This cookie is used to make sure forms on the website work properly.	6 months
Typeform	attribution_user_id	marketing	Typeform	This cookie helps us in attributing the conversion to the correct channel	1 year
TYPO3	fe_typo_user	preferences	TYPO3	Used to identify a session ID when logged-in to the TYPO3 Frontend	session
TYPO3	be_typo_user	preferences	TYPO3	Used to identify a backend session when a Backend User logged in to TYPO3 Backend or Frontend	session
TYPO3	Typo3InstallTool	preferences	TYPO3	Used to validate a session for the System Maintenance Area / Install Tool	session
TYPO3	be_lastLoginProvider	preferences	TYPO3	Stores information about the last login provider when logging into TYPO3 Backend	session
Umami	umami.*	analytics	Website operator	Open-source privacy-friendly web analytics alternative.	Varies
Underdog Media	dt	marketing	Underdog Media	This cookie is set by AddThis to allow website visitors to share content on various social networks.	1 year
Underdog Media	rtbh	marketing	Underdog Media	This cookie is used to place digital advertising from their Marketing partners on their Publishers' websites via ad placements	1 year
Underdog Media	udmts	marketing	Underdog Media	This cookie is used to place digital advertising from their Marketing partners on their Publishers' websites via ad placements	89 days
Undertone	UID_EXT_*	marketing	Undertone	This cookie is used to store the user's unique identifier	1 year
Undertone	UTID	marketing	Undertone	This cookie is used to store the user's unique identifier	1 year
Undertone	UTID_ENC	marketing	Undertone	This cookie is used to store the user's unique identifier	1 year
Unrulymedia.com	unruly_m*	marketing	Unrulymedia.com	Pending	6 days
Usabilla	usbls	marketing	SurveyMonkey	Usabilla uses this cookie for campaigns targeted to visitors new or returning to the site. This cookie is used to track which category applies to users and to then show the campaign to the right users.	session
vBulletin	bbuserid	preferences	vBulletin	Used to store the ID of the logged in user.	Unknown
vBulletin	bbpassword	preferences	vBulletin	Used to store a hash of the logged in user's password.	Unknown
vBulletin	bbsessionhash	preferences	vBulletin	Used to track the current session from the database.	Session
vBulletin	bbcpsessionhash	preferences	vBulletin	Used to track the current administrator session from the database.	Session

Service	Cookie	Category	Provider	Purpose	Retention
vBulletin	bbnp_notices_displayed	preferences	vBulletin	Used to keep track of notices to display to the client.	1 year
vBulletin	bbsitebuilder_active	preferences	vBulletin	Used to designate whether the Site Builder is active.	Unknown
vBulletin	bbblastactivity	preferences	vBulletin	Stores the time of the last activity.	1 year
vBulletin	bbblastvisit	preferences	vBulletin	Stores the time of the last page view.	1 year
Vercel	_vercel_*	preferences	Vercel Inc	Vercel platform cookies for deployment previews and analytics.	Varies
Verve	lkqidid	marketing	Verve	This cookie is used to identify the physical location of mobile devices and operating system device identifiers.	1 year
Verve	lkqidids	marketing	Verve	This cookie is used to identify the physical location of mobile devices and operating system device.	1 year
Viafoura	_vfa	analytics	Viafoura	This cookie is used to stores user and session identifiers for analytics.	1 year
Viafoura	_vfb	analytics	Viafoura	This cookie is used to stores recirculation data for analytics.	30 minutes
Viafoura	_vfz	analytics	Viafoura	This cookie is used to stores referral data for analytics	6 minutes
Viafoura	_vf_rd_test*	preferences	Viafoura	This cookie is used to test best domain name (SLD+TLD) to set cookies at.	1 second
Viafoura	VfSess	preferences	Viafoura	This cookie is used to session identifier for authentication	30 days
Viafoura	VfRefresh	preferences	Viafoura	This cookie is used to refresh identifier for authentication	1 year
Viafoura	VfAccess*	preferences	Viafoura	This cookie is used to access identifier for authentication	5 minutes
Viafoura	vfThirdpartyCookiesEnabled	preferences	Viafoura	This cookie is used to testing if 3rd party cookies are supported	Session
Vidoomy	vidoomy-uids	marketing	Vidoomy	Used in context with video-advertisement. The cookie limits the number of times a user is shown the same advertisement. The cookie is also used to ensure relevance of the video-advertisement to the specific user.	1 year
Visual Website Optimizer	_vwo_uuid_v2	preferences	Visual Website Optimizer	Used to track visitor movements anonymously.	1 year
Visual Website Optimizer	_vwo_uuid	preferences	Visual Website Optimizer	Used to track visitor movements anonymously.	1 year
Visual Website Optimizer	_vis_opt_s	preferences	Visual Website Optimizer	This cookie detects if you are new or returning to a particular test.	100 days
Visual Website Optimizer	_vis_opt_test_cookie	preferences	Visual Website Optimizer	This is a temporary session cookie generated to detect if the cookies are enabled on the user browser or not.	100 days
Visual Website Optimizer	_vis_opt_exp_*	preferences	Visual Website Optimizer	This cookie is generated when a goal is created.	100 days
Visual Website Optimizer	_vwo_sn	analytics	Visual Website Optimizer	Collects statistics on the visitor's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.	1 day
Visual Website Optimizer	_vwo_ds	analytics	Visual Website Optimizer	Collects data on the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded with the purpose of generating reports for optimising the website content.	2 months
Visual Website Optimizer	_vwo_referrer	analytics	Visual Website Optimizer	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.	session
Visual Website Optimizer	_vwo_ssm	preferences	Visual Website Optimizer	This cookie is used for testing and is created only on sites that use the HTTP protocol. This is used to check if VWO can create cookies on them, post which this cookie is deleted.	10 years
Visx.net	um2	marketing	visx.net	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisement. This pairing service is provided by third party advertisement hubs, which facilitates real-time bidding for advertisers.	2 years
vmg.host	BSWtracker	marketing	vmg.host	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that the visitor is shown the same advertisement.	694 days
Vuble	_mb	marketing	Vuble	Used in context with video-advertisement. The cookie limits the number of times a visitor is shown the same advertisement-content. The cookie is also used to ensure relevance of the video-advertisement to the specific visitor.	session
Weborama	AFFICHE_W	analytics	Weborama	Used by the advertising platform Weborama to determine the visitor's interests based on pages visits, content clicked and other actions on the website.	3 months
WePublish	_wepublishGa	analytics	WePublish	ID used to identify users	2 years

Service	Cookie	Category	Provider	Purpose	Retention
WePublish	_wepublishGa_gid	analytics	WePublish	ID used to identify users for 24 hours after last activity 24 hours	24 hours
WhatsApp	wa_ul	preferences	WhatsApp	Used to access the service it provides.	session
WhatsApp	wa_lang_pref	preferences	WhatsApp	Used by WhatsApp to save language preferences	6 days
Wikimedia	WMF-Last-Access	analytics	Wikipedia	This cookie is used by the Wikimedia Foundation. It is used to determine the last time a user visited a page, and is used for various statistics.	session
Wikimedia	loginnotify_prevlogins	preferences	Wikipedia	This cookie verifies that you are logging in from a known device. This affects the threshold for how many unsuccessful login attempts trigger a notification to the user..	180 days
Wikimedia	stopMobileRedirect	preferences	Wikipedia	This cookie tells us not to redirect to the mobile site if you do not like that..	30 days
Wikimedia	centralnotice_bucket	analytics	Wikipedia	This cookie helps us understand the effectiveness of notices provided to users through the CentralNotice extension..	session
Wikimedia	GeoIP	analytics	Wikipedia	This cookie is used to try and understand the user's geographical location (country) based on their IP address.	session
Wikimedia	NetWorkProbeLimit	analytics	Wikipedia	This cookie is used to set NetworkProbeLimit cookie to override the default network probe limit value.	1 hour
Wistia	_distillery	preferences	Wistia	This cookie is used by the Wistia video player to remember where you are in a video so that if playback is interrupted (for example, by losing your internet connection) then you can get right back to where you left off.	1 Year
Wistia	muxData	preferences	Wistia	This cookie is used by the Wistia video player to remember where you are in a video so that if playback is interrupted (for example, by losing your internet connection) then you can get right back to where you left off.	1 Year
Wistia	wistia-http2-push-disabled	preferences	Wistia	This cookie supports performance tracking by Wistia for their Analytics, so we can see how often videos were watched and how users interacted with video functionality.	2 Weeks
Wistia	_simplex	preferences	Wistia	Cookie by Wistia for storing user's referrer and landing paged details.	1 Year
Wistia	wistia	preferences	Wistia	This is a cookie required for the video player to work.	Session
Wistia	wistia-video-progress-*	preferences	Wistia	This cookie is used by the Wistia video player to remember where you are in a video so that if playback is interrupted (for example, by losing your internet connection) then you can get right back to where you left off.	Session
Wix.com	SSR-caching	preferences	Wix.com	Indicates how a site was rendered	session
Wix.com	smSession	preferences	Wix.com	Identifies logged in site members	2 weeks
Wix.com	svSession	marketing	Wix.com	Identifies unique visitors and tracks a visitor's sessions on a site	2 years
Wix.com	ForceFlashSite	preferences	Wix.com	When viewing a mobile site (old mobile under m.domain.com) it will force the server to display the non-mobile version and avoid redirecting to the mobile site	session
Wix.com	hs	preferences	Wix.com	Security	session
Wix.com	bSession	preferences	Wix.com	Used for system effectiveness measurement	30 minutes
Wix.com	TS01*	preferences	Wix.com	Used for security and anti-fraud reasons	session
Wix.com	fedops.logger.sessionId	preferences	Wix.com	Used for stability/effectiveness measurement	12 months
Wix.com	wixLanguage	preferences	Wix.com	Used on multilingual websites to save user language preference	12 months
Wix.com	_wixCIDX	preferences	Wix.com	Used for system monitoring/debugging	3 months
Wix.com	_wix_browser_sess	preferences	Wix.com	Used for system monitoring/debugging	session
Wix.com	consent-policy	preferences	Wix.com	Used for cookie banner parameters	12 months
Wix.com	client-session-bind	preferences	Wix.com	Cookie for API protection	session
Wix.com	server-session-bind	preferences	Wix.com	Cookie for API protection	session
WooCommerce	woocommerce_cart_hash	preferences	WooCommerce	Helps WooCommerce determine when cart contents/data changes.	session
WooCommerce	woocommerce_items_in_cart	preferences	WooCommerce	Helps WooCommerce determine when cart contents/data changes.	session

Service	Cookie	Category	Provider	Purpose	Retention
WooCommerce	wp_woocommerce_session_*	preferences	WooCommerce	Contains a unique code for each customer so that it knows where to find the cart data in the database for each customer.	2 days
WooCommerce	woocommerce_recently_viewed	preferences	WooCommerce	Powers the Recent Viewed Products widget	session
WooCommerce	store_notice*	preferences	WooCommerce	Allows customers to dismiss the Store Notice.	session
WooCommerce	woocommerce_snooze_suggestions_*	preferences	WooCommerce	Allows dashboard users to dismiss Marketplace suggestions, if enabled.	2 days
WooCommerce	woocommerce_dismissed_suggestions_*	preferences	WooCommerce	Count of suggestion dismissals, if enabled.	1 month
WooCommerce	sbjs_session	analytics	WooCommerce	The number of page views in this session and the current page path	30 minutes
WooCommerce	sbjs_udata	analytics	WooCommerce	Information about the visitor's user agent, such as IP, the browser, and the device type	session
WooCommerce	sbjs_first	analytics	WooCommerce	Traffic origin information for the visitor's first visit to your store (only applicable if the visitor returns before the session expires)	session
WooCommerce	sbjs_current	analytics	WooCommerce	Traffic origin information for the visitor's current visit to your store	session
WooCommerce	sbjs_first_add	analytics	WooCommerce	Timestamp, referring URL, and entry page for your visitor's first visit to your store (only applicable if the visitor returns before the session expires)	session
WooCommerce	sbjs_current_add	analytics	WooCommerce	Timestamp, referring URL, and entry page for your visitor's current visit to your store	session
WooCommerce	sbjs_migrations	analytics	WooCommerce	Technical data to help with migrations between different versions of the tracking feature	session
WooCommerce / Jetpack	tk_ai	preferences	WooCommerce / Jetpack	Stores a randomly-generated anonymous ID. This is only used within the dashboard (/wp-admin) area and is used for usage tracking, if enabled.	session
Wordpress	wordpress_test_cookie	preferences	Wordpress	Cookie set by WordPress to check if the cookies are enabled on the browser to provide appropriate user experience to the users	session
WordPress	devicePixelRatio	preferences	WordPress	Used to make the site responsive to the visitor's screen size.	1 year
WordPress	tk_qs	analytics	WordPress	JetPack sets this cookie to store a randomly-generated anonymous ID which is used only within the admin area and for general analytics tracking.	30 minutes
WordPress	tk_lr	marketing	WordPress	Jetpack - Stores the unique identifier for the publisher to enable Jetpack to collect data.	1 year
WordPress	tk_or	marketing	WordPress	Jetpack - Stores the unique identifier for the publisher to enable Jetpack to collect data.	5 Years
WordPress	tk_r3d	analytics	WordPress	JetPack installs this cookie to collect internal metrics for user activity and in turn improve user experience.	3 days
WordPress	tk_tc	analytics	WordPress	JetPack sets this cookie to record details on how user's use the website.	session
WordPress	wp-settings-*	preferences	WordPress	Used to persist a user's wp-admin configuration.	1 Year
WordPress	wporg_logged_in	preferences	WordPress	Used to check whether the current visitor is a logged-in WordPress.org user.	14 days if you select "Remember Me" when logging in. Otherwise, Session.
WordPress	wporg_sec	preferences	WordPress	Used to check whether the current visitor is a logged-in WordPress.org user.	14 days if you select "Remember Me" when logging in. Otherwise, Session.
WordPress	wporg_locale	preferences	WordPress	Used to persist a user's locale configuration.	1 year
WordPress	welcome-*	preferences	WordPress	Used to record if you've chosen to hide the "Welcome" message at the top of the corresponding blog.	permanent
WordPress	showComments	preferences	WordPress	Used to determine if you prefer comments to be shown or hidden when reading the site.	10 years
WordPress	trac_form_token	preferences	WordPress	Used as a security token for cross-site request forgery protection.	session
WordPress	trac_session	preferences	WordPress	Used to keep anonymous session information.	90 days

Service	Cookie	Category	Provider	Purpose	Retention
WordPress	codexToken	preferences	WordPress	Used to check whether the current visitor is a logged-in WordPress.org user. Only set if you select "Keep me logged in" when logging in.	6 months
WordPress	codexUserId	preferences	WordPress	Used to check whether the current visitor is a logged-in WordPress.org user.	6 months
WordPress	codexUserName	preferences	WordPress	Used to check whether the current visitor is a logged-in WordPress.org user.	6 months
WordPress	camptix_client_stats	analytics	WordPress	Used to track unique visitors to tickets page on a WordCamp site	1 year
WordPress	wp-saving-post	preferences	WordPress	Used to track if there is saved post exists for a post currently being edited. If exists then let user restore the data	1 day
WordPress	comment_author_*	preferences	WordPress	Used to tracked comment author name, if "Save my name, email, and website in this browser for the next time I comment." is checked	347 days
WordPress	comment_author_url_*	preferences	WordPress	Used to track comment author url, if "Save my name, email, and website in this browser for the next time I comment." checkbox is checked	347 days
WordPress	wp-postpass_*	preferences	WordPress	Used to maintain session if a post is password protected	10 days
WordPress	wp-settings-time-*	preferences	WordPress	Time at which wp-settings-{user} was set	1 year
WordPress	tix_view_token	preferences	WordPress	Used for session managing private CampTix content	2 days
WordPress	jetpackState	preferences	WordPress	Used for maintaining Jetpack State	session
WordPress	jpp_math_pass	preferences	WordPress	Verifies that a user answered the math problem correctly while logging in.	session
WordPress	stnojs	preferences	WordPress	Remember if user do not want JavaScript executed	2 days
WordPress	wordpress_logged_in_*	preferences	WordPress	Remember User session	session
WordPress	wp_lang	preferences	WordPress	Stores the user's language preference in WordPress admin panel.	Session
WP-Glogin	wordpress_google_apps_log_in	preferences	WP-Glogin	Used for secure log in to the web site with a Google account.	session
WPML	wp-wpml_current_language	preferences	WPML	This cookie is used to track the language preference fo the user	session
Wufoo	ep201	preferences	SurveyMonkey	Load balancing site traffic and preventing site abuse	30 minutes
Wufoo	ep202	preferences	SurveyMonkey	Signup source attribution, event stitching, and assigning visitors to experiments	1 year
Xandr	anj	marketing	Xandr	The anj cookie contains data denoting whether a cookie ID is synced with our partners. ID syncing enables our partners to use their data from outside the Platform on the Platform.	90 days
Xandr	uuid2	marketing	Xandr	This cookie contains a unique randomly-generated value that enables the Platform to distinguish browsers and devices.	90 days
Xandr	usersync	analytics	Xandr	This cookie contains data denoting whether a cookie ID is synced with our partners. ID syncing enables our partners to use their data from outside the Platform on the Platform.	90 days
Xandr	icu	marketing	Xandr	This cookie is used to select ads and limit the number of times a user sees a particular ad. It contains information such as the number of times an ad has been shown, how recently an ad has been shown, or how many total ads have been shown.	90 days
Xandr	pses	analytics	Xandr	This cookie is used to measure the time a user spends on a site.	Session
Xandr	token	preferences	Xandr	Cookies that start with token are helper cookies used as a security measure with industry opt-out pages. They contain a unique value only to verify the origin of opt-out requests.	1440 Minutes
Xandr	uids	marketing	Xandr	This cookie contains a base 64 encoded JSON object which contains external unique randomly-generated values that enable other Prebid Server demand partners to distinguish browsers and mobile devices.	120 days
Xandr	sess	preferences	Xandr	The sess cookie contains a single non-unique value: "1".It is used by the Platform to test whether a browser is configured to accept cookies from Xandr.	Session
Xandr	XANDR_PANID	marketing	Xandr	This cookie registers data on the visitor. The information is used to optimize advertisement relevance.	400 days
Xenforo	xf_consent	preferences	Xenforo	This cookie is used to store a user's cookie consent preferences.	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Xenforo	xf_csrf	necessary	Xenforo	This cookie is used to store a user's cross-site request forgery token, preventing other applications from making malicious requests on the user's behalf.	1 year
Xenforo	xf_dbWriteForced	preferences	Xenforo	This cookie is used to indicate that the request should be completed using the database write server.	1 year
Xenforo	xf_inline_mod_*	preferences	Xenforo	These cookies are used to store a user's currently selected inline moderation items.	1 year
Xenforo	xf_language_id	preferences	Xenforo	This cookie is used to store a user's selected language.	1 year
Xenforo	xf_ls	preferences	Xenforo	This cookie is used to store a user's local storage contents in the event their browser does not support the native local storage mechanism.	1 year
Xenforo	xf_notice_dismiss	preferences	Xenforo	This cookie is used to store a user's dismissed notices.	1 year
Xenforo	xf_push_notice_dismiss	preferences	Xenforo	This cookie is used to determine whether or not a user has dismissed the push notification notice.	1 year
Xenforo	xf_push_subscription_updated	preferences	Xenforo	This cookie is used to determine if a user's push subscription preferences have been updated.	1 year
Xenforo	xf_session	preferences	Xenforo	This cookie is used to store a user's session identifier.	session
Xenforo	xf_style_id	preferences	Xenforo	This cookie is used to store a user's selected style.	1 year
Xenforo	xf_tfa_trust	preferences	Xenforo	This cookie is used to determine if a user has previously chosen to trust this device without requiring further two-step verification for a period of time.	45 days
Xenforo	xf_toggle	preferences	Xenforo	This cookie and local storage item are used to store a user's preferences for toggling various controls open or closed.	1 year
Xenforo	xf_user	preferences	Xenforo	This cookie is used to store a user's remember me token, allowing their credentials to persist across multiple sessions.	1 year
Xenforo	xf_emoji_usage	preferences	Xenforo	This cookie is used to store which emojis a user has recently used when composing a message.	session
Xenforo	xf_from_search	preferences	Xenforo	This cookie is used to track when a user has arrived on the site from a search engine.	session
Yandex.Metrica	_ym_metrika_enabled	analytics	Yandex	Checks whether other Yandex.Metrica cookies are installed correctly	60 minutes
Yandex.Metrica	_ym_isad	analytics	Yandex	Determines whether a user has ad blockers	2 days
Yandex.Metrica	_ym_uid	analytics	Yandex	Used for identifying site users	1 year
Yandex.Metrica	_ym_d	analytics	Yandex	Saves the date of the user's first site session	1 year
Yandex.Metrica	yabs-sid	analytics	Yandex	Session ID	session
Yandex.Metrica	_ym_debug	preferences	Yandex	Indicates that debug mode is active	session
Yandex.Metrica	_ym_visorc_*	analytics	Yandex	Allows Session Replay to function correctly	30 minutes
Yandex.Metrica	_ym_hostIndex	preferences	Yandex	Limits the number of requests	1 day
Yandex.Metrica	yandexuid	analytics	Yandex	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.	1 year (in some countries, the period may be longer)
Yandex.Metrica	yuidss	analytics	Yandex	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.	1 year (in some countries, the period may be longer)
Yandex.Metrica	ymex	analytics	Yandex	Stores auxiliary information for Yandex.Metrica performance: ID creation time and their alternative values.	1 year
Yandex.Metrica	usst	analytics	Yandex	Stores auxiliary information for syncing site user IDs between different Yandex domains	1 year
Yandex.Metrica	is_gdpr_b	analytics	Yandex	Detecting users from regions where the General Data Protection Regulation (GDPR) applies	1 year
Yandex.Metrica	is_gdpr	analytics	Yandex	Detecting users from regions where the General Data Protection Regulation (GDPR) applies	1 year
Yandex.Metrica	yabs-vdrf	analytics	Yandex	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	5 days

Service	Cookie	Category	Provider	Purpose	Retention
Yandex.Metrica	bh	analytics	Yandex	Collects data on user behaviour and interaction in order to optimize the website and make advertisement on the website more relevant.	1 Year
Yandex.Metrica	_yasc	analytics	Yandex	Collects data on the user across websites - This data is used to make advertisement more relevant.	10 Years
Yandex.Metrica	yashr	analytics	Yandex	Collects data on the user across websites - This data is used to make advertisement more relevant.	1 Year
Yieldmo	ptrcriteo	marketing	Yieldmo	This cookie is used to establishes a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	1 Year
Yieldmo	ptrrhs	marketing	Yieldmo	This cookie is used to identify, session length, IP address, location, time of usage, viewed pages and files, your advertising campaign selections, and other information regarding your use of the Website.	1 Year
Yieldmo	yieldmo_id	analytics	Yieldmo	Yieldmo only tracks using device identifiers and so all requests must include your device's Advertising ID or the yieldmo_id cookie of the device related to the request. Requests submitted without a device identifier cannot be processed.	1 Year
Yieldmo	ptrrc	marketing	Yieldmo	This cookie is used to establishes a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	10 months
Yieldmo	ptran	marketing	Yieldmo	This cookie is used to establish a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	1 Year
Yieldmo	ptrt	marketing	Yieldmo	This website uses a cookie to track you and show you ads from other companies that might interest you. These ad platforms connect advertisers with viewers in real-time	1 Year
Yieldmo	ptrpp	marketing	Yieldmo	We use a cookie to create a unique ID for you. This allows advertisers (not affiliated with us) to show you relevant ads. Advertisers use platforms that connect them with potential customers in real-time.	1 Year
Yieldmo	ptrpub	marketing	Yieldmo	This cookie helps us personalize your ad experience. It creates a unique identifier that allows advertisers to show you relevant ads based on your browsing habits. Advertisers use real-time platforms to connect with viewers who might be interested in their products.	1 Year
Yieldmo	ptrc	marketing	Yieldmo	This website utilizes a cookie to assign a unique visitor ID. This ID is used by external advertising networks (third-party) to deliver targeted advertising based on your browsing behavior. These ad networks function as real-time marketplaces where advertisers compete for your attention.	1 Year
Yieldmo	ptrb	marketing	Yieldmo	This cookie is used to establish a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	1 Year
Yieldmo	ptropenx	marketing	Yieldmo	This cookie is used to establish a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	1 Year
Yieldmo	ptrbsw	marketing	Yieldmo	When you visit our site, a cookie is placed to identify you. This allows advertisers (separate companies) to target you with relevant ads. These ad platforms connect advertisers with potential customers in real-time, like an auction.	1 Year
Yieldmo	ptreps	marketing	Yieldmo	This cookie is used to establish a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	1 Year
Yieldmo	ptradtrt	marketing	Yieldmo	This cookie is used to establish a unique identifier for the visitor that allows external advertisers (third parties) to target the visitor with relevant advertising. This combined service is provided by advertising hubs, which provide real-time offers to advertisers.	1 Year
Yithemes.com	yith_wcwl_session_	preferences	Yithemes.com	YITH WooCommerce Wishlist plugin uses cookies in order to correctly store user wishlists	29 days
Zeotap	zc	marketing	Zeotap	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites.	10 years
Zeotap	zsc	marketing	Zeotap	Frequency capping for cookie syncing	1 day
Zeotap	zi	marketing	Zeotap	User Identification	1 year

Service	Cookie	Category	Provider	Purpose	Retention
Zeotap	idp	marketing	Zeotap	User Identification	1 year
Zeotap	zuc	marketing	Zeotap	User Identification	1 year
ZOHO	zc_consent	preferences	ZOHO	Determines whether the user has accepted the cookie consent box.	1 year
ZOHO	ZCAMPAIGN_CSRF_TOKEN	necessary	ZOHO	This cookie is used to distinguish between humans and bots.	session
ZOHO	zc_show	marketing	ZOHO	Collects data on visitors' preferences and behaviour on the website - This information is used make content and advertisement more relevant to the specific visitor.	1 year
ZOHO	zc_cu_exp	preferences	ZOHO	Contains the expiration date for the cookie with its name.	1 year
ZOHO	zc_loc	marketing	ZOHO	Collects information on user preferences and/or interaction with web-campaign content - This is used on CRM-campaign-platform used by website owners for promoting events or products.	session
ZOHO	uesign	preferences	ZOHO	This cookie is used to manage the security of the applications.	1 month